This report was funded by the Bonneville Power Administration (BPA), U.S. Department of Energy, as part of BPA's program to protect, mitigate, and enhance fish and wildlife affected" by the development and operation of hydroelectric facilities on the Columbia River and its tributaries. The views in this report are the author's and do not necessarily represent the views of BPA.

For additional copies of this report, write to

Bonneville Power Administration

Public Information Center - CKPS-1

P.O.Box 3621

Portland, OR 97208

Please include title, author, and DOE/BP number from the back cover in the request

ROCK ISLAND DAM SMOLT MONITORING, 1988

FINAL REPORT

by

Charles M. Peven Paul C. Fielder

Fish and Wildlife Operations
Power Operations Department
Public Utility District No. 1 of Chelan County

Prepared for

Dale Johnson, Project Manager U.S. Department of Energy Bonneville Power Administration Division of Fish and Wildlife P.O.Box 3621
Portland, OR 97208-3621

Contract Number DE-A179-86BP61748 Project Number 84-54

September, 1988

ABSTRACT

Downstream migrating salmon (Oncorhynchus_spp.) and steelhead trout (Salmo gairdneri) smelts were monitored at the Rock. Island Dam bypass trap from 2 April - 31 August, 1988. Data collected included: 1) number of fish caught by species, 2) number of branded fish caught by species, 3) daily average riverflow, 4) daily average powerhouse #1 and #2 flows and daily average spill. data were transmitted to, and used by, the Fish Passage Center to manage a "water budget" of allocated upstream water storage to augment river flows to improve survival of downstream migrating salmonids. The Rock Island Dam trapping facility collected 129,781 downstream migrating salmonids in 1988. Collected fish included 5,596 chinook salmon (Oncorhynchus tshawytscha) and 1,048 steelhead which had been freeze branded (to determine migration rates) and 6,974 chinook and 21,693 steelhead with clipped adipose fins. The middle 80% of the 1988 spring migration (excluding sub-yearling chinooks) passed Rock Island Dam during a 32 day period, 25 April -26 May. The spring migration timing was influenced by the presence of accelerated growth sub-yearling chinook that were recorded as yearling chinook. The spring migration excluding this group was 31 days, from 25 April to 25 May. Passage rates of hatchery released chinook and steelhead smelts and the downstream migration timing of all salmonids are presented. The spring migration timing of juvenile salmonids is strongly influenced by hatchery releases above Rock Island Dam.

Table of Contents

<u>Page</u>	
i	ABSTRACT
ii	Table of Contents
iii	List of Tables
iv	List of Figures
1	INTRODUCTION
1	METHODS
8	RESULTS & DISCUSSION
12 12 12 12 15 15 18 18 18 18 19	MIGRATION TIMING Yearling chinook Sub-yearling chinook Steelhead Sockeye Coho Total salmonid run MARKED FISH RECOVERIES Yearling chinook Leavenworth National Fish Hatchery Accelerated sub-yearling chinook Winthrop National Fish Hatchery Sub-yearling chinook Steelhead
19	SUMMARY
19	ACKNOWLEDGEMENTS
20	LITERATURE CITED
21	APPENDICES

List of Tables

Page 9	Table 1.	Summary of brand recovery rates for yearling chinook , sub-yearling chinook, and steelhead, 2 April - 31 August, 1988.
10	Table 2.	Rock Island Dam powerhouse operations expressed in KCFS and percent streamflow , 2 April - 31 August, 1988.
11	Table 3.	Comparison of actual and expanded fish counts and passage dates for the Rock Island Dam bypass trap, 1988.

List of Figures

Page		
2	Figure 1.	Columbia River between Rock Island and Grand Coulee dams showing major tributaries and hatcheries.
3	Figure 2.	Locations of powerhouse #1 and powerhouse #2 of Rock Island hydroelectric project.
5	Figure 3.	Section through Rock Island Dam second power-house indicating fish movement into gatewell bypass system.
6	Figure 4.	Rock Island Dam fingerling collection trap.
7	Figure 5.	Plan view of fingerling bypass and collection system at Rock Island Dam second powerhouse (taken from Olson 1983).
13	Figure 6.	Length frequency histograms (broken down into 2 week periods) of sub-yearling chinook salmon, collected at the Rock Island Dam bypass trap, 1 June - 26 August.
14	Figure 7.	Length frequency histograms of hatchery and naturally produced steelhead trout smelts collected at the Rock Island Dam bypass trap, 2 April - 24 June.
16	Figure 8.	Length frequency histograms of sockeye smelts collected at the Rock Island Dam bypass trap, 5 April - 3 June.
17	Figure 9.	Comparison of cumulative total juvenile sal -monid passage at Rock Island Dam between 1988 and the four year average (1985 -1988).
17	Figure 10.	Comparison of cumulative juvenile salmonid passage (excluding sub-yearling chinook) at Rock Island Dam between 1988 and the four year average (1985-1988).

INTRODUCTION

In 1982, the Northwest Power Planning Council developed a fish and wildlife program to protect, mitigate and enhance fish and wildlife resources affected by construction and operation of Columbia River hydroelectric facilities. Under this program, a "water budget" of allocated upstream water storage was established to be used for instream flow augmentation to improve survival of downstream migrating salmon (Oncorhynchus spp.) and steelhead trout (Salmo gairdneri) . The Council's plan also called for studies to monitor juvenile fish migration timing and survival. information is applied to the daily management and evaluation of the water budget. The fishery agencies and tribes formed a Water Budget Center (renamed as the Fish Passage Center) to direct the use of the water budget and to conduct and coordinate studies related to water budget management and evaluation. Passage Center developed a Smelt Monitoring Program and selected several sites on the Columbia and Snake rivers as smelt monitoring Rock Island Dam was selected as one of these stations. stations. It is the first dam downstream from all of the major salmon and steelhead producing tributaries of the mid-Columbia River (Figure 1).

The 1988 Smelt Monitoring Program for the mid-Columbia River was designed **to** index the daily number of outmigrating **salmonids** and to report numbers of marked juveniles collected. Data collected under this program allow comparison and evaluation of year to year migration timing and travel time of different stocks of naturally and hatchery produced juvenile **salmonids**.

Funding of the program, as implemented by the Fish Passage Center, was provided by the Bonneville Power Administration. The Public Utility District No. 1 of Chelan County (Chelan PUD) provided the trapping facility, personnel, and equipment to conduct the monitoring.

METHODS

Daily sampling data collected at the Rock Island Dam monitoring station included 1) total number of fish caught by species, 2) total number of branded fish caught by species, 3) daily average riverflow, 4) daily average power-house- flow through Rock Island #1 (old powerhouse) and Rock Island #2 (new powerhouse) (Figure 2), and daily average spill. The flow data were recorded so that an expanded index of fish passage through powerhouse #2 could be developed based on the bypass collection count in relation to the proportion of total riverflow passing through powerhouse #2.

To provide travel time estimates between hatchery release points and Rock Island Dam, yearling and sub-yearling chinook (Oncorhynchus_tshawytscha), and steelhead, in state and federal




Figure 1. Columbia **River** between Rock Island and Grand Coulee dams showing major tributaries and hatcheries.




Figure 2. Location of powerhouse #1 and powerhouse #2 of Rock Island hydroelectric project.

hatcheries, were freeze branded (using liquid nitrogen) and released. Approximately 13% of the released chinook were marked with wire-coded tags and clipped adipose fins. All hatchery reared steelhead released in Washington state waters have been-adipose fin clipped since 1985. A comparison of timed releases of marked smelts (according to brand configuration) to daily sample recoveries of these branded smelts at the bypass trap provided travel time estimates between the release points and the dam. Unmarked hatchery and naturally produced salmonids were also monitored to provide an indicator of the peak arrival times for each species at Rock Island Dam.

Fish collected by the trap during the 24 hour sampling period (0900-0900) were held in the bypass flume before being delivered, via an elevator hopper, to an 8' x 8' x 3' portable fiberglass holding tank (Figures 3, 4, 5). The holding tank was supplied with a continuous water flow from the right bank fishladder with a 5 horsepower submersible pump.

Groups of 30-50 fish were anesthetized with a solution of Tricaine methane sulfonate (MS 222) before handling. Fish were identified by species and examined for brands and clipped fins in a sampling shed adjacent to the holding tank (Figure 5). Fork length measurements were taken three times per week from subsamples of sockeye (Oncorhynchus nerka), steelhead, and after 1 June from sub-yearling chinook. Steelhead were categorized as "hatchery" or "naturally-produced" according to clipped adipose fin, or if an adipose fin was present, a worn appearance of the dorsal and ventral fins (Peven and Hays 1986). The fish were then allowed to recover in an isolated section of the holding tank.

After the examined fish had fully recovered from the effects of the MS 222, they were released through a 4" PVC pipe from the recovery section of the tank (elevation 620' m.s.l.) to the tailrace (elevation 574' m.s.l.) (Figure 5). The release area of the tailrace was protected from gull predation with parallel lengths of 80 pound test monofilament fish line tied at approximately 6 foot intervals overhead of the pipe outlet. In addition, an employee of the U. S. Department of Agriculture's Animal Damage Control Division effectively diverted gulls away from the tailrace during the middle 80% of the spring migration by using various behavior modifying techniques that repulsed the birds.

Data pertinent to the smelt monitoring program were transferred from **Chelan P.U.D.** headquarters in Wenatchee, WA to the Fish Passage Center (Portland, OR) daily via a IBM personal computer linked to telephone lines, with resident software on the Fish Passage Center's IBM System 36.




Figure 3. Section through Rock Island Dam second powerhouse indicating fish movement into gatewell system.




Figure 4. Rock Island Darn juvenile **salmonid** fingerling collection trap.




Figure 5. Plan view of juvenile **salmonid** bypass and collection system at Rock Island Dam second powerhouse (taken from Olson 1983).

RESULTS AND DISCUSSION

The Rock Island trapping facility collected 129,7.81 juvenile salmon and steelhead during the 1988 smelt monitoring program (Appendix A-1 - A-6). A total of 5,596 freeze branded chinook salmon and 1,048 freeze branded steelhead trout representing 25 distinct marks and releases, were collected and recorded during 1988 (Table 1, Apps. D-1 - D-6, E-1 - E-6). In addition, we collected 6,974 chinook and 21,693 steelhead with clipped adipose fins (Appendix D-1 - D-6).

The bypass trapping facility operated without mechanical failure during the smelt monitoring program. Between 2 April and 26 May no fish were collected from unit # 1 of the second powerhouse (during a bar screen prototype study). Fish were collected from 12 of the 16 gate slots during the remainder of the study because units 7 and 8 (second powerhouse) were shut down during the study (for turbine repairs and replacement).

An examination of daily powerhouse #2 turbine flows in proportion to total river flow showed a variance in powerhouse operations during the period of peak salmonid outmigration. Monthly average powerhouse #2 flows for the period of 2 April through 30 June ranged from 63.2% to 76.7% of average total riverflow and daily averages ranged from 49.1% to 92.8% (Table 2).

Average daily hydraulic data for Rock Island Dam were supplied to the Fish Passage Center, which used it to develop an expansion of Rock Island trap data (Appendix B-1 - B-6). The expansion was derived by multiplying the actual trap collection count by the inverse proportion of water passing through powerhouse #2 during the sampling period (i.e., (collection count x 100) / (powerhouse #2 flow / powerhouse #1 flow + powerhouse #2 flow + spill)). A comparison of actual trap collection counts to the expanded index (Table 3) indicated differences in the smelt timing estimates. The largest difference in timing estimates observed between the two counts was an eight day difference in the 90% passage date for total salmonids (Table 3, App. C-6). Actual count data were used in our analysis and discussion.

Table 1. Summary of brand recovery rates for yearling chinook, sub-yearling chinook, and steel head trout, 2 April -31 August 1988.

Fish	Brand	Release date	Release site	Branded fish released		Last ov. recov date	10% . recov. date	50% recov. date	90% recov. date	# recov.	z recov.
Chinook											
yearling	LA/7C/1	4/19/88	Methow R.	23,098	4/24/88	6/02/88	4/30/88	•	5/27/88	133	0.576
		4/19/88	Methow R.	23,097	4/26/88	5/31/88	5/08/88		5/26/88	118	0.511
	RA/7C/1		Methow R.	23,140	4/25/88	6/01 /88	4/29/88		5/25/88	94	0.406
		4/19/88	Methow R.	23,942	4/26/88	6/21 /88	4/30/88		5/26/88	95	0.397
		4/21/88	Entiat R.	32,172	4/23/88	6/02/88	4/25/88		5/11/88	75	0.233
		4/20/88	Wenat. R.	47,476	4/22/8a	5/19/88	4/22/88		5/12/88	214	0.451
	LA/15/1	4/22/88	Wenat. R.	35,002	4/24/89	5/26/88	4/25/88		5/12/88	107	0.306
		4/22/88	Wenat. R.	34,910	4/17/88	5/29/88	4/25/88		5/14/88	112	0.321
		4/22/88	Wenat. R.	33,919	4/24/88	5/25/88	4/26/88		5/12/88	131	0.386
	RA/15/3	4/22/88	Wenat. R.	34,810	4/24/88	5/28/88	4/25/88	5/06/88	5/1 3/88	155	0.445
			Totals:	311,566						1.234	0.396
Accelerat	ed										
growth											
chinook											
subyring	LA/I 0/1	4/22/88	Wenat. R.	28,789	4/10/88	6/22/88	4/17/88	5/1 3/88	6/06/88	292	1.014
	LA/10/3	4/22/88	Wenat. R.	23,389	4/12/88	6/18/88	4/16/88	5/07/88	6/04/88	231	0.988
		4/22/88	Wenat. R.	28,459	4/12/88	6/23/88	4/24/38	5/07/88	6/05/88	297	1.044
	RA/10/3	4/22/88	Wenat. R.	28,897	4/11/88	6/20/88	4/19/88	5/05/88	6/06/88	299	1.035
	LA/12/1	4/22/88	Wenat. R.	33,492	4/24/88	6/17/88	4/27/88	5/18/88	6/08/88	357	1.066
	LA/12/3	3 4/22/88	Wenat. R.	24,814	4/24/88	6/17/88	4/27/88	5/20/88	6108/88	291	1.173
	RA/12/1	4/22/88	Wenat. R.	33,277	4/24/88	6/17/88	4/26/88	5/20/88	6/08/88	341	1.025
	RA/12/3	4/22188	Wenat. R.	33,499	4/24/88	6/17/88	4/26/88	5/1 6/88	6/07/88	391	1.167
	LA/IZ/1	5/76/88	Wenat. R.	29,110	5/17/89	6/27/88	5/21 /88	6/09/88	6/1 7/88	396	1.360
	LA/IZ/3	5/16/88	Wenat. R.	28,383	5/18/88	6/28/88	5/20/88	6/08/88	6/1 7/88	409	1.441
	RA/IZ/1	5/16/88	Wenat. R.	29,457	5/18/88	6/28/88	5/20/88	6/08/88	6/1 7/88	458	1.555
	RA/IZ/3	5/16/88	Wenat. R.	30.044	5/18/88	6/26/88	5/20/88	6/08/88	6/1 7/88	471	1.568
			Totals:	351,610						4,233	1.204
Chinook											
subyring	RD/R/3	5/22/88	Wells Dam	99,061	6/01/88	7/27/88	6/05/88	6/23/88	7/02/88	129	0.130
Steel he	ad LA/7U	/1 4/18/88	Smklmn R.	40.000	4/26/88	5/24/88	5/02/88	5/10/88	5/1 7/88	667	1.668
		4/20/88	Methow R.	30,000					5/12/88		1.270
			Totals:	70.000						1,048	1.497
	Total	s for enti	re study:	832,237						6,644	0.798

.....

Table 2. Rock Island Dam powerhouse operations expressed in KCFS and percent streamf low, 2 Apri 1 - 31 August.

	74.2 112.2 107.4 83.2 (34.6-103.6) (56.4-151.1) (66.0-150.7) (54.6-113.8) (41 14.0 21.4 31.0 18.2 (0.5-29.9) (2.1-44.9) (4.0-62.6) (0.5-39.4) (0 56.0 68.9 75.5 64.0 (30.0-75.8) (39.1-87.3) (57.8-92.3) (49.3-75.5) (40 3.6 20.6 0.0 0.0 (0.0-17.9) (0.0-35. 1) (0.0) (0.0) Average percent of total f low 18.1 17.5 26.7 20.2				
	Apri 1	Мау	June	July	August
Total river flow	74.2	112.2	107.4	83.2	77.4
(monthly range)	(34.6-103.6)	(56.4-151.1)	(66.0-150.7)	(54.6-113.8)	(41.9-106.5)
Powerhouse #1 flow	14.0	21.4	31.0	18.2	12.4
(monthly range)	(0.5-29.9)	(2.1-44.9)	(4.0-62.6)	(0.5-39.4)	(0.5-31.8)
Powerhouse #2 flow	56.0	68.9	75.5	64.0	64.0
(monthly range)	(30.0-75.8)	(39.1-87.3)	(57.8-92.3)	(49.3-75.5)	(40.0-79.6)
Spi11	3.6	20.6	0.0	0.0	0.0
(monthly range)	(0.0-17.9)	(0.0-35. 1)	(0.0)	(0.0)	(0.0)
		Averag	e percent of to	otal f low	
Powerhouse #1	18.1	17.5	26.7	20.2	14.1
(monthly range)	(0.7-30.9)	(4.0-30.0)	(5.9-43. 1)	(0.9-36.2)	(1.0-30.8)
Powerhouse #2	76.7	63.2	72.3	78.5	84.5
(month) y range)	(60.5-90.4)	(49.1-90.3)	(55.8-92.8)	(62.8-97.3)	(73.1-97.3)
Spi11	4.5	18.1	0	0	0
(monthly range)	(0.0-26.2)	(0.0-24.2)	(0.0)	(0.0)	(0.0)

Table 3. Comparison of actual and expanded fish counts and passage. dates for the Rock Island Dam bypass trap, 1988 (expended data in parentheses).

Numbers **Dates** spades **Totals** 10% 50% 90% 10% 50% 90% 16,794 30,229 4/23/2S 5/08/88 5/27/88 33,588 chinook 3,359 yearling (52,050) (5,205) (26,025) (46,845) (4/24/88) (5/09/88) (5/26/88) Chinook 28,4% 2,850 14,248 25,646 6/15/88 7/05/88 8/05/88 (6/13/88) (7/03/28) (8/03/88) sub-yearlings (38,301) (3,830) (19,151) (34,447) Steel head 26,332 13,166 23,699 5/02/88 5/1 3/88 5/24/88 2,633 (44, 198) (4,420) (22,099) (39,778) (5/02/88) (5/13/88) (5/22/88) 12,545 22,580 5/1 3/88 5/21 /88 5/28/88 Coho 25,089 2,509 (42,561) (4,256) (21,281) (38,305) (5/12/88) (5/20/88) (5/26/88) 16,264 1,626 8.132 14,638 4/21/88 5/01/88 5/18/88 Sockeye (4/21/88) (5/01/88) (5/19/88) (24,272) (2,427) (12,136) (21.845) Total 64*891 116,803 4/26/88 5/17/88 7/09/88 129,781 12,978 salmonids (201.392) (20,139) (100,696) (181,253) (4/27/88) (5/16/88) (7/01/88)

MIGRATION TIMING

Yearling chinook

Yearling chinook were present the first day of the smelt monitoring program, 2 April, and continued to be present every day until 29 June. The last yearling chinook was collected on 27 July. The 10% and 90% passage dates for yearling chinook were 23 April and 27 May, respectively. Peak passage of 1,473 yearling chinook occurred on 25 April.

An experiment was conducted by Parametrix of Bellevue, Washington to determine the effect of accelerated growth on smoltification of sub-yearling chinook. The Fish Passage Center instructed us to record these fish (which were 100% freeze branded and coded wire tagged) as chinook yearlings (brand recapture data from these groups appear in Appendices E-1-E-6). If these fish are subtracted from the yearling chinook daily counts, the 10% and 90% dates of passage were 23 April and 25 May, respectively. The 10% passage date remained the same and the 90% passage date was 3 days earlier.

Sub-yearling chinook

The first sub-yearling chinook was collected on 2 April. Sub-yearlings were collected sporadically until 19 May, when daily occurrence continued until the end of the smelt monitoring program, 31 August. Peak passage of 1,140 sub-yearling chinook occurred on 29 June. The 10% and 90% passage dates were 15 June and 5 August, respectively, while the 50% passage date for sub-yearling chinook was 5 July (Table 3, App. C-2). Fork length measurements were taken from sub-yearling chinook between 1 June and 26 August (Figure 6). The bimodal appearance of these length frequency data is related to naturally and hatchery produced fish being present in the sample (hatchery fish are predominantly larger than naturally produced fish).

Steelhead

Daily collection of steelhead smelts began on 3 April and continued-until 28 June, after which, steelhead-were intermittently collected in low numbers (<10) until 28 August. Peak passage of 1,869 steelhead occurred on 11 May, 2 days prior to the 50% passage date. The 10% and 90% passage dates were 2 May and 24 May, respectively (Table 3, Appendix C-3).

Fork length measurements were taken from steelhead smelts between 2 April and 24 June. Hatchery smelts were predominantly larger than naturally produced smelts (Figure 7).

Sockeye

Sockeye smelts were Present at Rock Island Dam on the first day of the-monitoring program, 2 April. The last sockeye smelt was trapped on 28 August. Peak passage occurred on 2 May when 2,051 sockeye smelts were collected. The 10% and 90% passage dates were 21 April and 18 May, respectively, while 50% of the outmigrating




Figure 6. Length frequency histograms (broken down into 2 week periods) of sub-yearling chinook salmon, collected at the Rock Island Dam bypass trap, 1 June - 26 August.




Figure 7. Length frequency histograms of hatchery **and** naturally produced steelhead trout smelts collected at the Rock Island Dam bypass trap, 2 April - 24 June.

sockeye smelts had passed Rock Island Dam by 1 May (Appendix c-4) .

In 1988, the downstream migration of sockeye was not as strongly bimodal as in the previous three years (Appendix C-4). The usual bimodal run timing occurs because two stocks of sockeye pass Rock Island Dam on their seaward migration (Okanogan and Wenatchee rivers). Wenatchee River outmigrants pass Rock Island Dam primarily in April and Okanogan River smelts are more prevalent at Rock Island Dam in May (Peven 1987). It appears that in 1988, the Okanogan stock of sockeye did not migrate in large numbers (Peven 1988, Jim McGee, pers. comm.). Length frequencies were taken from sockeye smelts between 5 April and 3 June (Figure 8).

Coho

Daily collection of coho (Oncorhynchus kisutch) smelts began on 18 April and continued until 28 June. Sporadic samples of coho were collected after 27 June, with the last coho collected on 9 August. Peak passage of 2,244 coho smelts occurred on 22 May (Appendix A-2, C-5). The 10%, 50%, and 90% passage dates for coho were 13 May, 21 May, and 28 May, respectively.

Total salmonid run

The total juvenile **salmonid** run timing is represented in Appendix C-6. The early peak passage count of 3,572 on 2 May is largely influenced by the large collection of Wenatchee stock sockeye (n = 2,051). The 11 May peak count of 4,198 is the combination **of chinook** yearlings (n = 1,170) and steelhead (n = 1,869).

The effect of sub-yearling chinook was assessed on the 10%, 50%, and 90% dates for the total cumulative juvenile salmonid A comparison was made between 1988 and the four year migration. average (1985 - 1988) between the total juvenile population migrating past Rock Island Dam and the juvenile migration excluding sub-yearling chinook (Figures 9, 10). The duration of the middle 80% of the total juvenile **salmonid** passage (10% date to 90% date) was 75 days, 26 April to 9 July with a 50% passage date on 17 May, compared to a 70 day duration for the four year average, with 10%, 50%, and 90% passage dates: 25 April, 21 May, and 5 July, respectively (Figure 9). Excluding sub-yearling chinook from this analysis results in a spring migrant run duration of 32 days, 25 April to 26 May, with a 50% passage date on 13 May, compared to a 38 day duration for the four year average, with 10%, 50%, and 90% passage dates: 22 April, 17 May, and 29 May, respectively (Figure lo).

In summary, **sub-yearling** chinook extend the juvenile **migration** 90% passage **date** 45 **days; from** 26 May (spring migration) **to 9** July (total migration). Run timing in 1988 was slightly longer than the four year average. The middle 80% of the total juvenile **salmonid** migration past Rock Island Dam in 1988 was 75 days compared to 70 days for the four year average. Excluding sub-




Figure 8. Length frequency histograms of sockeye smelts collected at the Rock Island Dam bypass trap, **5** April - **3** June (from Peven 1988).




Figure **9.** Comparison of cumulative total juvenile **salmonid** passage at rock Island Dam between 1988 and the 4 year average (1985-- 1988).




Figure 10. Comparison of cumulative juvenile **salmonid** passage (excluding sub-yearling chinook) at Rock Island Dam between 1988 and the 4 year average (1985 - 1988).

4 YEAR AVERAGE

yearlings from this comparison, the spring migration past the dam in 1988 was 32 days, compared to 38 days for the four year average.

MARKED FISH RECOVERIES

Twenty five groups of freeze branded hatchery fish totaling 832,237 fish (Table 1), were released into the Columbia River system upstream from Rock Island Dam to evaluate the relationships between Columbia River flow rates and travel time. These releases consisted of 311,566 chinook yearlings (186,117 released from the Leavenworth National Fish Hatchery into the Wenatchee River, 32,172 released into the Entiat River, and the remainder released into the Methow River), 351,610 accelerated growth chinook sub-yearlings released from the Leavenworth hatchery, 99,061 sub-yearling chinook released at Wells Dam, 40,000 steelhead released into the Similkameen River, and 30,000 steelhead released into the Methow River. Table 1 presents information concerning these releases as well as recovery data, including: first, last, 10%, 50%, and 90% recovery dates and number and percent of each release group.

Yearling chinook

Leavenworth National Fish Hatchery - The first brand recovery at Rock Island Dam was on 22 April, consisting of the yearling chinook from Leavenworth National 'Fish Hatchery that were released on 20 The 50% recovery date at Rock Island Dam for the April. Leavenworth branded yearling spring chinook was 30 April, resulting in a median travel time of 10 days. Final recovery of Leavenworth branded chinook occurred on 19 May. The Rock Island Dam bypass trap sampled 0.45% of the fish in this release (Table 1). Other releases of yearling chinook from the Leavenworth hatchery were part of the Parametric experiment and had median passage dates ranging from 14 to 17 days (Table 1). These fish enter the Columbia River only 15 miles above Rock Island Dam and, as a result, Columbia River flows had less influence on travel time to Rock Island Dam for this group compared to fish released above Rocky Reach Dam.

Accelerated growth sub-yearling chinook

Twelve groups of accelerated growth chinook sub-yearlings were released from the Leavenworth hatchery; 8 groups on 22 April and 4 groups on 16 May. The groups that were released on 22 April had median passage dates ranging from 14 to 29 days, and the bypass trap collected between 0.98 to 1.17% of these fish (Table 1). The other groups that were released in May had median passage dates ranging from 23 to 24 days, and the bypass trap collected between 1.36 to 1.56% of these releases (Table 1).

<u>Winthrop National Fish Hatchery</u> - Four groups of yearling chinook were released into the Methow River on 19 April (Table 1). The median passage times for these four groups of fish were 23, 23, 26, and 33 days. The fish released into the Methow River traveled a longer distance before reaching Rock Island Dam than did the fish released into the Wenatchee River. The Rock Island Dam bypass trap sampled 0.39% - 0.57% of these released fish (Table 1).

Sub-yearling chinook

One group of branded sub-yearling chinook was released from the WDF'S hatchery at Wells Dam on 22 May. The median travel time to Rock Island Dam for this group was 33 days and the Rock Island bypass trap collected 0.13% of the marked fish from this release (Table 1). These fish had a shorter travel distance than the yearling chinook released in the Methow River.

Steelhead

Marked steelhead were released on 18 April into the Similkameen River and 20 April into the Methow River (Table 1). Median travel times of the two groups of fish were 15 and 23 days, respectively. Steelhead migrated downstream faster than did chinook yearlings traveling about the same distance. Of the branded steelhead released, 1.27 and 1.67% were recovered at the Rock Island Dam bypass trap (Table 1).

SUMMARY

Between 2 April and 31 August, 1988, 129,781 downstream migrating salmonids were collected at the Rock Island Dam bypass trap. Freeze branded fish collected consisted of 5,596 chinook salmon and 1,048 steelhead trout. In addition, 6,974 chinook and 21,693 steelhead were collected that had clipped adipose fins.

The middle 80% of the **salmonid outmigration** passed Rock Island Dam between 26 April and 9 July, 1988, a 75 day period. The dates and duration of the **outmigration** were extended by sub-yearling chinook. If sub-yearling chinook are excluded from analysis, the middle 80% of the outmigration was 25 April to 26 May, a 32 day period. Sub-yearling chinook comprised 22% of the fish collected at Rock Island Dam.

ACKNOWLEDGMENTS

This monitoring effort was funded by the Bonneville Power Administration, U.S. Department of Energy, as a part of the Northwest Power Planning Council's program to protect, mitigate, and enhance fish and wildlife affected by hydroelectric facilities in the Columbia River Basin. The study was coordinated through the Fish Passage Center. Jennifer Jordan and Larry Basham of the Fish Passage Center were very helpful throughout the study. The Public Utility District No. 1 of **Chelan** County conducted the smelt monitoring at Rock Island Dam and a number of district employees assisted with the study. Dick Nason and Steve Hays provided administrative and logistical help as well as information and advise. Dale Newcomb prepared the report drawings. The following individuals assisted with the trap monitoring and data input into

the computer: N. Duree, E. Gocke, M. Hause, O. Heath, B. Keesee, N. Mikkelsen, M. Miller, S. Nelson, K. Truscott, R. Yanak.

LITERATURE CITED

- Fielder, P. C., and C. M. Peven. 1986. Rock Island Dam smelt monitoring, 1986. P. U. D. No. 1 of **Chelan** County, Wenatchee, WA
- Peven, C. M. and S. G. Hays. 1986. Proportions of hatchery and naturally produced steelhead trout smelts migrating past Rock Island Dam, Columbia River, WA. In **review**, N. Amer. J. of Fish. Mngt.
- Peven, C. M., D. H. Sheffield, and P. C. Fielder 1987. Rock Island Dam Smelt monitoring, 1987. P. U. D. No. 1 of Chelan County, Wenatchee, WA.
- Peven, C. M. 1987. Downstream migration timing of sockeye salmon on the mid-Columbia River. Northwest Science 61(3).
- Peven, C. M. 1988. The relative downstream migration timing of two stocks of sockeye salmon, 1988. P. U. D. No. 1 of Chelan County, Wenatchee, WA.
- Truscott, K. B. 1985. Rock Island Dam Smelt monitoring, 1985. P. U. D. No. 1 of **Chelan** County, Wenatchee, WA.

APPENDICES

- Daily samples from the Rock Island smelt monitoring program, A-1April 1988.
- Daily samples from the Rock Island smelt monitoring program, A-2May 1988.
- Daily samples from the Rock Island smelt monitoring program, A-3 June 1988.
- Daily samples from the Rock Island smelt monitoring program, A-4 July 1988.
- Daily samples from the Rock Island smelt monitoring program, A-5 August 1988.
- Monthly summary of the Rock Island smelt monitoring program, April August 1988. A-6
- Daily expanded counts from the Rock Island smelt monitoring B-1 program, April 1988.
- Daily expanded counts from the Rock Island smelt monitoring B-2 program, May 1988.
- B-3 Daily expanded counts from the Rock Island smelt monitoring program, June 1988.
- Daily expanded counts from the Rock Island smelt monitoring B-4program, July 1988.
- B-5 Daily expanded counts from the Rock Island smelt monitoring program, August 1988.
- Monthly summary of the expanded counts of the Rock Island B-6 smelt monitoring program, April - August 1988.
- Chinook yearling run timing, Rock Island Dam, 2 April 31 August, 1988. Chinook sub-yearling run timing, Rock Island Dam, 2 April c-1
- c 2 31 August, 1988.
- c 3 Steelhead smelt run timing, Rock Island Dam, 2 April - 31 August, 1988.
- c-4. Coho smelt run timing, Rock Island Dam, 2 April 31 August, 1988.
- c-5. Sockeye smelt run timing, Rock Island Dam, 2 April 31 August, 1988.
- Total juvenile salmonid run timing, Rock Island Dam, 2 April -C-6 31 August.
- D-1 Daily summary of marked chinook and steelhead sampled from
- the Rock Island Dam bypass trap, April 1988.

 Daily summary of marked chinook and steelhead sampled from D-2 the Rock Island Dam bypass trap, May 1988.

 Daily summary of marked chinook and steelhead sampled from
- D-3 the Rock Island Dam bypass trap, June 1988.

 Daily summary of marked chinook and steelhead sampled from
- D-4the Rock Island Dam bypass trap, July 1988.
- D-5 Daily summary of marked chinook and steelhead sampled from the Rock Island Dam bypass trap, August 1988.
- D-6 Monthly summary of marked chinook and steelhead sampled from the Rock Island Dam bypass trap, April - August 1988.

- Daily summary of branded accelerated growth sub-yearlings captured at the Rock Island Dam bypass trap, April, 1988.
- E-2 Daily summary of branded accelerated growth sub-yearlings captured at the Rock Island Dam bypass trap, May. 1988. E-3 Daily summary of branded accelerated growth sub-yearlings
- captured at the Rock Island Dam bypass trap, June, 1988.
- E-4 Daily summary of branded accelerated growth sub-yearlings captured at the Rock Island Dam bypass trap, July, 1988.
- E-5 Daily summary of branded accelerated growth sub-yearlings captured at the Rock Island Dam bypass trap, August, 1988.
- E-6 Monthly summary of branded accelerated growth sub-yearlings captured at the Rock Island Dam bypass trap, 2 April 31 August .

Appendix A-1. Daily salmonid catch, Rock Island Dam bypass trap, April, 1988.

STOP DATE/T	IME		CHINOOK SUB-YEAR.	STLHD.	СОНО S	OCKEYE SA	TOTAL ALMONID	TOTAL AGE 1
							0	
04-01-88/09		o 11	0 48	0	0	0 0		0 12
04-02-88/09			40 15	1	0	•	60 26	11
04-03-88/09		9 17		2	0	0	_	
04-04-88/09		14	3 16	3	0	0	23	20
04-05-88/09		25	16 26	3	0	1	34	18
04-06-88/09		25 20		5	0	3	59	33
04-07-88/09		20 37	134	4 7	0	3	161	27
04-08-88/09			50	-	0	9	103	53
04-09-88/09		34	57	5	0	12	108	51
04-10-88/09		28	23	8	0	10	69	46
04-11-88/09		49	13	3	0	25	90	77
04-12-88/09		28	21	6	0	24	79	58
04-13-88/09		71	16	7	0	11	105	89
04-14-88/09		62	9	15	0	44	130	121
04-15-88/09		87	28	29	0	94	238	210
04-16-88/09		83	20	67	0	231	401	381
04-17-88/09		99	113	81	0	57	350	237
04-18-88/09		49	65	39	2	197	352	287
04-19-88/09		112	75	72	3	265	527	452
04-20-88/09		115	6	109	0	369	599	593
04-21-88/09		74	5	56	0	408	543	538
04-22-88/09		1421	2	185	5	916	2529	2527
04-23-88/09		1038	2	129	2	383	1554	1552
04-24-88/09		806	0	94	0	294	1194	1194
04-25-88/09		1473	2	152	2	975	2604	2602
04-26-88/09		1150	1	136	2	865	2154	2153
04-27-88/09		890	2	132	5	393	1422	1420
04-28-88/09		894	16	148	6	1109	2173	2157
04-29-88/09		1032	1	229	2	805	2069	2068
04-30-88/09	900	972	1	289	1	262	1525	1524
Monthly tota	als:	10700	770	2016	30	7765	21281	20511

Appendix A-2. Daily salmonid catch, Rock Island Dam bypass trap, May, 1988.

STOP DATE/TIME		CHINOOK SUB-YEAR.	STLHD.	соно s	TOTAL COHO SOCKEYE SALMONID		
05-01-88/0900	1353	0	447	5	1090	2895	2895
05-02-88/0900	968	3	547	3	2051	3572	3569
05-03-88/0900	1033	1	1001	3	1071	3109	3108
05-04-88/0900	502	0	445	1	386	1334	1334
05-05-88/0900	883	Ő	867	1	194	1945	1945
05-06-88/0900	531	7	429	1	25	993	986
05-07-88/0900	613	0	450	8	42	1113	1113
05-08-88/0900	849	0	777	51	121	1798	1798
05-09-88/0900	606	1	768	35	134	1544	1543
05-10-88/0900	1159	2	1263	241	395	3060	3058
05-11-88/0900	1170	3	1869	628	528	4198	4195
05-12-88/0900	1294	3	1619	883	167	3966	3963
05-13-88/0900	950	7	1403	992	221	3573	3566
05-14-88/0900	311	8	1698	751	174	2942	2934
05-15-88/0900	266	3	1754	1436	72	3531	3528
05-16-88/0900	267	3	1201	895	57	2423	2420
05-17-88/0900	246	1	1306	1127	54	2734	2732
05-18-88/0900	453	0	1149	1514	96	3212	3212
05-19-88/0900	676	3	864	1247	126	2916	2912
05-20-88/0900	586	16	417	1595	119	2733	2719
05-21-88/0900	768	13	578	1559	174	3092	3079
05-22-88/0900	1249	19	431	2244	120	4063	4044
05-23-88/0900	823	13	326	2166	65	3393	3380
05-24-88/0900	389	10	266	1762	110	2537	2527
05-25-88/0900	445	15	217	1550	113	2340	2325
05-26-88/0900	722	4	148	1181	56	2111	2107
05-27-88/0900	433	7	128	645	43	1256	1249
05-28-88/0900	188	5	86	316	38	633	628
05-29-88/0900	113	8	67	333	59	580	572
05-30-88/0900	138	26	130	430	55	779	753
05-31-88/0900	232	27	152	255	90	756	729
Montly totals:	20216	208	22803	23858	8046	75131	74923

Appendix A-3. Daily salmonid catch, Rock Island Dam bypass trap, June, 1988.

CHINOOK CHINOOK STOP DATE/TIME YEARLING SUB-YEAR. STLHD. COHO SOCKEYE SALMONID			TOTAL LMONID	TOTAL AGE 1			
06-01-88/0900	202	70	153	266	52	743	673
06-02-88/0900	186	92	105	150	19	552	460
06-03-88/0900	88	61	117	92	29	387	326
06-04-88/0900	144	57	105	112	42	460	403
06-05-88/0900	175	122	106	105	24	532	410
06-06-88/0900	258	140	75	82	16	571	431
06-07-88/0900	249	284	93	63	13	702	418
06-08-88/0900	176	302	64	73	11	626	324
06-09-88/0900	79	133	51	32	11	306	173
06-10-88/0900	14	72	43	13	1	143	71
06-11-88/0900	46	153	48	16	7	270	117
06-12-88/0900	54	121	72	20	8	275	154
06-13-88/0900	38	92	34	7	4	175	83
06-14-88/0900	116	135	25	32	6	314	179
06-15-88/0900	201	135	32	23	2	393	258
06-16-88/0900	336	196	31	35	3	601	405
06-17-88/0900	193	883	49	23	4	1152	269
06-18-88/0900	29	551	49	4	5	638	87
06-19-88/0900	5	307	20	1	3	336	29
06-20-88/0900	8	314	19	3	2	346	32
06-21-88/0900	19	429	17	8	4	477	48
06-22-88/0900	24	660	12	2	7	705	45
06-23-88/0900	10	915	4	0	3	942	27
06-24-88/0900	8	755	9	3	9	784	29
06-25-88/0900	3	655	8	7	5	678	23
06-26-88/0900	3	509	9	2	4	527	18
06-27-88/0900	5	551	3	1	7	567	16
06-28-88/0900	2	977	0	2	9	1000	23
06-29-88/0900	0	1140	4	0	4	1148	8
06-30-88/0900	0	818	10	0	4	832	14
Montly totals:	2671	11629	1387	1177	318	17182	5553

Appendix A-4. Daily salmonid catch, Rock Island Dam bypass trap, July, 1988.

	CHINOOK (TOTAL				
STOP DATE/TIME	YEARLING S	SUB-YEAR. S	STLHD.	COHO SO	CKEYE SA	LMONID	AGE 1
07-01-88/0900	0	599	4	1	6	610	11
07-02-88/0900	0	373	9	0	6	388	15
07-03-88/0900	0	265	1	0	2	268	3
07-04-88/0900	0	214	2	2	2	220	6
07-05-88/0900	0	441	9	0	2	452	11
07-06-88/0900	0	460	8	0	4	472	12
07-07-88/0900	0	472	4	0	4	480	а
07-08-88/0900	0	435	5	0	6	446	11
07-09-88/0900	0	394	2	0	4	400	6
07-10-88/0900	0	223	4	0	4	231	8
07-11-88/0900	0	291	8	0	9	308	17
07-12-88/0900	0	321	7	0	5	333	12
07-13-88/0900	1	362	3	0	7	373	11
07-14-88/0900	0	282	5	0	2	289	7
07-15-88/0900	0	263	4	0	2	269	6
07-16-88/0900	0	221	3	0	8	232	11
07-17-88/0900	0	343	2	0	2	347	4
07-18-88/0900	0	420	3	1	3	427	7
07-19-88/0900	0	709	4	0	3	716	7
07-20-88/0900	0	441	3	0	1	445	4
07-21-88/0900	0	603	5	3	7	618	15
07-22-88/0900	0	688	10	2	9	709	21
07-23-88/0900	0	405	1	1	3	410	5
07-24-88/0900	0	286	1	0	1	288	2
07-25-88/0900	0	276	1	0	1	278	2
07-26-88/0900	0	442	3	2	4	451	9
07-27-88/0900	1	487	5	2	2	497	10
07-28-88/0900	0	492	2	1	2	497	5
07-29-88/0900	0	324	1	2	2	329	5
07-30-88/0900	0	294	2	0	0	296	2
07-31-88/0900	0	280	0	0	1	281	1
Montly totals:	2	11836	121	17	113	12089	253

Appendix A-5. Daily **salmonid** catch, Rock Island Dam bypass trap, August, 1988.

STOP DATE/TIME	CHINOOK C YEARLING SU		STLHD .	соно so	TOTAL LMONID	TOTAL AGE 1	
08-01-88/0900	0	210	1	0	1	212	2
08-02-88/0900	0	229	0	0	0	229	0
08-03-88/0900	0	281	1	2	3	287	6
08-04-88/0900	0	335	0	0	4	339	4
08-05-88/0900	0	240	1	3	5	249	9
08-06-88/0900	0	235	1	0	2	238	3
08-07-88/0900	0	181	0	1	5	187	6
08-08-88/0900	0	169	0	0	0	169	0
08-09-88/0900	0	205	0	1	0	206	1
08-10-88/0900	0	231	1	0	1	233	2
08-11-88/0900	0	291	1	0	1	293	2
08-12-88/0900	0	247	0	0	1	248	1
08-13-88/0900	0	85	0	0	0	85	0
08-14-88/0900	0	64	0	0	0	64	0
08-15-88/0900	0	66	1	0	0	67	1
08-16-88/0900	0	95	0	0	0	95	0
08-17-88/0900	0	75	0	0	1	76	1
08-18-88/0900	0	99	0	0	0	99	0
08-19-88/0900	0	104	1	0	1	106	2
08-20-88/0900	0	83	0	0	1	84	1
08-21-88/0900	0	66	0	0	0	66	0
08-22-88/0900	0	31	0	0	0	31	0
08-23-88/0900	0	70	0	0	0	70	0
08-24-88/0900	0	98	1	0	0	99	1
08-25-88/0900	0	76	0	0	0	76	0
08-26-88/0900	0	52	0	0	0	52	0
08-27-88/0900	0	47	1	0	1	49	2
08-28-88/0900	0	26	0	0	1	27	1
08-29-88/0900	0	25	0	0	0	25	0
08-30-88/0900	0	37	0	0	0	37	0
08-31-88/0900	0	47	0	0	0	47	0
Monthly totals:	0	4053	10	7	28	4098	45

Appendix A-6. Monthly summary of catches from the Rock Island Dam bypass trap, 1988.

MONTH	CHINOOK O		STLHD.	соно s	OCKEYE S	TOTAL ALMONID	TOTAL AGE 1
April	10700	770	2016	30	7765	21281	20511
May	20216	208	22803	23858	8046	75131	74923
June	2671	11629	1387	1177	318	17182	5553
July	2	11836	121	17	113	12089	253
August	0	4053	10	7	28	4098	45
Yearly totals:	33589	28496	26337	25089	16270	129781	101285
*							

Appendix B-1. Expanded Rock Island Dam bypass trap counts, April, 1988.

22222	=== =====	==========		= ====== ==	=====	=== =====:	======
							TOTAL
	CHINOOK					TOTAL SA	
STOP DATE/TIME	YEARLING	SUB-YEAR.	STLHD.	COHO S	OCKEYE SA	LMONIDS	AGE 1
04-01-88/0900	0	0	0	0	0	0	0.
04-02-88/0900	14	63	1	0	0	79	16
04-03-88/0900	11	18	2	0	0	31	13
04-04-88/0900	19	3	3	0	0	25	22
04-05-88/0900	18	21	4	0	1	44	23
04-06-88/0900	33	34	7	0	4	78	44
04-07-88/0900	29	193	6	0	4	231	38
04-08-88/0900	49	66	9	0	12	136	70
04-09-88/0900	41	70	6	0	15	132	62
04-10-88/0900	30	25	9	0	11	75	50
04-11-88/0900	55	15	3	0	28	101	86
04-12-88/0900	37	28	8	0	32	104	76
04-13-88/0900	93	21	9	0	14	138	117
04-14-88/0900	84	12	20	0	60	176	164
04-15-88/0900	126	41	42	0	137	346	305
04-16-88/0900	108	26	87	0	300	521	495
04-17-88/0900	113	129	93	0	65	400	271
04-18-88/0900	55	73	44	2	221	394	321
04-19-88/0900	153	103	98	4	362	721	618
04-20-88/0900	128	7	121	0	411	667	660
04-21-88/0900	98	7	74	0	541	720	713
04-22-88/0900	1819	3	237	6	1172	3237	3234
04-23-88/0900	1425	3	177	3	526	2134	2131
04-24-88/0900	1111	0	130	0	405	1645	1645
04-25-88/0900	2025	3	209	3	1341	3581	3578
04-26-88/0900	1757	2	208	3	1322	3292	3290
04-27-88/0900	1449	3	215	8	640	2315	2312
04-28-88/0900	1329	24	220	9	1648	3230	3206
04-29-88/0900	1360	1	302	3	1061	2727	2726
04-30-88/0900	1338	1	398	?	361	2100	2099
1 2 00 00, 0000		-	223	•	552	2200	2000
Monthly totals:	14907	995	2742	42	10694	29380	28385

Appendix B-2. Expanded Rock Island Dam bypass trap counts, May, 1988.

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii						 	<u></u>
	CHINOOK CI	micon				TOTAL «	TOTAL
CHINOOK CHINOOK STOP DATE/TIME YEARLING SUB-YEAR. STLHD.				TOTAL SALMONIDS COHO SOCKEYE SALMONIDS AGE 1			
STOP DATE/TIME	YEARLING S	SUB-YEAR.	STLAD.	Cono So	CKEIE SA	LMONIDS	AGE I
05-01-88/0900	1944	0	642	7	1566	4160	4160
05-02-88/0900	1418	4	801	4	3004	5231	5227
05-03-88/0900	1785	2	1730	5	1851	5373	5371
05-04-88/0900	752	0	667	1	578	1999	1999
05-05-88/0900	1438	0	1412	2	316	3168	3168
05-06-88/0900	790	10	639	1	37	1478	1468
05-07-88/0900	857	0	629	11	59	1557	1557
05-08-88/0900	1091	0	998	66	155	2309	2309
05-09-88/0900	753	1	954	43	166	1918	1917
05-10-88/0900	1928	3	2101	401	657	5091	5088
05-11-88/0900	2364	6	3776	1269	1067	8482	8476
05-12-88/0900	2530	6	3165	1726	327	7754	7748
05-13-88/0900	1893	14	2796	1977	440	7121	7107
05-14-88/0900	630	16	3440	1522	353	5961	5945
05-15-88/0900	463	5	3055	2501	125	6151	6146
05-16-88/0900	437	5	1967	1466	93	3968	3963
05-17-88/0900	486	4	2590	2235	107	5421	5417
05-18-88/0900	698	0	1769	2331	148	4946	4946
05-19-88/0900	1033	6	1323	1909	193	4464	4458
05-20-88/0900	1036	25	734	2809	210	4813	4788
05-21-88/0900	1365	23	1028	2772	309	5497	5474
05-22-88/0900	1950	30	673	3503	187	6342	6312
05-23-88/0900	1193	19	472	3138	94	4916	4897
05-24-88/0900	721	19	493	3264	204	4699	4680
05-25-88/0900	853	29	416	2972	217	4486	4457
05-26-88/0900	1258	7	258	2058	98	3679	3672
05-27-88/0900	747	12	221	1113	74	2168	2156
05-28-88/0900	228	6	104	383	46	767	761
05-29-88/0900	147	10	87	434	77	755	745
05-30-88/0900	151	28	142	471	60	853	825
05-31-88/0900	279	33	183	307	108	910	877
Montly totals:	33218	323	39265	40701	12926	126437	126114

Appendix B-3. Expanded Rock Island Dam bypass trap counts, June, 1988.

TOTAL TOTAL SALMONIDS CHINOOK CHINOOK **COHO** SOCKEYE SALMONIDS STOP DATE/TIME YEARLING SUB-YEAR. STLHD. AGE 1 06-01-88/0900 06-02-88/0900 06-03-88/0900 06-04-88/0900 06-05-88/0900 06-06-88/0900 06-07-88/0900 06-08-88/0900 06-09-88/0900 06-10-88/0900 06-11-88/0900 06-12-88/0900 06-13-88/0900 06-14-88/0900 06-15-88/0900 06-16-88/0900 06-17-88/0900 06-18-88/0900 06-19-88/0900 06-20-88/0900 06-21-88/0900 06-22-88/0900 06-23-88/0900 06-24-88/0900 06-25-88/0900 06-26-88/0900 06-27-88/0900 06-28-88/0900 06-29-88/0900 06-30-88/0900 Montly totals:

Appendix B-4. Expanded Rock Island Dam bypass trap counts, July, 1988.

TOTAL TOTAL SALMONIDS CHINOOK CHINOOK STOP DATE/TIME YEARLING SUB-YEAR. STLHD. COHO SOCKEYE SALMONIDS AGE 1 07-01-88/0900 07-02-88/0900 07-03-88/0900 07-04-88/0900 07-05-88/0900 07-06-88/0900 O 07-07-88/0900 07-08-88/0900 07-09-88/0900 07-10-88/0900 07-11-88/0900 07-12-88/0900 07-13-88/0900 07-14-88/0900 07-15-88/0900 07-16-88/0900 07-17-88/0900 07-18-88/0900 07-19-88/0900 07-20-88/0900 07-21-88/0900 07-22-88/0900 07-23-88/0900 07-24-88/0900 07-25-88/0900 07-26-88/0900 07-27-88/0900 07-28-88/0900 07-29-88/0900 07-30-88/0900 07-31-88/0900


Montly totals:


Appendix B-5. Expanded Rock Island Dam bypass trap counts, August, 1988.

TOTAL CHINOOK CHINOOK TOTAL SALMONIDS STOP DATE/TIME YEARLING SUB-YEAR. STLHD. COHO SOCKEYE SALMONIDS AGE 1 08-01-88/0900 08-02-88/0900 08-03-88/0900 08-04-88/0900 08-05-88/0900 08-06-88/0900 08-07-88/0900 08-08-88/0900 08-09-88/0900 08-10-88/0900 08-11-88/0900 08-12-88/0900 08-13-88/0900 08-14-88/0900 08-15-88/0900 08-16-88/0900 08-17-88/0900 08-18-88/0900 08-19-88/0900 08-20-88/0900 08-21-88/0900 08-22-88/0900 08-23-88/0900 08-24-88/0900 08-25-88/0900 08-26-88/0900 08-27-88/0900 08-28-88/0900 08-29-88/0900 08-30-88/0900 08-31-88/0900 Monthly totals:


Appendix B-6. Monthly summary of expanded catches from the Rock Island Dam bypass trap, 1988.


MONTH	CHINOOK YEARLING	CHINOOK SUB-YEAR.	STLHD.	соно s	OCKEYE \$	TOTAL S	TOTAL SALMONIDS AGE 1
April	14907	995	2742	42	10694	29380	28385
May	33218	323	39265	40701	12926	126437	126114
June	3923	16338	2021	1789	473	24540	8202
July	2	15807	160	22	149	16143	336
August	0	4838	10	7	30	4892	54
Yearly totals:	52050	38301	44198	42561	24272	201392	163091







Appendix C-1 . Chinook yearling run timing, Rock Island Dam, 2 April - 31 August, 1988.







Appendix C-2. Chinook sub-yearling run timing, Rock Island $^{\rm Dam}$, 2 April - 31 August, 1988.







Appendix C-3. Steelhead smelt run timing, Rock Island Dam, 2 April - 31 August, 1988.







Appendix C-4. Coho smelt run timing, Rock Island Dam, 2 April - 31 August, 1988.





Appendix C-5. Sockeye smelt run timing, Rock Island Dam, 2 April - 31 August, 1988.





Appendix C-6. Total juvenile **salmonid** run timing, Rock Island Dam, 2 April - 31 August, 1988.

Appendix D-1. Dai J. summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, April , 1988,

								 .							
LSS	28	ız	701 C)	97	34	43	45	113	b \$	LL	Oz	L	91	:ยโธ:
182	81	S١	1 83		3	s	Þ	ε	01	s	S	9	Z		88/05/
SII	28	V	18		L	ε	2	9	8	S	Þ	S	Ĺ		88/62/
29	23	Ĺ	Lo 1		t	ι	Þ	2	SI	8	ı	9			88/88
42	01		SII			9	Þ	8	Þ	9	0	L	Z		88/ <i>T</i> S/
32	E	1	S11		01	9	8	6	8	ιι	l	1	Z		88/92
35			562		50	ll	91	ll	i i	Sſ		Ţ			88/52/
8			0 S L		Z	Z	S	ε	8	S					88/42/
Þί			9						Σl	Z					\S3\88
81			150						40						722/88
S			l												88/ LZ/
٤١															/20/88
8			7												88/6 L
Οl			Þ												88/8 L
								ι							88/11/
															88/9 I
b			61												6%/s 1/
ε			32												88/tl/
			28												88/E L
			9												12/88
			L .												88/LL/
			1												88/0L/
															88/60/
															88/L0/ 88/80/
															88/90/
															88/30/ 88/30/
															88/40/ 88/30/
															88/£0/
															88\SO\ 88\£0\
															88/10/
														•	38/ 14/
ı⊃ ≀	PA £/01	\AA r\aJ\ur	. 6u [J] JA	\6\3 2 ^{np'}	09 £\2 f\4	/ช เ/ร	1\AA 1\2	1\AJ E\Z	l/¥7 l	TTC\AR 1	\HK\AЯ E\	C/1 RA/7C	₹ \\	E\27\AJ [\27\AJ	97£(
	spue.	Steel head B	d Clips	ρ Α					sbasads	loon thu					
				•					,						

Appendix D-2. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, May, 1988,

Subyr Yring JU/LA/1RA/7U/3 Ad Cii ps	סמנפ רב/זכ/ז רב/זכ/3 מב/זכ/ז מב/זכ/ז מב/זכ/ז מב/זכ/ז באיז האיז אין באיז האיז אין האיז אין מאיז אין מאיז אין מא
Ad Clips Steel head Brands	Chinook Brands

50003	66Z	9t79	781E o	601	16	179	01	101	50	83	04	III	bll	Totals:
JS4			08							1		Z		88/it/so
48	0	0	42	0	0	0	0	0	0	l	0	0	l	02\30\88
45	0	0	τί	0	0	0	1	0	0	0	0	0	0	02\53\88
84			23	Z						ı	0	Z	L	02\58\88
6L			48	1			0			Ε	Z	9	6	02\51\88
sol			9 Z l			L				9	l	L	3	02\56\88
1S I			111		Ł					E	Z	L	Οl	88/s2/s0
90Z		L	SII								Z	s	2	05/24/88
8EZ			ZL							L	s	Oι	13	05/23/88
336	ı		153							Þ	6	90	8	88/22/s0
L9 7	Ĺ		68	ι		l	1							05/21/88
9LZ	Ĺ	Z	901	2					Z	Þ	9	L	L	88/02/s0
199	Z	15	6Z 1		l	Z	ι	l						88/6 1/S0
634	9	S2	384	z	ε	L	l	l		Z		s	ε	88/81/s0
1156	Þ	33	09	Z				E				Z	5	88/11/90
960L	Z	9١	0z			L	b				l			98/91/\$0
1091	s	62	1E				Z			L	7	ε	Þ	88/S L/SO
<i>285</i> L	8	30	EL	Z	ι		Z	Z		l	l		L	02/14/88
1584	L	LΕ	18 1	b	s	Е	E	ε		Þ	&	9	Þ	88/E 1/s0
1230	l l	8s	301	Þί	15	L	6	٧l	1	ει	8	6	8	05/12/88
ELLL	Þl	ES	6S L	51	91	01	٥١	6	E	8	ε	7	9	88/11/90
1192	9 i	23	⊅ 0l	6	τi	s	01	Þ١	ι	Z	7	Þ	L	88/01/s0
614	9 l	۷l	ZL	9	s	L	L	6	L	s	Þ			88/60/S0
LOL	81	30	211	b	L	s	b	L	3	1	Z	Е	Ĺ	88/80/S0
STE	S1	0z	001	s	E	9	s	E	1	0	ι	0	Ł	88/L0/S0
ETE	۷l	8 L	E 9	z	ι	E	z	Þ		Z	Ł	F	2	88/90/s0
LLL	32	6Z	£4	9	Ε	s	ε	L	Z		Z	z	2	88/s0/s0
78 E	54	Lb	<i>9Z</i>	Þ	b	l		Ε	1	1	L		2	88/to/so
1£6	St	LL	l8	6	8	z	b	01	Z	b	ε	L	9	88/co/so
ኮ / ኮ	6Z	32	801	L	E	E	b	Z	Z	Z	Z	ι	Þ	02/05/88
344	Sz	30	Soz	9	01	1	3	6	L	L	ε		2	88/L0/S0

070 1	0 0	181 1	l9b	lol	0	0	0	0	0	1	L	Þ	0	Е		: s[etc
L			S۷	8												88/08/
			32	9												88/62
3		Z	LÞ	S												88/82
L		3	01	ι												88/72
L		ε	01	S				1								88/92
S		Z	32	ε												88/s2
S		8	38	8												88/42
8		6	32	9												88/62
8		23	s	ι												88/22
13		8 f	Þ	Z							Ł					88/ 1
Si		8	s													88/02
4 1			8	l												88/6L
35		62	lt	i i												88/81
6 E		781	38	L												88/41
56		9s2	L	ε												88/91
54		061	S	&												88/9 1
02		S8	ι	ι												88/1
62		88	Z													89/ £ 1
L S		04	ε													88/21
04		SF.	1	Z												88/ 11
62		8	6													88/01
33		2s	ll	Z												88/60
57		159	23	8												88/80
97		163	6	ι												88/Lo
29		081	8	ε												88/90
28		89	0	9												88/s0
27		04	b	b												88/40
26		lb	Z	Z												88/s0
27		Ob		l						l				1		80/20
155		18		1								Þ		Z		88/ 10
Ad Clip	5\U\\AN [\A]\U\	Krjuð	Subyr	5D/8/3	ε/s ι	2\1 BA\1	1\A9 1\	'S l/∀7	E/3 L/47	r\Tr\aa	r\hr\AЯ	E\JC\3	r\JT\AЯ	£\7\\A_	1/2L/A_	ate L
	Stee 1 head Brands	sdil							Prands	Chinook [*****	

Appendix D-4. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, July, 1988.

Chinook Brands Chinook Brands Ad C ips Steelhead Brands Ad C ips Steelhead Brands Ad C ips Steelhead Brands 7/01/88 7/02/88 7/05/88 7/06/88
07/11/88 07/12/88 07/13/88
07/14/88 07/15/88 07/15/00
07/17/88 07/18/88
07/19/88 07/20/88
07/21/88 07/22/88
07/23/88 07/24/88
07/25/88 07/26/88 07/27/88 07/28/88
7/31/88 07/31/88 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 Ł z RA\7C\1 RA\7C\3 RA\7L\1 RA\7C\3 RA\7C\3 RA\7C\3 RA\7C\1 RA\7C\ Ad Clips Stee Thead Brands Chi nook Brands "y of branded chinook a n d steelhead sampled from the Rock Island Dam bypass, August, 1988.

summary of branded chinook and steel head sampled from the Rock Island Dam bypass trap, 2 April - 31 August, 1988.

sdļ	ιο	ÞΑ	E\U\\A9	ι/∀ ¬/∩∠	Yrjug	Subyr	RD/R/3	€/9	r/\a	l/s	F\A9	l/S	۲/۷٦	٤/ع	l/ V 1	r\Tr\aя	F\HT\AЯ	E\JT\A9	rA/7C/1
		s	bas Brand	St ee l he	sdilo) bA									spue	1 nook Br	чэ		

21693	185	∠99	9/89	869	621	991	151	701	115	214	94	<i>\$6</i>	7 6	8
7	0	0	0	3	0	o	0	0	0	0	0	0	0	C
£8	0	0	ι	134	58	0	0	0	0	0	0	0	0	C
1 040	0	0	1871	197	lol	0	0	0	0	0	1	1	7	C
60002	66?	979	18 ιε	0		601	۷6	† 9	01	101	50	83	04	
LSS	28	ız	70 p l	0		97	34	43	42	Ell	1 /S	ı ı	50	L

Appendix E-1. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Darn bypass trap, Apri 1, 1988.

Date | A/IO/I | LA/10/3 | RA/10/1 | RA/10/3 | IA/IZ/1 | LA/IZ/3 | RA/IZ/1 | RA/IZ/3 | LA/12/3 | LA/12/3 | RA/12/1 | RA/12/3 |

Totals:	109	101	136	138	0	0	0	0	55	47	64	88
04/30/88	2	4	3	5					2	2	2	6
04/29/88	3	1	2	3					1	5	4	3
04/28/88	4	6	7	5					6	5	9	7
04/27/88	8	6	11	10					13	6	8	12
04/26/88	10	6	22	16					13	7	13	26
04/25/88	27	32	46	42					14	15	26	23
04/24/88	25	15	22	22					6	7	2	11
04/23/88												
04/22/88				1								
04/21/88				1								
04/20/88				-								
04/1 9/88		1	-	3								
04/18/88	•	•	1	3								
04/17/88	6	4	4	0								
04/16/88	3	6	4	2								
04/14/88	5	4	2	8								
04/13/88 04/14/88	10	7	3	8								
04/12/88	7	7	5 6	8								
04/1 1 /88 04/12/88	1	2	3	1								
04/1 0/88 04/1 1 /88	1			1								
04/09/3a	1											
04/08/88												
04/07/88												
04/06/88												
04/05/88												
04/04/88												
04/03/88												
04/02/88												
04/01 /88												
04/01 /88												

Appendix E-2. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, May, 1 988.

. **2015/2016**15151686661 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 1155/2016 | 115

/3 LA/IZ/1 LA/IZ/3 RA/IZ/1 RA/IZ/3	LA/1 Z/1 LA/12/3 RA/12/1 RA/12/3
/3	LA/IZ/1 LA/IZ/3 RA/IZ/1 RA/IZ/3

05/01 /88	1	3	1	2					5	4	7	9
05/02/88	3	3	3	6					5	5	4	3
05/02/88	4	4	<i>7</i>	4					5	3	2	7
05/03/88	1	1	1	-					1	1	-	1
05/05/88	'	3	1	2					'	1		3
05/06/88		1	1	2					2	2	2	2
05/07/88	0	1	2	0					5	1	1	2
05/01/05	1	0	1	0					2	0	2	1
05/09/88		·	2	·					3	1	-	2
05/10188	4	3	-	6					6	4	11	6
05/1 1/88	6	4	7	10					16	15	12	17
05/12/88	10	9	13	7					30	18	23	30
05/1 3/08	9	8	5	9					23	18	15	14
05/14/88	2	2	4	3					12	14	12	8
05/1 5/88	2	3	1	3					4	4	4	3
05/16/88	2	2	1	1					2	1	3	3
05/17/88	1	2	2	3	1				3	1	2	4
05/17/00	7	2	2	3	14	8	18	22	9	4	3	2
05/19/88	8	5	4	7	17	30	25	22	2	2	2	1
05/20/88	6	11	3	5	8	16	12	20	5	4	4	5
05/21/88	4	2	8	4	9	15	10	9	8	1	9	6
05/22/88	9	3	3	3	5	3	7	5	6	6	12	7
05/23/88	3	4	2	1	8	6	3	7	10	5	9	7
05/24/88	9	8	6	3	1	7	5	12	10	10	5	10
05/25/88	10	4	15	7	6	5	11	12	7	10	9	10
05/26/88	10	6	9	9	4	7	7	3	13	13	22	21
05/27/88	5	1	6	9	7	7	4	3	7	9	11	12
05/28/88	1	1	1	2	2	•	1	1	3	4	1	4
05/29/88	1	3	0	2	1	3	0	1	1	0	1	0
05/30/88	0	0	3	4	2	2	4	8	4	5	2	7
05/31/88	7	1	3	4	3	10	10	8	12	4	10	8
Totals:	126	100	116	115	88	119	117	133	221	170	200	215

Appendix E-3. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Reck Island Dam bypass trap, June, 1988.

Date LA/IO/I L	A/10/3	RA/1 0/1 RA/10/3 LA/IZ/1 LA/IZ/3 RA/IZ/1	1 RA/IZ/3 LA/12/1 LA/12/3 RA/12/1 RA/12/3
----------------	--------	--	---

06/01 /88	8	2	4	7	5	5	11	10	8	5	3	19
06/02/88	1	3	2	1		7	4	4	3	5	4	5
06/03/88	5	1	7	1	4	6	4	2	6	1	3	1
06/04/88	4	3	1	3	i'	3	1	10		2	3	3
06/05/88	3	3	3	3	20	13	14	19	1	6		2
06/06/88	10	2	6	7	24	22	32	25	10	13	19	10
06/07/88	9	4	6	4	35	30	38	30	17	10	7	11
06/08/88	2	1		3	12	26	20	21	9	5	15	15
06/09/88	1	1	1	2	7	13	8	4	5	5	3	2
06/10/88					1	2		2		2		1
06/11/88		1	2		3	9	5	6	4	2	1	
06/1 2/88			1		4	10	14	7	1		2	
06/1 3/88					6	10	2	7	2	2	2	1
06/14/88	1			4	20	9	17	22	1	1	4	3
06/1 5/88	2	2	8	4	46	30	47	36	2	5	3	3
06/16/8a	6	4		3	49	38	56	67	8	7	4	7
06/17/88	3	2	3	3	35	32	48	44	4	3	4	5
06/18/88		1			7	10	4	7				
06/19/88												
06/20/88				1	3		3	1				
06/21 /88					6	3	4	2				
06/22/88	2				5	5	6	5				
06/23/88					3	2		3				
06/24/88					1	3	2	2				
06/25/88					1			1				
06/26/88					1	1		1				
06/27/88					3							
06/28/88						1	1					
06/29/88												
06/30/88												
Totals:	57	30	45	46	308	290	341	338	81	74	77	88

Appendix E-4. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, July, 1988.

Date LA/IO/I LA/10/3 RA/10/1 RA/10/3 LA/IZ/1 LA/IZ/3 RA/IZ/1 RA/IZ/3 LA/12/1 LA/12/3 RA/12/1 RA/12/3

Totals:	0	0	0	0	0	0	0	0	0	0	0	C
07/31 /8 8												
07/30/88												
07/29/00												
07/28/88												
07/27/88												
07/26/80												
07/25/88												
07/24/08												
07/23/08												
07/22/00												
07/21/88												
07/20/83												
07/19/88												
07/18/09												
07/17/80												
07/16/08												
07/15/88												
07/13/80												
07/12/88												
07/11/88												
07/10/88 07/11/88												
07/09/08												
07/00/03												
07/07/83												
07/06/80												
07/05/88												
07/04/88												
07/03/w												
07/02/88												

Date LA/	1 0 / 1	L A / 1 0 / 3	RA/10/1 R/	10/3	L A / I Z / 1	LA/IZ/3	RA/IZ/1 R	A/IZ/3 L	V12/1 LA/	12/3 RA/1	2/1 RA/12	?/:
08/01/88												
08/02/2a												
08/03/88												
08/04/83												
08/05/88												
08/06/88												
08/07/82												
08/08/88												
08/09/88												
08/10/28												
08/1 1 /88												
08/1 2/88												
08/1 3/88												
08/14/83												
00/1 5/88												
00/16/88												
08/17/88												
08/18/88												
08/19/88												
08/20/88												
08/21/88												
08/22/83												
08/23/88												
08/24/88												
08/25/88												
08/26/88												
08/27/82												
08/28/88												
08/29/82												
08/30/08												
08/31/88												
					0	0	0	0	0	0	0	

Appendix E-6. Monthly summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, 2 Apri 1 -31 August, 1988.

Month	LA/10/1	LA/1	0/3 IiA	/10/1	RA/10/3 LA/	/IZ/1LA/I	Z/3 RA/IZ/	/1 RA/IZ/3	LA/1Z/	LA/12/3	RA/12/16	A/12/3
Apri1	109	101	136	13a	o	0	0	0	55	47	64	88
May	126	100	116	115	88	119	117	133	221	170	200	215
June	57	30	45	46	308	290	341	33a	81	74	77	88
July	0	0	0	0	0	0	0	0	0	0	0	0
August	0	0	0	0	0	0	0	0	0	0	0	0
Totals:	292	231	297	299	3 %	409	453	471	357	291	341	391

ROCK ISLAND DAM SMOLT MONITORING, 1989

FINAL REPORT

by

Charles M. Peven
Paul C. Fielder

Fish and Wildlife Operations
Power Operations Department
Public Utility District No. 1 of **Chelan** County

Prepared for

Dale Johnson, Project Manager U.S. Department of Energy Bonneville Power Administration Division of Fish and Wildlife **P.O.Box** 3621 Portland, OR 97208-3621

Contract Number DE-A179-86BP61748 Project Number 84-54

September, 1989

ABSTRACT

Downstream migrating salmon (*Oncorhynchus spp.*) and steelhead trout (O. *mykiss*) smelts were monitored at the Rock Island Dam bypass trap from 1 April -31 August, 1989. Data collected included: 1) number of fish caught by species, 2) number of branded fish caught by species, 3) daily average riverflow, 4) daily average powerhouse #1 and #2 flows and daily average spill. These data were transmitted to, and used by the Fish Passage Center to manage a "water budget" of allocated upstream water storage to augment river flows to improve survival of downstream migrating salmonids. The Rock island Dam trapping facility collected 116,092 downstream migrating salmonids in 1989. Collected fish included 5,443 chinook salmon (O. *tshawytscha*) and 538 steelhead which had been freeze branded (to determine migration rates) and 5,913 chinook and 20,485 steelhead with clipped adipose fins. The middle 80% of the 1989 spring migration (excluding sub-yearling chinooks) passed Rock island Dam during a 43 day period, 17 April - 30 May. Passage rates of hatchery released chinook and steelhead smelts and the downstream migration timing of all salmonids are presented. The spring migration timing of juvenile salmonids is strongly influenced by hatchery releases above Rock Island Dam.

Table of Contents

<u>Page</u>	
i	ABSTRACT
ii	Table of Contents
iii	List of Tables
iv	List of Figures
1	INTRODUCTION
1	METHODS
8	RESULTS & DISCUSSION
8 8 12 12 14 14 17 17 17 17 19 19 19 19 19	MIGRATION TIMING Yearling chinook Sub-vearling chinook Steelhead Sockeve Coho Total salmonid run MARKED FISH RECOVERIES Leavenworth National Fish Hatchery Yearling chinook Accelerated sub-vearling chinook Winthrop National Fish Hatchery Yearling chinook Entiat National Fish Hatchery Yearling chinook Wells Dam Fish Hatchery (WDF & WDW) Sub-vearling chinook Steelhead
20	SUMMARY
20	ACKNOWLEDGEMENTS

20 LITERATURE CITED

List of Tables

Page 9	Table 1.	Summary of brand recovery rates for yearling chinook, sub- yearling chinook, and steelhead trout, 1 April -31 August, 1989, Rock Island Dam bypass trap.
10	Table 2.	Rock Island Dam powerhouse operations expressed in KCFS and percent streamflow, 1 April -31 August, 1989.
11	Table 3.	Comparison of actual, expanded, and the 5 year average of fish counts for passage dates for the Rock Island Dam bypass trap. 1989.

List of Figures

Page | 2 Figure 1. Columbia River between Rock Island and Grand Coulee dams showing major tributaries and hatcheries. 3 Figure 2. Location of powerhouse #1 and powerhouse #2 of Rock Island hydroelectric project. 5 Figure 3. Section through Rock Island Dam second powerhouse indicating fish movement into gatewell system. Figure 4. Rock Island Dam juvenile salmonid fingerling collection trap. 6 Plan view of juvenile salmonid bypass and collection system at Rock 7 Figure 5. Island Dam second powerhouse (taken from Olson 1983). 13 Figure 6. Length frequency histograms of sub-yearling chinook salmon, collected at the Rock Island Dam bypass trap, 30 May - 11 August. 15 Length frequency histograms of hatchery and naturally produced Figure 7. steelhead trout smelts collected at the Rock Island Dam bypass trap, 1989. Figure 8. 16 Length frequency histograms of sockeye smelts collected at the Rock Island Dam bypass trap, 1989. 18 Figure 9. Comparison of cumulative total juvenile salmonid passage at Rock Island Dam between 1989 and the five year average (A), and a comparison of the cumulative juvenile migration excluding sub-yearling chinook for 1989 and the five year average (B).

INTRODUCTION

In 1982, the Northwest Power Planning Council developed a fish and wildlife program to protect, mitigate and enhance fish and wildlife resources affected by construction and operation of Columbia River hydroelectric facilities. Under this program, a "water budget" of allocated upstream water storage was established for instream flow augmentation to improve survival of downstream migrating salmon (*Oncorhynchus spp.*) and steelhead trout (O. *mykiss*). The Council's plan also called for studies to monitor juvenile fish migration timing and survival. The fishery agencies and tribes formed a Water Budget Center (renamed as the Fish Passage Center) to direct the use of the water budget and to conduct and coordinate studies related to water budget management and evaluation. The Fish Passage Center (FPC) developed a Smelt Monitoring Program and selected several sites on the Columbia and Snake rivers as smelt monitoring stations. Rock Island Dam was selected as one of these stations. It is the first dam located downstream from all of the major salmon and steelhead producing tributaries of the mid-Columbia River (Figure 1).

The Smelt Monitoring Program for the mid-Columbia River was designed to index the daily number of **outmigrating salmonids** and to report numbers of marked juveniles collected. Data collected under this program allow comparison and evaluation of year to year migration timing and travel time of different stocks of naturally and hatchery produced juvenile **salmonids**.

Funding of the program, as implemented by the Fish Passage Center, was provided by the Bonneville Power Administration. The Public Utility District No. 1 of Chelan County (the District) provided the trapping facility, personnel, and equipment to conduct the monitoring.

METHODS

Daily sampling data collected at the Rock Island Dam monitoring station included 1) total number of fish caught by species, 2) total number of branded fish caught by species, 3) daily average riverfiow, 4) daily average flow through Rock Island powerhouse #1 (old powerhouse) and Rock Island #2 (new powerhouse) (Figure 2), and daily average spill. The flow data were recorded so that an expanded index of fish passage through powerhouse #2 could be developed based on the bypass collection count in relation to the proportion of total **riverflow** passing through powerhouse #2.

To provide travel time estimates between hatchery release points and downstream sampling stations, including Rock Island Dam, yearling and sub-yearling chinook and steelhead from state and federal hatcheries were freeze branded (using liquid nitrogen) before release. All hatchery produced steelhead released in Washington state waters have been adipose fin clipped since 1985. A comparison between the release date of marked smelts and daily recoveries of these branded smelts at the bypass trap provided travel time estimates between the release points and the dam. Unmarked hatchery and naturally produced **salmonids** were also sampled to determine the timing of their migration past Rock Island Dam.




Figure 1. Columbia River between Rock Island and Grand Coulee dams showing major tributaries and hatcheries.




Figure 2. Location of powerhouse No. 1 and powerhouse No. 2 at Rock Island hydroelectric project (from Olson 1983).

Fish collected by the trap during the 24 hour sampling period (0900-0900) were held in the bypass flume before being delivered, via an elevator hopper, to an 8' x 8' x 3' portable fiberglass holding tank (Figures 3, 4, 5). The holding tank was supplied with a continuous water flow from the right bank fishladder with a 5 horsepower submersible pump.

Groups of 30-50 fish were anesthetized with a solution of Tricaine methane sulfonate (MS 222) before handling. Fish were identified by species and examined for brands and clipped fins in a sampling shed adjacent to the holding tank (Figure 5). Fork length (F. L.) measurements were taken three times per week from subsamples of sockeye (0. nerka), and after 30 May, from sub-yearling chinook. Steelhead were categorized as "hatchery" or "naturally-produced" according to clipped adipose fin, or if an adipose fin was present, a worn appearance of the dorsal and ventral fins (Peven and Hays 1989). The fish were then allowed to recover in an isolated section of the release tank.

After the examined fish had fully recovered from the effects of the anesthesia, they were released through a 4" PVC pipe from the recovery section of the tank (elevation 620' m.s.l.) to the tailrace (elevation 574' m.s.l.) (Figure 5). The release area of the tailrace was protected from gull predation with parallel lengths of 80 pound test monofilament fish line tied at approximately 6 foot intervals overhead of the pipe outlet. In addition, an employee of the U. S. Department of Agriculture's Animal Damage Control Division suppressed gull foraging in the tailrace during the middle 80% of the spring migration by various behavior modifying techniques.

Data pertinent to the smelt monitoring program were transferred from Chelan P.U.D. headquarters in Wenatchee, WA to the FPC (Portland, OR) daily via an IBM personal computer with resident software on the FPC's IBM System 36.

In addition to the smoh monitoring program, subsamples of chinook yearlings and steelhead where injected with Passive Integrated Transponder (PIT) tags each day between 21 April and 24 May. Equipment and procedures used in the PIT tagging operation were similar to the methods described by Prentice et al. (1987). A random subsample of chinook and steelhead were processed until 100 of each species were tagged. Data were entered into a portable computer and sent to the FPC and the National Marine Fisheries Service (NMFS) in Seattle. The fish that were PIT tagged at Rock Island Dam were "recaptured" at the McNary Dam bypass trap, where travel time estimates were recorded. Results of the monitoring program can be obtained from the FPC and will not be reported here.




Figure 3. Section through Rock Island Dam second powerhouse indicating fish movement into the gatewell system (from Olson 1983).




Figure 4. Rock Island Dam juvenile salmonid collection trap (from Olson 1983) .




Figure 5. Plan view of juvenile **salmonid** bypass and collection system at Rock **Island Dam** second powerhouse (from Olson 1983).

RESULTS AND DISCUSSION

The Rock Island Dam trapping facility collected 116,092 juvenile salmon and **steelhead** during the 1989 smelt monitoring program (Appendix A-1 - A-6). A total of 5,443 freeze branded chinook salmon and 538 freeze branded steelhead trout representing 32 distinct marks and releases, were collected and recorded during 1989 (Table 1, Apps. D-1 - D-6, E-1 - E-6). In **addition**, we collected 5,913 chinook and 20,485 steelhead with clipped adipose fins (Appendix D-1 - D-6).

The bypass trapping facility operated without mechanical failure during the smelt monitoring program. An examination of daily powerhouse #2 turbine flows in proportion to total river flow showed a variance in powerhouse operations during the period of peak salmonid outmigration. Monthly average percent of total flow through powerhouse #2 for the period of 1 April through 30 June ranged from 63.9 to 83.7% and daily averages ranged from 54.4 to 98.2970 (Table 2).

Average daily hydraulic data for Rock Island Dam were supplied to the FPC, which used it to develop an expansion of Rock Island trap data (Appendix B-1 - B-6). The expansion was derived by multiplying the actual trap collection count by the inverse proportion of water passing through powerhouse #2 during the sampling period (i.e., (collection count x 100) / (powerhouse #2 flow / powerhouse #1 flow + powerhouse #2 flow + spill)). A comparison of actual trap collection counts, the expanded index, and the five year average (using actual counts - Table 3) indicated some differences in the smelt run timing.

The largest difference in the run timing was a 20-24 day difference in the 10% passage date for chinook sub-yearlings between the actual counts and expanded index for 1989, and the 5 year average (Table 3, App. C-2). This difference is because the accelerated chinook sub-yearlings released from Leavenworth National Fish Hatchery were counted as sub-yearlings in 1989, while in 1988, they were included in the yearling counts (see below). Another notable difference observed in run timing was for sockeye. The difference between the actual counts and the 5 year average for the 50 and 90% passage dates was 10 and 19 days, respectively (Table 3, App. C-5). We attribute this difference in run timing to the low number of the Lake Osoyoos stock captured in 1989 (see discussion below). Other run timing differences were generally within 3 to 4 days (Table 3). We used actual count data in our analysis and discussion.

1. MIGRATION TIMING

Yearling chinook

A total of 10,252 chinook yearlings were captured at the bypass trap in 1989 (App. A-6). Yearling chinook were present the first day of the smelt monitoring **program**, 1 April, and except for 6 April (App. A-1) continued to be present every day until 15 June (App. A-3). The last yearling chinook was collected on 23 July, with only 3 chinook yearling collected for the whole month of July (App. A-4). The 10 and 90% passage dates for yearling chinook were 21 April and 20 May, respectively. Peak passage of 609 yearling chinook occurred on 21 April, 1 and 2 days after major hatchery releases from the Entiat

Table 1. Summary f brand recovery rates for yearing inook, sub-yearling chinook, and steelhead trout 1 pril -31 August 1989, Rock sland am bypass trap.

	:		1148450 17	89, Rock Island Bril@xifil~ir		Last 1	0% 50%	90,	%	
Species	多名 食 第二級級	Release nd d	Release a t e site	fish recov. released	recov. date	recov. date e ::	recov. date	recov.	Number : recov.	Percent recov,
Chinook yearling	RA/7T/1 RA/7T/3 LA/7C/1 LA/7C/1 LA/1C/1 LA/1R/1 LA/1R/3 RA/1R/1 RA/1R/1 RA/1R/1 RA/7N/1 RA/7N/1	Apr 20 Apr 20 Apr 19 Apr 19 Apr 19 May 03 May 03 May 03 Apr 18 Apr 18	Entiat R, Entiat R. Wenat. R. Wenat. R. Wenat. R. Wenat. R. Wenat. R. Wenat. R. Menat. R. Menat. R. Methow R. Methow R.	17,500 Apr 23 17,500 Apr 22 16,289 Apr 21 17,526 Apt 21 16,271 Apr 21 32,000 May 05 32,000 May 05 32,000 May 04 15,916 Apr 23 15,570 Apr 25 16,704 May 01	May 20 Msy 15 May 22 May 25 May 27 May 27 May 29 May 31 May 31 May 26 Jun 01 May 3 1	Apr 23 Apr 24 Apr 2 I Apr 2 I Apr 2 I May 05 May 05 May 05 May 05 Apr 28 May 03 May 05	Apr 28 Apr 28 Apr 26 May 05 Apr 26 May 12 May 12 May 13 May 05 May 16 May 14	May 06 May 12 May 19 May 17 May 19 May 19 May 19 May 19 May 21 May 25 May 25 May 22	27 22 35 39 27 124 119 88 82 11	0.15 0,13 0.21 0.22 0.17 0.39 0.37 0.28 0,26 0.07 0.12
			Total:	261,2?6					615	0.24
Accelerated chinook subyearling	LA/IJ/1 LA/IJ/3 RA/IJ/1 RA/IJ/1 LA/IH/3 RA/IH/1 RA/IH/3 RA/IL/1 LA/IL/3 RA/IL/1 RA/IL/3 RA/IL/3 RA/IK/3	May 03 May 03	Wenat. R.	31,250 May 04 29,500 May 04 30,000 May 05 29,500 May 04 30,500 May 04 15,000 May 04 15,000 May 04 15,000 May 04 10,000 May 04	Jun 27 Jul 02 Jul 01 Jun 29 Jun 18 Jun 09 Jun 11 Jun 10 Jun 24 Jun 28 Jun 21 Jun 27 Jun 27 Jun 20 Jun 22	May 05	Jun 01 Jun 01 Jun 01 Jun 01 May 17 May 15 May 16 May 16 May 16 May 16 May 16 May 16 May 16 May 16	Jun 11 Jun 12 Jun 14 May 26 May 26 May 24 May 28 May 30 Jun 01 May 31 Jun 07 Jun 07 Jun 04	373 319 303 309 438 529 485 695 263 251 158 246 99 82	1.19 1.02 0.97 0.99 1.48 1.76 1.64 2.28 1.75 1.67 1.64 0.99 0.78
Chinook			Total:	325,000					,	
subyearling	RA/T/ I RA/T/3	May 27 May 27	Wells Dam Wells Dam	50,511 May 27 50,964 May 27	Jun 22 Jul 05	May 30 May 30	Jun 06 Jun 07	Jun 11 Jun 12	135 143	$0.27 \\ 0.28$
Steelhead	RD/7F/1 RD/7F/3 LA/7F/1	Apr 28 Apt 28 Apr 26	Total: Smklmn R. Smklmn R. Methow R.	101,475 20,388 May 04 20,416 May 04 15,238 May 02	May 07 May 05 Jun 05	May 12 May 11 May 06	May 15 May 15 May 10	May 23 May 21 May 16	278 203 202 66	0,27 1.00 0.99 0.43
	LA/7F/3	Apr 26	Methow R.	[5, [91 May02	Jun 01	May 05	May 10	May 17	67 529	0.44
Grand totals:	32		Total:	71,233 758,984					538 5.981	0.76 0.79

Table 2. Rock Island Dam powerhouse operations expressed in KCFS and percent **streamflow**, 1 April -31 August, 1989 (monthly ranges appear in parenthesis).

			Average KCFS		
	April	May	June	July	August
Total river flow	88.6	152.4	111.6	72,6	64.8
	(34.3-151.3)	(100.6-191.0)	(55.6-166.0)	(44.9-100. 8)	(45.6-80.9)
Powerhouse #1	12.0	25.4	20.8	5.23	6,2
	(0,8-28.6)	(1.0-47.5)	(0.5-50.4)	(0.5-21.2)	(3.5-18.0)
Powerhouse #2	66,8	97.0	89.6	66.3	57.7
	(29.8-101.5)	(70.5-117.7)	(54.1-114.3)	(43.3-92.7)	(41.1-74.1)
Spill	11.5	28,9	0. 1	0	0
•	(0.0-33.6)	(0.0-42.2)	(0.0-2.3)	(0)	(0)
		Av	verage percent of tota	l flow	
Powerhouse #l	13.1	16.4	15.1	6.6	9.4
	(1.1-27.3)	(1.0-30.8)	(0.6-32.3)	(0.6-21.9)	(5.0-23,5)
Powerhouse #2	77.7	63.9	83.7	91.9	89.1
	(60,3-92.2)	(54.4-86.8)	(67.1-98.2)	(77.0-98.2)	(75.1-93.7)
Spill	8.2	18.9	0.1	o	ο ,
•	(0.0-31.3)	(0.0-27.9)	(0.0-1.5)	(o)	(o)

_

Table 3. Comparison of actual, expanded, and the 5 year average of fish counts for passage dates for the Rock Island Dam bypass trap. 1989.

				Numbers			Date	
Species		Totals	10%	50%	90%	10%	50%	90%
Chinook yearling	Actual Expanded 5 year avg.	10,252 15,502 21,564	1,025 I ,550 2,156	5,126 7,751 10,782	9,227 13,952 19,408	Apr 21 Apr 21 Apr 21	May 3 May 4 May 7	May 20 May 20 May 24
Chinook sub-yrIng	Actual Expanded 5 year avg.	36,466 44,198 29,259	3,643 4,420 2,926	18,213 22,100 14,630	32,783 39,779 26,333	May 14 May 10 Jun 3	Jul 3 Jun 27 Jul 2	Jul 27 Jul 26 Aug 2
Steelhead	Actual Expanded 5 year avg.	25,004 38,457 26,614	2,500 3,846 2,661	12,502 19,229 13,307	22,504 34,611 23,953	May 9 May 9 May 6	May 17 May 17 May 18	Jun 6 Jun 6 May 31
Coho	Actual Expanded 5 year avg.	24,558 37,833 26,313	2,456 3,783 2,631	12,279 18,917 13,157	22,102 34,050 23,682	May 15 May 15 May 15	May 22 May 22 May 22	May 30 May 29 May 30
Sockeye	Actual Expanded 5 year avg.	19,812 26,469 23,041	1,981 2,647 2,304	9,906 13,235 11,520	17,831 23,822 20,737	Apr 16 Apr 16 Apr 15	Apr 20 Apr 22 Apr 30	May 11 May 13 May 30
Total yearlings	Actual Expanded 5 year avg.	79,630 118,261 97,474	7,963 11,826 9,747	39,813 59,131 48,737	71,663 106,435 87,727	Apr 17 Apr 18 Apr 21	May 16 May 16 May 17	May 30 May 29 May 29
Total salmonids	Actual Expanded 5 year avg.	116,092 162,460 126,733	11,605 16,246 12,673	58,026 81,230 63,367	104,447 146,214 114,060	Apr 18 Apr 21 Apr 23	May 20 May 19 May 21	Jul 8 Jul 6 Jul 7

⁵ *year* average taken from actual counts.

and Leavenworth national fish hatcheries, respectively (Table 1). The 90% passage date of chinook yearlings in 1989 was 4 days earlier than the 5 year average, while the 10 and 50% passage dates were within 1 day of the 5 year average (Table 3, App. C-1).

Sub-yearling chinook

A total of 36,466 chinook sub-yearlings were captured at the bypass trap in 1989 (App. A-6). Sub-yearling chinook were collected each day from 1 April to 31 August. Peak passage of 2,399 sub-yearling chinook occurred on 6 July. The 10 and 90% passage dates were 14 May and 27 July, respectively, while the 50% passage date for sub-yearling chinook was 3 July (Table 3, App. C-2). Fork length measurements were taken from sub-yearling chinook between 30 May and 11 August (Figure 6).

For the second year in row, an experiment was conducted by Parametric of Bellevue, Washington to determine the effect of accelerated growth on **smoltification** of sub-yearling chinook. These fish were included in the daily number of sub-yearling chinook that were sampled, and account for the large number of sub-yearlings in the catch in May (App. A-2, A-3, and C-2).

There was a large difference between the 10% passage date of sub-yearlings between 1989 and the 5 year average (Table 3, App. C-2). This difference can be attributed to the large number of accelerated growth sub-yearlings that were captured on 4 May (Apps. C-2, and E-2).

Steelhead

A total of 25,004 steelhead smelts were collected at the bypass trap in 1989 (App. A-6). Daily collection of steelhead smelts began on 5 April and continued until 17 July, after which, steelhead were intermittently collected in low numbers (<10) until 30 August. Peak passage of 1,956 steelhead occurred on 16 May, 1 day prior to the 50% passage date. The 10 and 90% passage dates were 9 May and 6 June, respectively (Table 3, App. C-3), which where 3 and 7 days, later than the 5 year average. A larger number of steelhead were captured at the bypass trap in the first 15 days of June than is usually observed (App. C-3). This number might have been influenced by the presence of rainbow trout that were released from Lake Roosevelt.

In 1989, rainbow trout that were released into Lake Roosevelt (above Grand Coulee Dam) were collected at the Rock Island Dam bypass trap (Peven 1989). Positive identification of these fish was possible because some of the fish were tagged (Al Scholz, pers. comm.). These fish were of obvious hatchery origin, because of the condition of their dorsal fins, and were included in the number of hatchery fish sampled per day, even though they all had adipose fins present. For a period between 19 May and 27 June, the number of Lake Roosevelt rainbow trout (distinguished from steelhead by morphological characteristics) were enumerated on a daily basis. We found that these fish made up




Figure 6. Length frequency histograms of sub-yearling chinook salmon, collected at the Rock Island Dam bypass trap, 30 May - 11 August.

Fork length measurements were obtained from pIT tagging data and are presented in Figure 7 (from Peven 1989). Fork length measurements have been sampled from steelhead since 1986 to index the difference between hatchery and naturally produced components of the run. Hatchery smelts averaged 21 mm F. L. longer than naturally produced smelts and made up approximately 82% of the steelhead juveniles sampled at the bypass trap in 1989 (Peven 1989), although the proportion of hatchery steelhead was influenced by the presence of the Lake Roosevelt rainbow trout.

Sockeye .

A total of 19,812 sockeye smelts were collected at the bypass trap in 1989 (App. A-6). Sockeye smelts were present at Rock Island Dam on the second day of the monitoring program, 2 April. The last sockeye smelt was trapped on 15 August. Peak passage occurred on 17 April when 3,147 sockeye smelts were collected. The 10 and 90% passage dates were 16 April and 11 May, respectively, while 50'% of the outmigrating sockeye smelts had passed Rock Island Dam by 20 May (Appendix C-4). For the second year in a row, the sockeye outmigration was condensed into a narrower time frame than the running average (1985 - 1989). While the 10% passage date was within 1 day of the 5 year average. the 50 and 90% passage dates were 10 and 19 days, respectively earlier than the 5 year average (Table 3, App. C-5).

In 1989, the downstream migration of sockeye was not as strongly bimodal as in the previous years (App. C-5). The usual bimodal run timing occurs because two stocks of sockeye pass Rock Island Dam on their seaward migration (Okanogan and Wenatchee rivers). Wenatchee River outmigrants pass Rock Island Dam primarily in April and Okanogan River smelts are more prevalent at Rock Island Dam in May (Peven 1987). It appears that in 1988 and 1989. the Okanogan stock of sockeye did not migrate in large numbers (Peven 1988, 1989 in preparation; Jim McGee, pers. comm.). The earlier 50 and 90% passage dates of the sockeye run at Rock Island Dam this year is further evidence of the failure of the Lake Osoyoos sockeye run- Length frequencies were taken from sockeye smelts between 7 April and 22 June (Figure 8). Length frequency data has been collected from sockeye smelts since 1986 to distinguish between the two stocks that migrate past the dam.

This year we saw a **sizeablenumber** of sockeye that were extremely large (> 275 mm F. L.), that were not included in the daily retch. Between 27 May and 21 July, we counted 348 of these fish at the bypass trap (although they were present before 27 May). Because of the large size of these individuals, we were uncertain if these fish were downstream migrants, or perhaps **kokanee** that escaped from Lake Roosevelt or other lakes upstream. **Otoliths** were taken from approximately 15 fish that were already dead when found in the bypass trap. The age readings that we obtained from the **otoliths** showed that these fish were at least 3 years old, with some of the fish aged as 5 years old, which would make it extremely unlikely that they were smelts.

Coho Coho

A total of 24,558 coho (0. *kisutch*) were captured at the bypass trap in 1989 (App. A-6) Daily collection of coho smelts began on 28 April and continued until 18 June (App. A-1 - A-3). The last **coho** was collected on 28 June. Peak passage of 2,756 coho smelts




Figure 7. Length frequency histograms of hatchery and naturally produced steelhead trout smelts collected at the Rock Island Dam bypass trap, 1989.

白

囱

110




Figure 8. Length frequency his ograms of sockeye smolts collected at the Rock Island Dam bypass trap, 1989.

occurred on 22 May (Appendix A-2, C-5). The 10, 50, and 90% passage dates for coho were 15, 22, and 30 May, respectively. The 10, 50, and 90% passage dates for coho in 1989 were exactly the same as the 5 year average (App. C-4).

Total salmonid run

A total of 116,092 juvenile salmonids were collected at the bypass trap in 1989. The total salmonid run timing is represented in Appendix C-6. The early peak passage count of 3,384 on 17 April was largely influenced by the large collection of Wenatchee stock sockeye (n = 3,147). The 16 May peak count of 3,606 was mostly coho (n = 973) and steelhead (n = 1,956) (App. A-1, A-2, C-6).

The effect of sub-yearling chinook was assessed on the 10, 50, and 90% dates for the total cumulative juvenile salmonid migration. A comparison was made between 1989 and the five year average (1985 - 1989) between the total juvenile outmigration past Rock Island Dam and the outmigration excluding sub-yearling chinook (Figures 9). The duration of the middle 80% of the total juvenile salmonid passage (10% date to 90% date) was 81 days, 18 April to 8 July with a 50% passage date on 20 May, compared to a 75 day duration for the 5 year average, with 10, 50, and 90% passage dates: 23 April, 21 May, and 7 July, respectively (Table 3, Figure 9). Excluding sub-yearling chinook from this analysis results in a spring migrant run duration of 43 days, 17 April to 30 May, with a 50% passage date on 16 May, compared to a 38 day duration for the five year average, with 10, 50, and 90% passage dates: 21 April, 17 May, and 29 May, respectively (Table 3, Figure 9, App. C-7).

In summary, in 1989, sub-yearling chinook extend the juvenile migration 90% passage date 39 days; from 30 May (spring migration) to 8 July (total migration). Run timing in 1989 was slightly longer than the five year average. The middle 80% of the total juvenile salmonid migration past Rock Island Dam in 1989 was 81 days compared to 75 days for the five year average. Excluding sub-yearlings from this comparison, the spring migration past the dam in 1989 was 43 days, compared to 38 days for the five year average.

II. MARKED FISH RECOVERIES

Thirty two groups of freeze branded hatchery fish totaling 758,984 fish (Table 1), were released into the Columbia River system upstream from Rock Island Dam to evaluate the relationships between Columbia River flow rates and travel time. These releases consisted of 261,276 chinook yearlings (48.9% were controls released from Leavenworth as part of the Parametric study), 325,000 accelerated growth chinook sub-yearlings released from the Leavenworth hatchery, 101,475 sub-yearling chinook released at Wells Dam, 40,804 steelhead released into the Similkameen River, and 30,429 steelhead released into the Methow River. Table 1 presents information concerning these releases as well as recovery data, including: first, last, 10, 50, and 90% recovery dates and number and percent recapture of each release group.

Leavenworth National Fish Hatchery

Yearling chinook

The first brand recovery at Rock Island Dam was on 21 April, consisting of yearling chinook from Leavenworth National Fish Hatchery that were released on 19 April. The




Figure 9. Comparison of the cumulative total juvenile salmonid passage at Rock Island Dam between 1989 and the five year average (A), and a comparison of the cumulative **juvenile** migration excluding sub-yearling chinook for 1989 and the **five** year average.

Jun 20

Jul 10

Jul 30

Aug 19

Apr 21 May 11 May 31

50% recovery date at Rock Island Dam for the 3 groups of Leavenworth branded yearling spring chinook were 26 April and 5 May, resulting in a median travel time of 7 and 16 days (Table 1). Final recovery of Leavenworth branded chinook occurred on 27 May. The Rock Island Dam bypass trap sampled 0.17- 0.22% of the fish in this release (Table 1). Other releases of yearling chinook from the Leavenworth hatchery were part of 'the Parametric experiment and had median passage dates ranging from 9 to 10 days (Table 1). These fish enter the Columbia River 15 miles above Rock Island Dam and, as a result, Columbia River flows had less influence on travel time to Rock Island Dam for this group compared to fish released above Rocky Reach Dam.

Accelerated growth sub-yearling chinook

Fourteen groups of accelerated growth chinook sub-yearlings were released from the Leavenworth hatchery on 3 May. Median travel times for these groups ranged from 3-29 days, and the bypass trap collected between 0.78 to 2.28% of these fish (Table 1).

Winthrop National Fish Hatchery

Yearling chinook

Three groups of yearling chinook were released into the Methow River on 18 April (Table 1). The median passage times for these groups of fish were 17, 25, and 27 days. The fish released into the Methow River traveled a longer distance before reaching Rock Island Dam than did the fish released into the Wenatchee River. The Rock Island Dam bypass trap sampled 0.7- 0.13% of these released fish (Table 1).

Entiat National Fish Hatchery

Yearling chinook

Two groups of yearling chinook were released into the Entiat River on 20 April. The median passage date for these groups were 8 days (Table 1). We sampled 0.13 and 0.15% of these two groups (Table 1.)

Wells Dam Fish Hatchery (WDF and WDW)

Sub-yearling chinook

Two groups of branded sub-yearling chinook were released from Wells Dam on 27 May. The median travel time to Rock Island Dam for these groups were 10 and 11 days and the bypass trap collected 0.27 and 0.28% of the marked fish from this release (Table 1). These fish had a shorter travel distance than the yearling chinook released in the Methow River.

Steelhead

Marked steelhead were released on 26 April into the Methow River and 28 April into the Similkameen River (Table 1). Median travel times of the two groups of fish released in the Similkameen River were 17 days. The median travel times for the two groups of steelhead released into the Methow River were 12 days (Table 1). Steelhead migrated downstream faster than did chinook yearlings traveling approximately the same distance. Of the branded steelhead released, recoveries ranged from 0.43 to 1.00% at the Rock Island Dam bypass trap (Table 1).

suMMARY

Between 1 April and 31 August, 1989, 116,092 downstream migrating salmonids were collected at the Rock Island Dam bypass trap. Freeze branded fish collected consisted of 5,443 chinook salmon and 538 steelhead trout. In addition, 5,913 chinook and 20,485 steelhead were collected that had clipped adipose fins.

The middle 80% of the **salmonid outmigration** passed Rock Island Dam between 18 April and 8 July, 1989, a 81 day period. The dates and duration of the outmigration were extended by sub-yearling chinook. If sub-yearling chinook are excluded from analysis, the middle 80% of the **outmigration** was 17 April to 30 May, a 43 day period. Sub-yearling chinook comprised 31% of the fish collected at Rock Island Dam.

ACKNOWLEDGMENTS

This monitoring effort was funded by the Bonneville Power Administration, U.S. Department of Energy, as a part of the Northwest Power Planning Council's program to protect, mitigate, and enhance fish and wildlife affected by hydroelectric facilities in the Columbia River Basin. The study was coordinated through the Fish Passage Center. Jennifer Jordan and Larry Basham of the FPC were very helpful throughout the study. Dave Marvin of FPC assisted in the PIT tagging program. The Public Utility District No. 1 of Chelan County conducted the smelt monitoring at Rock Island Dam and a number of district employees assisted with the study. Dick Nason, Steve Hays, and Paul Fielder provided administrative and logistical help as well as information and advise. The following individuals assisted with the trap monitoring and data input into the computer: N. Duree, O. Heath, B. Keesee, K. Truscott, R. Yanak, K Bums, and M. Garner.

LITERATURE CITED

- Fielder, P. C., and C. M. Peven. 1986. Rock Island Dam smelt monitoring, 1986. P.U. D. No. 1 of Chelan County, Wenatchee, WA
- **Peven,** C. M., D. H. Sheffield, and P. C. Fielder 1987. Rock Island Dam Smelt monitoring, 1987. P. U. D. No. 1 of **Chelan** County, Wenatchee, WA.
- Peven, C. M. and P. C. Fielder. 1988. Rock Island Dam smelt monitoring, 1988. P. U. D. No. 1 of **Chelan** County, Wenatchee, WA
- **Peven,** C. M. and S. G. Hays. 1989. Proportions of hatchery and naturally produced steelhead trout smelts migrating past Rock Island Dam, Columbia River, Washington. North American Journal of Fisheries Management 9:53-59.
- **Peven,** C. M. 1987. Downstream migration timing of sockeye salmon on the mid-Columbia River. Northwest Science 61:186-190.

- Peven, C. M. 1988. The relative downstream migration timing of two stocks of sockeye salmon, 1988. P. U. D. No. 1 of Chelan County, Wenatchee, WA.
- **Peven,** C. M. in preparation. The relative downstream migration timing of two stocks of sockeye **salmon,** 1989. P. U. D. No. 1 of **Chelan** County, Wenatchee, WA.
- Prentice, E. F., T. A. Flagg, and S. McCutcheon. 1987. A study to determine the biological feasibility of a new fish tagging system, 1986-1987. NMFS, Seattle, WA.
- Truscott, K. B. 1985. Rock Island Dam Smelt monitoring, 1985. P. U. D. No. 1 of Chelan County, Wenatchee, WA.

Appendix A

Daily salmonid catch, Rock Island Dam bypass trap, 1 April -31 August

Appendix A-1. Daily salmonid catch, Rock Island Dam bypass trap, April, 1989.

DATE	CHINOOK YEARLING	CHINOOK SUB-YEAR.	STLHD.	СОНО	SOCKEYE SAI	TOTAL	TOTAL YEARLING
	4.0		0		0	22	44
01-Apr-89	10	12	0	1	0	23	11
02-Apr-89	4	70	0	0	1	75	5
03-Apr-89	2		0	0	2	26	4
04-Apr-89	8		0	0	4	43	12
05-Apr-89	7	= :	2	0	3	36	12
06-Apr-89	0	34	2	0	4	40	6
07-Apr-89	3	74	3	0	34	114	40
08-Apr-89	19	80	3	0	94	196	116
09-Арг-89	22	106	20	0	316	464	358
10-Apr-89	12		13	0	38	116	63
1 1-Apr-89	60	00	22	0	278	423	360
12-Apr-89	86	*-	22	0	165	334	273
13-Apr-89	60		41	0	49	282	150
14-Apr-89	54		36	0	151	322	241
15-Apr-89	238	71	35	0	498	842	771
16-Apr-89	153		57	0	2723	3055	2933
17-Apr-89	87	79	70	1	3147	3384	3305
18-Apr-89	69	60	65	0	2000	2194	2134
19-Apr-89	32	33	25	0	342	432	399
20-Apr-89	59	42	26	0	174	301	259
21-Apr-89	609	19	26	0	672	1326	1307
22-Арг-89	438	9	18	0	971	1436	1427
23-Apr-89	242	23	11	0	1254	1530	1507
24-Apr-89	170	21	35	0	962	1188	1167
25-Apr-89	289	28	27	0	387	731	703
26-Apr-89	238	24	49	0	159	470	446
27-Apr-89	194	23	60	0	122	399	376
28-Apr-89	178	17	53	2	145	395	378
29-Apr-89	312	9	56	39	752	1168	1159
30-Apr-89	387	26	63	54	416	946	920
Totals:	4042	1449	840	97	15863	22291	20842

Appendix A-2. Daily salmonid catch, Rock Island Dam bypass trap, May, 1989.

	CHINOOK					TOTAL	TOTAL
DATE	YEARLING	SUB-YEAR.	STLHD.	СОНО	SOCKEYE	SALMONID-	YEARLING
01-May-89	424	24	88	39	418	993	969
02-May-89	389	13	129	94	312	937	924
03-May-89	326	23	127	53	375	904	881
04-May-89	283	39	143	56	215	736	697
05-May-89	500	1023	223	31	46	1823	800
06-May-89	408	293	270	39	47	1057	764
07-May-89	295	32	284	20	20	651	619
08-May-89	156	54	376	89	55	730	676
09-May-89	240	67	531	144	263	1245	1178
10-May-89	289	1 67	506	327	137	1426	1259
11-May-89	203	170	811	285	121	1590	1420
12-May-89	261	146	1179	241	127	1954	1808
13-May-89	183	85	786	231	140	1425	1340
14-May-89	214	108	1340	449	89	2200	2092
15-May-89	206	155	1554	732	220	2867	2712
16-May-89	207	235	1956	973	235	3606	3371
17-May-89	212	219	1709	1178	131	3449	3230
18-May-89	I 93	189	1373	1248	126	3129	2940
19-May-89	174	187	1137	1259	65	2822	2635
20-May-89	141	225	804	1844	85	3099	2874
2 1-May-89	105	159	623	1505	44	2436	2277
22-May-89	149	252	585	2756	40	3782	3530
23-May-89	95	150	380	1778	42	2445	2295
24-May-89	76	113	386	2113	34	2722	2609
25-May-89	73	92	284	1417	23	1889	1797
26-May-89	40	99	205	942	16	1302	1203
27-May-89	95	69	289	905	8	1366	1297
28-May-89	69	173	292	530	6	1070	897
29-May-89	21	64	189	687	17	978	914
30-May-89	17	108	222	765	22	1134	1026
31-May-89	12	172	186	432	14	816	644
Totals:	6056	4905	18967	23162	3493	56583	51678

Appendix A-3. Daily salmonid catch, Rock Island Dam bypass trap, June, 1989.

DATE	CHINOOK C		STLHD.	СОНО	SOCKEYE	TOTAL SALMONID	TOTAL YEARLING
01-Jun-89	14	464	205	418	17	1118	654
02-Jun-89	15	623	212	252	32	1134	511
03-Jun-89	37	464	528	231	58	1318	8 5
04-Jun-89	24	486	606	157	45	1318	832
05-Jun-89	8	562	707	90	23	1390	828
06-Jun-89	7	537	529	42	17	1132	595
07-Jun-89	5	642	315	33	16	1011	369
08-Jun-89	3	683	300	20	19	1025	342
09-Jun-89	3	780	300	13	32	1128	348
10-Jun-89	10	423	272	4	10	719	296
1 1-Jun-89	7	550	206	11	21	795	245
12-Jun-89	3	512	104	3	12	634	122
13-Jun-89	2	274	114	7	8	405	131
14-Jun-89	1	319	122	5	8	455	136
15-Jun-89	2	231	103	4	3	343	112
16-Jun-89	0	181	104	3	0	288	107
17-Jun-89	2	132	42	4	3	183	51
18-Jun-89	2	129	13	1	3	148	19
19-Jun-89	0	110	10	0	1	121	11
20-Jun-89	2	229	46	0	4	281	52
21-Jun-89	1	217	23	0	6	247	30
22-Jun-89	2	174	11	0	2	189	15
23-Jun-89	0	197	28	0	1	226	29
24-Jun-89	1	161	29	0	2	193	32
25-Jun-89	0	199	25	0	4	228	29
26-Jun-89	0	266	24	0	4	294	28
27-Jun-89	0	295	32	0	2	329	34
28-Jun-89	0	198	28	1	2	229	31
29-Jun-89	0	186	18	0	2	206	20
30-Jun-89	0	193	10	0	1	204	11
Totals:	151	10417	5066	1299	358	1729 1	6874

Appendix A-4. Daily salmonid catch, Rock Island Dam bypass trap, July, 1989.

	CHINOOK C	HINOOK				TOTAL	TOTAL
DATE	YEARLING SU	B-YEAR.	STLHD.	соно	SOCKEYE	SALMONID	YEARLING
01-Jul-89	٥	438	7	0	5	450	12
01-Jul-89	0 0	438 908	7 6	0	5 5	919	11
02-Jul-89	0	908 704	6	0	3 1	711	7
03-Jul-89	0	1156	5	0	4	1165	9
05-Jul-89	ø	1260	5	0	13	1278	18
05-Jul-89	1	2238		0	10	2256	18
00-Jul-89	0	1146	12	0	6	1164	18
07-Jul-89	0	694	6	0	7	707	13
09-Jul-89	1	806	7	0	2	816	10
1o-JuI-89	0	343	5	0	0	348	5
10-Jul-89	0	593	11	0	1	605	12
12-Jul-89	0	601	10	0	3	614	13
12-Jul-89	Ů	644	6	0	6	656	12
13-Jul-89	ő	719	5	0	9	733	14
14-Jul-89	Õ	309	4	0	2	315	6
16-Jul-89	0	211	3	0	1	215	4
17-Jul-89	ŏ	194	0	0	0	194	0
18-Jul-89	Õ	329	2	0	2	333	4
19-Jul-89	Ů	414	2	Ů	2	418	4
20-Jul-89	0	535	0	0	3	538	3
21 -Jul-89	Ŏ	204	0	0	1	205	3
22-Jul-89	ŏ	264	0	Ŏ	1	265	1
23-Jul-89	1	143	1	0	0	145	2
24-Jul-89	0	216	1	Ŏ	0	2[7	1
25-Jul-89	Ö	337	0	Ö	0	337	0
26-Jul-89	0	491	J	Õ	0	492	v
27-Jul-89	0	373	0	Ŏ	1	374	
28-Jul-89	0	227	1	0	0	228	1
29-Jul-89	0	281	2	0	0	283	?
30-Jul-89	0	270	2	0	0	272	2
3 I-Jul-89	0	214	0	0	0	214	0
Totals:	3	17262	117	0	85	17467	205

Appendix A-5. Daily salmonid catch, Rock Island Dam bypass trap, August, 1989.

	CHINOOK CH	HINOOK				TOTAL	TOTAL
DATE	YEARLING SUI	B-YEAR.	STLHD.	СОНО	SOCKEYE	SALMONID	YEARLING
			•				
O1-Aug-89	0	290	0	0	1	291	1
02-Aug-89	0	212	0	0	1	213	1
03-Aug-89	0	138	0	0	0	138	0
04-Aug-89	0	157	2	0	3	162	5
05-Aug-89	0	189	0	0	1	190	I
06-Aug-89	0	161	0	0	2	163	2
07-Aug-89	0	81	2	0	0	83	2
08-Aug-89	0	124	1	0	2	127	3
09-Aug-89	0	106	0	0	0	106	0
10-Aug-89	0	85	2	0	0	87	2
11 -Aug-89	0	51	0	0	0	51	0
12-Aug-89	0	29	0	0	1	30	1
13-Aug-89	0	40	1	0	0	41	i
14-Aug-89	0	52	0	0	0	52	0
15-Aug-89	0	24	0	0	2	26	2
16-Aug-89	0	38	1	0	0	39	1
17-Aug-89	0	40	0	0	0	40	0
18-Aug-89	0	71	0	0	0	71	0
19-Aug-89	0	38	0	0	0	38	0
20-Aug-89	0	14	I	0	0	15	1
21-Aug-89	0	16	0	0	0	16	0
22-Aug-89	0	44	1	0	0	45	Į
23-Aug-89	0	108	0	0	0	108	0
24-Aug-89	0	56	0	0	0	56	0
25-Aug-89	0	64	1	0	0	65	I
26-Aug-89	0	39	0	0	0	39	0
27-Aug-89	0	35	1	0	0	36	1
28-Aug-89	0	8	0	0	0	8	0
29-Aug-89	0	42	0	0	0	42	0
30-Aug-89	0	41	1	0	0	42	1
31-Aug-89	0	40	0	0	0	40	C
Totals:	0	2433	14	0	13	2460	27

Appendix A-6. Monthly summary of the Rock Island Dam bypass trap catch, 1 April -31 August. 1989.

Month	CHINOOK YEARLING		STLHD.	СОНО	SOCKEYE	TOTAL SALMONID	TOTAL YEARLING
April	4,042	1,449	840	97	15,863	22,291	20,842
May	6,056	4,905	18,967	23,162	3,493	56,583	51,678
June	151	10,417	5,066	1,299	358	17,291	6,874
July	3	17,262	117	0	85	17.467	205
August	0	2,433	14	0	13	2,460	27
Totals:	10,252	36,466	25,004	24,558	19,812	116,092	79,626

Appendix B

Expanded Rock Island Dam bypass trap counts, 1 April -31 August

Appendix B-1. Expanded Rock Island Dam bypass trap counts, April, 1989.

DATE	CHINOOK YEARLING	CHINOOK SUB-YEAR.	STLHD.	СОНО	SOCKEYE	TOTAL SALMONID	TOTAL YEARLING
			0		0	2.5	
01 -Apr-89	11	13	0	1	0	25	12
02-Apr-89	4	75	0	0	1	80	5
03-Apr-89	2	24	0	0	2	28	4
04-Apr-89	9	37	0	0	5	51	14
05-Apr-89	8	26	2	0	3	39	13
06-Apr-89	0	37	2	0	4	43	6
07-Apr-89	4	87	4	0	40	135	48
08-Apr-89	23	97	4	0	114	238	141
09-Apr-89	24	115	22	0	342	503	388
10-Apr-89	13	59	15	0	42	129	70
1 1-Apr-89	70	73	26	0	322	491	418
12-Apr-89	103	73	26	0	198	400	327
13-Apr-89	80	176	55	0	65	376	200
14-Apr-89	66	99	44	0	185	394	295
15-Apr-89	299	89	44	0	625	1057	968
16-Apr-89	171	137	64	0	3050	3422	3285
17-Apr-89	97	88	78		3518	3782	3694
18-Apr-89	95	83	90	0	2763	3031	2948
19-Apr-89	52	54	41	0	560	707	653
20-Apr-89	83	59	37	0	246	425	366
21 -Apr-89	816	25	35	0	900	1776	1751
22-Apr-89	615	13	25	0	1363	2016	2003
23-Apr-89	325	31	15	0	1684	2055	2024
24-Apr-89	218	27	45	0	1235	1525	1498
25-Apr-89	420	41	39	0	563	1063	1022
26-Арт-89	328	33	68	0	219	648	615
27-Apr-89	307	36	95	0	193	631	595
28-Арг-89	293	28	87	3	238	649	621
29-Apr-89	492		88	62	ı [87	1843	
30-Apr-89	619	42	101	86	665	1513	1471
Totals:	5647	1791	1152	153	20332	29075	27284

Appendix B-2. Expanded Rock island Dam bypass trap counts, May, 1989.

	CHINOOK	CHINOOK				TOTAL	TOTAL
DATE		SUB-YEAR.	STLHD.	СОНО	SOCKEYE	SALMONID	
01-May-89	560	32	116	52	552	1312	1280
02-May-89	627	21	208	152	503	1511	1490
03-May-89	552	39	215	90	635	1531	1492
04-May-89	470	65	238	93	357	1223	1158
05-May-89	794	1624	354	49	73	2894	1270
06-May-89	668	480	44 2	64	77	1731	1251
07-May-89	462	50	445	31	31	1019	969
08-May-89	220	76	530	125	78	1029	953
09-May-89	393	110	869	236	430	2038	1928
10-May-89	482	278	844	.545	228	2377	2099
11-May-89	370	310	1479	520	221	2900	2590
12-May-89	440	246	1986	406	214	3292	3046
13-May-89	301	140	1293	380	230	2344	2204
14-May-89	330	167	2066	692	137	3392	3225
15-May-89	318	239	2400	1131	340	4428	4189
16-May-89	342	388	3229	1606	388	5953	5565
17-May-89	348	360	2807	1935	215	5665	5305
18-May-89	314	308	2235	2032	205	5094	4786
19-May-89	282	303	1843	2040	105	4573	4270
20-May-89	224	357	1276	2926	135	4918	4561
2 l-May-89	173	3 262	1025	2475	72	4007	3745
22-May-89	214		839	3952	57	5423	5062
23-May-89	141	222	562	2632	62	3619	3397
24-May-89	115	170	582	3187	51	4105	3935
25-May-89	113	142	440	2195	36	2926	2784
26-May-89	69	170	352	1619	28	2238	2068
27-May-89	160) 116	488	I 527	14	2305	2189
28-May-89	101	254	428	778	9	1570	1316
29-May-89	27	84	247	898	22	1278	I1 9 4
30-May-89	19		254	874	25	1295	1172
31-May-89	17	250	'270	628	20	1185	935
Totals:	9646	5 7747	30362	35870	5550	89175	81428

Appendix B-3. Expanded Rock Island Dam bypass trap counts, June, 1989.

DATE	CHINOOK CH YEARLING SUI		STLHD.	СОНО	SOCKEYE SA	TOTAL ALMONID Y	TOTAL EARLING
01 -Jun-89	19	644	284	580	24	1551	907
02-Jun-89	21	877	298	355	45	1596	719
02-Jun-89	55	687	782	342	86	1952	1265
04-Jun-89	33	662	82S	214	61	1795	1133
05-Jun-89	10	703	885	113	29	1740	1037
06-J un- 89	10	751	740	59	24	1584	833
07-Jun-89	7	898	441	46	22	1414	516
08-Jun-89	4	915	402	27	25	1373	458
09-Jun-89	4	1095	421	18	45	1583	488
10-Jun-89	14	592	381	6	14	1007	415
11 -Jun-89	9	707	265	14	27	1022	315
12-J un -89	3	597	121	3	14	738	141
13 -J un-89	3	383	159	10	11	566	183
14-Jun-89	1	462	177	7	12	659	197
15-Jun-89	3	330	147	6	4	490	160
16-Jun-89	0	214	123	4	0	341	127
17-Jun-89	2	133	42	4	3	184	51
18-Jun-89	2	130	13	1	3	149	19
19-Jun-89	0	111	10	0	1	122	11
20-Jun-89	2	266	53	0	5	326	60
21 -Jun-89	1	237	25	0	7	270	33
22-Jun-89	2	188	12	0	2	204	16
23-Jun-89	0	198	28	0	1	227	29
24-Jun-89	1	165	30	0	2	198	33
25-Jun-89	0	201	25	0	4	230	29
26-Jun-89	0	268	24	0	4	296	28
27-Jun-89	0	320	35	0	2	357	37
28-Jun-89	0	199	28	1	2	230	31
29-Jun-89	0	201	19	0	2	222	21
30-Jun-89	0	194	10	0	1	205	11
Totals:	206	13328	6805	1810	482	22631	9303

Appendix B-4. Expanded Rock Island Dam bypass trap counts, July, 1989.

	CHINOOK	CHINOOK				TOTAL	TOTAL
DATE	YEARLING	SUB-YEAR.	STLHD.	СОНО	SOCKEYE	SALMONID	YEARLING
01 -Jul-89	0	457	7	0	5	469	12
02-Jul-89	0	914	6	0	5	925	11
03-Jul-89	0	711	6	0	1	718	7
04-Jul-89	0	1164	5	0	4	1173	9
05-Jul-89	0	1272	5	0	13	1290	18
06-Jul-89	İ	2399	8	0	11	2419	20
07-J ul- 89	0	1441	15	0	8	1464	23
08-Jul-89	0	818	7	0	8	833	15
09-Jul-89	1	811	7	0	2	821	10
10-Jul-89	0	346	5	0	0	351	5
1 I-Jul-8 9	0	624	12	0	1	637	13
12-Jul-89	0	647	11	0	3	661	14
13-Jul-89	0	680	6	0	6	692	12
14-Jul-89	0	752	5	0	9	766	14
15 -J ul-89	0	311	4	0	2	317	6
16-Jul-89	0	213	3	0	1	217	4
17-Jul-89	0	196	0	0	0	196	0
18-Jul-89	0	364	2	0	2	368	4
19-Jul-89	0	435	2	0	2	439	4
20-Jul-89	0	687	0	0	4	691	4
21 -Jul-89	0	216	0	0	1	217	1
22-Jul-89	0	284	0	0	1	285	1
23-Jul-89	1	154	1	0	0	156	2
24-Jul-89	0	231	1	0	0	232	1
25-Jul-89	0	378	0	0	0	378	0
26-Jul-89	0	531	1	0	0	532	1
27-Jul-89	0	476	0	0	I	477	1
28-J ul -89	0	250	1	0	0		1
29-Jul- 8 9	0	304	2	0	0		2
30-Jul-89	0	288	2	0	0		2
31-Jul-89	0	231	0	0	0	231	0
Totals:	3	18585	124	0	90	18802	217

Appendix B-5. Expanded Rock Island Dam bypass trap counts, August, 1989.


	CHINOOK CH	HINOOK				TOTAL	TOTAL		
DATE	YEARLING SUI	B-YEAR.	STLHD.	СОНО	SOCKEYE	SALMONID	YEARLING		
01-Aug-89	0	316	0	0	1	317			
02-Aug-89	0	225	0	0	1	226			
03-Aug-89	0	152	0	0	0	152			
04-Aug-89	0	191	2	0	4	197			
05-Aug-89	0	243	0	0	1	244			
06-Aug-89	0	183	0	0	2	185			
07-Aug-89	0	89	2	0	0	91			
08-Aug-89	0	163	1	0	3	167			
09-Aug-89	0	123	0	0	0	123			
10-Aug-89	0	98	2	0	0	100			
11 -Aug-89	0	58	0	0	0	58			
12-Aug-89	0	31	0	0	1	32			
13-Aug-89	0	43	1	0	0	44			
14-Aug-89	0	56	0	0	0	56			
15-Aug-89	0	25	0	0	2	27			
16-Aug-89	0	42	1	0	0	43			
17-Aug-89	0	43	0	0	0	43			
18-Aug-89	0	77	0	0	0	77			
19-Aug-89	0	40	0	0	0	40			
20-Aug-89	0	16	I	0	0	17			
21-Aug-89	0	17	0	0	0	17			
22-Aug-89	0	47	1	0	0	49			
23-Aug-89	0	116	0	0	0	116			
24-Aug-89	0	60	0	0	0	60			
25-Aug-89	0	68	1	0	0	69			
26-Aug-89	0	43	0	0	0	43			
27-Aug-89	0	38	ĭ	0	0	39			
28-Aug-89	0	9	0	0	0	9			
29-Aug-89	0	48	0	0	0	48			
30-Aug-89	0	44	I	0	0	45			
31-Aug-89	0	43	0	0	0	43			
Totals:	0	2748	14	0	15	2777	2		


Appendix B-6. Monthly summary of the expanded counts from the Rock Island Dam bypass trap, 1 April -31 August.

Month	CHINOOK YEARLING S		STLHD.	СОНО	SOCKEYE	TOTAL SALMONID	TOTAL YEARLING
April	5,647	1,791	1,1s2	153	20,332	29,075	27,284
May	9,646	7,747	30,362	35,870	5,550	89,175	81,428
June	206	13,328	6,805	1,810	482	22,631	9,303
July	3	18,585	124	0	90	18,802	217
August	o	2,747	14	0	15	2,777	29
Totals:	15,502	44,198	38,457	37,833	26,469	162,460	118,261


Appendix C


Daily juvenile salmonid run timing for 1989 and the 5 year average






Appendix C-1. Chinook yearling juvenile run timing, Rock Island **Dam**, 1989 and the 5 year average.







Appendix C-2. Chinook sub-yearling juvenile run timing, Rock Island Dam, 1989 and the 5 year average.








Appendix C-3. Steelhead juvenile run timing, Rock Island Dam, 1989 and the 5 year average.





Appendix C-5. Sockeye juvenile run timing, Rock Island **Dam**, 1989 and the 5 year average.




Appendix **C-4. Coho** juvenile **run** timing, Rock Island **Dam**, 1989 and the 5 year average.


NUMBERS OF FISH PER DAY (THOUSANDS)





Appendix C-6. Total juvenile run fiming, Rock Island Dam, 1989 and the 5 year average.





Appendix D

Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, 1 April -31 August

Appendix D-1. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam

Date	Chinook Brad												• ^~	lm.			
															Ad Clips		
	LA/7C/I LA/	1C/3 RD/7C/1	RA/71/1	RA/71/3	LD/7N/1 RA/7N	/ 1 R/	A/7N/3	LA/IR/I	LA/IR/3	RA/IR/I	RA/1R/3	RA/T/	-	RA/T/3	Subyr	Yring	RD/7F/1
04/01/89																	
04/02/89																	
04/03/89																	
04/04/89																	
04/05/89																	
04/06/89																	
04/07/89																	
04/08/89																	
04/09189																	
04/10/89																	
04/1 1/89																	
04/12/89																	
04/1 3/89																	
04/14/89																	
04/1 S/89																	
04/16/89																	
04/ 17/89																	
04/18/89																	
04/19/89																	
04/20/89																	
04/2 /89	5	7	5													34	
04/22/89	3		2		1											18	
04/23/89	2	1	1	3	1											15	
04/24189	1			3	5											6	
04/25/89	6	1	3	2	3											12	
04/26/89	1		3													3	
04/27/89		1		4												2	
04/28/89				2	2											23	
04/29/89				2												36	
04130189		f		2	2 2											45	

Appendix D-2. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam

						Chino	ok Branda											
															_	M Cli	ps	
Date	LA/7C/1	LA/7C/3	RD/7C/1	RA/71/1	RA/71/3	LD/7N/1	RA/7N/1	RA/7N/3	L A	/ I R / I	LA/IR/3	RA/IR/I	RA/IR/3	RA/T/I	RA/T/3	Subyr	Yring	RD/7F/I
05/01/89		3	3	1	2		1		1								52	
05/02/89	1	ı	l			3											39	
05/03/89				1				Ţ									44	
0s/04/89	2	2	!		I			Ţ					I			25	43	1
05/05/89		:	5		2	2	2	2	2	21	20	24	15			993	118	
05/06/89	2	2	2	2	1				2	14	10	5	3			271	19	
05107189	j	ı							1	2	4	3	3			25	37	
05/08/89	1			I						I	7	3	2			49	32	
05/09/89	2	1	l	1				1		3	6		8			32	37	1
03/10/89		1					1		2	4	5	5	2			97	58	
05/11/89	1								2	4	5	3	3			49	45	9
05/12/89						í		1		10	8	8	1			74	83	32
05/13/89	1	2	!		1	1			1	4	9	3	4			58	39	6
05/14/89		2	!	I			1	1	1	9	4	2	10			55	52	33
05/15/89	t	2	2	1		ı		t	2	7	6	7	2			101	51	26
05/16/89		1						1	1	8	7	7	3			171	4s	24
05/17/89		2	!					3	2	8	9	4	4			198	52	19
0S/18/89	1			1	1		I	2		8	3	2	6			133	37	6
0\$/19/89	1			I				2	ı	4	6	6	6			168	17	8
05/20/89	2			1	1					3	3	2				184	28	7
05/21/89									1	1	1		1			35	6	6
05/22/89	1	2	!	1					1	I	1	1				227	20	2
05/23/s9								2	1	3	3					111	8	7
05/24/89										1		1				94	4	2
05/25/89		1					1	1								so	9	1
05/26/89							1			,		1	1			56	6	
05/27/89										1	1			1	3	48	П	2
05/28/89													2	5	4	122	14	1
05/29/89											1		1	3	4	21	2	2
05/30/89													1	6	9	40	2	
05/31/89									I			b	3	5	9	39	3	t
Totals:	17	28	. 1	.3	9	8	8	17	22	124	119	88	82	20	29 3	626	1133	196

Appendix D-3. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, June, 1989.

						Chincok B	rands											Steelhead	Brands		-
															Ad Cl	ips					
Date	LA/7C/1	LA/7C/3	RD/7C/1	RA/7T/1	RA/7T/3	LD/7N/I	RA/7N/1	RA/7N/3	LA/IR/I	LA/IR/3	RA/IR/I	RA/IR/3	RA/T/I	RA/T/3	Subyr	Yring	RD/7F/1	RD/7F/3	LA/7F/1	LA/7F/3	M Clip
6/0[/89							ı						12	П	151	2	2	1		1	13
6/02/89													8	2	154	2					1.
6/03/89													9	7	57	8					4
/04/89													11	4	73						5
/05/s9													4	10	51			1			6
/06/89													4	7	74	I					4
/07/89													5	8	60		5				2
/08/89													14		64						2
/09/89													16		3s	1					2
/10/s9													12		33						
1 1/89													9	12	44						
12/89													2	9	11	1					
13/s9													4	1	22						
14/89													1		13						
15/89													2		Is						
16/89														1	5						
17/s9															11						
8/89															1						
19/89														1	4						
20/89													1		12						
21/89														2	ld						
22/89													t		9						
23/89														1	8						
24/89															5	1					
25/89															4						
26159															4						
27/89															5						
28/89															3						
29/89															2						
30/89																					
														113	944						

				Chinook Brands										Steelhead	Brands		_
											М	Clips					
Date	LA/7C/1 LA/7C/3 RT	0/7C/1 RA/7T/1	RA/7T/3 L	D/7N/1 RA/7N/1	RA/7N/3	LA/IR/	LA/IR	/3 RA/IR/I R	A/IR/3 1	RA/T/L RA	4/T/3 \$u	yr Yring	RD/7F/1	RD/7F/3	LA/7F/1	LA/7F/3	Ad Clips
07(01/89																	2
07/02/89																	4
07/02/89																	3
07/04/89																	4
07/05/89											1						2
07/06/89																	6
07/07/89																	11
07/08/89																	5
07/09/89																	6
07/10/89																	3
07/1 1189																	9
07/12/89																	8
07{13/89																	5
07114/89																	3
07/15/89																	4
07/16/89																	3
07/17/89																	0
07/18/89																	1
07/19/89																	0
07/20/89 07/2 I /89																	0
07/21/89																	0
07/23/89																	i
07/24/89																	1
07/25/89																	0
0706/89																	1
07/27/89																	o
07/28/89																	1
07/29/89																	
07/30/89																	
07/31/89																	
Totala:	o 0	0	0	0 0	0	0 0	0	0	0	0	1 (0	() (' (0	84

Appendix D-5. Daily summary of branded chinook and steelhead sampled from the Rock island Dam bypass, August, 1989.

					Chir	nook Brands	,									Ste	lhead Brand	•	
														Ad C	ipe				
Date	LA/7C/I L	A/1C/3 RD/1	C/I RA/TT/	/1 RA/7T/3	LD/7N/ ı	RA/7N/ 1 R	RA/7N/3 L	A / I R / I	LA/IR/3	RA/IR/I	RA/IR/3	RA/1/1	RA/T/3			RD/7F/1 RD/7F	/3 LA/7	F/I LA /7 F /3	Ad Cl ips
08/01/89																			
08/02/89																			
08/03/89																			
08/04/89)																		
08/05/89)																		
08/06/89)																		
08/07/89)																		2
08/08/89																			I
08/09/89																			
08/10/89																			2
08/ 11 /89																			
08/12/89																			
08/13/89																			
08/14/89 08/15/89																			
08/16/89																			
08/17/89																			
0s/17/03 0s/18/89																			
08/19/89																			
08/20/89																			
08/21/89																			
08/22/89																			I
08/23/89	1																		
08/24/89																			
08/25/89																			
08/26/89																			
08/27/89																			
08/28/89																			
08/29/89																			
08/30/89																			
08/3 1 /89																			
																_			
Totals:	0	0	0	0	0	0	0	0	0 0	() () 0	0	0	0	0	0	0	0 7

Appendix D-6. Monthly summary of branded chinook and steelhead sampled from the Rock Island Dam bypass trap, 1 April -31 August, 1989.

,							Chinool	Brands													Steelhead I	Brands		_
																		M Clip	•					
Month	LA/7C/1	LA/7C/3	RĐ	/7C/I	RA/7T/	RA/7T/3	LD/7N/I	RA/7N/	ra/7N/3	LA/IR/	ı	LA/IR/3	RA/IR/	ı	RA/IR/3	RA/T/I	RA/T/3	Subyr	Yring	RD/7F/1	RD/7F/3	LA/7F/1	LA/7F/3	Ad clips
April		18 1	l	1	14	Is	14	3	1	0	0	0		0	0	0	0	0	194	0	0	0	0	260
Мау		1	7	28 1	13	9	s	8	17	22	124	119	8	88	82	20	29	3,626	1,133	196	200	65	66	16,119
June	0		0		0	0	0	0	I	0	n	0		0	0	115	113	944	16	7	2	1	I	4,015
July	0		0		0	0	0	0	0	0	0	0		0	0	0	i	0	0	0	0	0	0	84
August	0		0		0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	7
Totals:	35	3	9	2	27	17	22	11	19	22	124	119	\$	88	\$2	135	I 43	4.570	1,343	203	202	66	67	20,485

Appendix E

Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, 1 April -31 August

Appendix E-1. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, April, 1989.

Date	LA/IH/I	LA/IH/3	RA/IH/I	RA/IH/3	LA/IJ/I	LA/IJ/3	RA/IJ/1	RA/IJ/3 RA	/ IK / 1	RA/IK/3	LA/IL/I	LA/IL/3	RA/IL/1	RA/IL/3
04/0118	19													
0410218	19													
0410318	19													
04/04/8	39													
0410518	19													
04/0618	9													
04/07/8														
0410818	19													
04/0918	19													
04/10/8														
04/1 1/8	9													
0411218														
04/1 3/3														
04/14/8	19													
04/15/8	19													
0411618	19													
04/1 7/8	19													
04/ 1818	0													
0411918 0412018	0													
0412010														
04/2110														
04123/8	9													
0412418	9													
0412518	9													
0412618														
0412718	9													
0412818	9													
0412918														
04/30/8	9													
Totals:	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Appendix E-2. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, May, 1989.

Date	LA/IH/1	LA/IH/3	RA/IH/I	RA/IH/3	LA/IJ/I	LA/IJ/3	RA/IJ/1	RA/IJ/3	RA/IK/I	RA/IK/3	LA/IL/ 1	LA/IL/3	RA/IL/I	RA/IL/3
05/01/89														
05102/89														
05/03189	_									_	_			
05104189	1		1	4=0	5	5	5	i	4	1	2	1	• •	4
05/05/89	108	153	131	1 70	58	42	44	50	10	17	70	70	38	55
05106/89	38	38	18	38	17	20	19	11	24	24	9	16	9	5
05107189	l •	7	4	4	2		_	1	3		9	1	4	3
05/08189	ı	7		6	3	6	5	3	2		2	6 0	4	2
05109/89	2	2 9	1	4	3	2 6	1	3	2	6	l E	9	1	0
05/ 10189	8	9	11	21	8	0	8	6 2	2	6	3	9	3	3
05/11189	3 4	11	7 ! !	14 13		4	5 5	6	1	2 1	1	7	1	1
05112/89 05113/89	3	11	10	15	3	2	2	2	0	2	2	2	1	2
05/14/89	12	11	5	11	1	<u> </u>	2	2	U	2	4	2	5	5
05/14/69	11	30	12	25	2	ŧ	1 1	ſ			8	3	6	6
05/16/89	23	24	35	36	1	3	2	;	6	1	17	11	10	8
05/17/89	19	29	35	47	1	1	1	5	2	2	8	11	10	17
05/18189	27	17	19	18	4	1	i i	5	1	ī	9	10	7	15
05/19/89	31	27	28	29	4	4	4	4	4	2	11	10	7	9
05 /20/89	21	30	32	45	2	4	2	6	2	1	18	8	4	12
05/21/89	21	14	20	20	3	6	1	2		i	12	11	2	11
05122189	26	27	28	51	4	5	5	6	6	3	20	13	17	16
05123189	16	13	20	17	8	4	5	3	2		8	2	2	11
05124189	14	12	12	11	5	4	6	2	2		4	8	4	4
05125189	3	4	5	12	2	6	3	5	1		4	3	3	2
05126189	1	8	7	12	4	5	2	5	1	i	2	2	1	3
05/27189	3	6		6	7	1	4	3	2		1	2	2	3
05128/89	5	10	7	12	15	12	12	8	4	1	5	5	i	6
05129189	1	1	i	1	1	2		2				2	I	
05130189		4	1	4	2	3	3				2		1	4
05/3 1/89	2	4	2	4	3	3	3	5			3	2	4	4
Totals:	405	509	463	646	176	152	I 49	150	79	66	241	216	145	213

Appendix E-3. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, June, 1989.

Date	LA/IH/1	LA/IH/3	RA/IH/1	RA/IH/3	LA/IJ/ 1	LA/IJ/3	RA/IJ/1	RA/IJ/3	RA/IK/1	RA/IK/3	LA/IL/I	LA/IL/3 R	A/IL/ 1	RA/IL/3
06/01/89	9	3	5	18	13	17	18	10	5	2	7	11	3	3
06/02189	6	7	9	11	25	24	15	16	I	3	6	9	5	6
06103189	2	2	2	5	13	9	4	12	I	2	1	2	1	3
06/04/89	3	2		1	19	12	11	17		I	1	1		3
06/05/89	1	3		3	20	3	5	11	1	1		2		3
06106189	4		2	4	17	19	11	13	2		1	1		2
0610′7189	3	1		4	8	15	10	10	4	1		3	1	3
06108189	2	1		1	14	13	18	11			1	1		2
06/09/89		1	1	1	9	7	9	5	1					1
06/10/89			1	1	9	7	4	7	2		1			
06111189	1		2		13	8	11	8	2	1	1			
06/ 12/89					9	9	8	3		1	1			1
06113189					4	7	5	4				1		I
06/ 14189					5		1	3		1	1	1		2
06/15/89					3	2	4	5		2			1	
06/1 6/89					3		ı	I						
06/ 17/89					1	2	6	I						
06/ 18189														
06/19/89						1	1	2						
06120189					2	4	i	4						1
06121189					2	3	i	6					2	
06/22189					2		2	4		1		1		
06123189					I	2 2	2	2				1		
06124189						2	1				1			
06125189					j			2						1
06126189					1		2	I						
06127189					3		i							1
06128189							1					1		
06129189								i						
06130189														
Totals:	33	20	22	49	197	1 66	153	159	20	16	22	35	13	33

Appendix E-4. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, July, 1989.

Date	LA/IH/I	LA/IH/3	RA/IH/I	RA/IH/3	LA/IJ/1	LA/IJ/3	RA/IJ/1	RA/IJ/3	RA/IK/1	RA/IK/3	LA/IL/1	LA/IL/3	RA/IL/	1 RA/IL/3
07/01/89							I							
07102189						I								
07103189														
07/04189														
07105/89														
07106189														
07/07/89														
07/08/89														
07/09/89														
O7I1OI89														
07111189														
07/12/89														
07113189														
07114189														
07/1 5189														
07/16/89														
07/17/89														
07/18189														
07/19189														
07/20/89														
07/21/89														
07/22189														
07/23189														
07124189														
07125189														
07126189														
07127189														
07128189														
07/29/89														
07/30189														
07131189														
Totals:	o	0	0	0	0	1	1	0	0	0	0	0	, 0	0

Appendix E-5. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, August, 1989.

Date	L A / 1	H/1	LA/IH/3 RA	/IH/1 RA/IH/	B LA/IJ/I	LA/IJ/3	RA/IJ/ 1	RA/IJ/3	RA/IK/I	RA/IK/3	LA/IL/1	LA/IL/3	RA/IL/1	RA/IL/3
08101189														
08102189														
08103189														
08/04/89														
08/05189														
08/06/89														
08/07189														
08108/89														
08/09189														
O8I1OI89														
08/1 1/89														
08/12/89														
08/1 3189														
08114189														
08/ 15189														
08116189														
08117189														
08/ 18189														
08/19/89														
08120189														
0812 1/89														
08122189														
08123189														
08124189														
08125189														
08126189														
08127189														
08128189														
08129/89														
08/30189														
08/31189														
Totals:	0		0	0 0	0	0	0	0	0	0	0	0	, 0	0

Appendix E-6. Monthly summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, I April - 31 August, 1989.

KA/IL/3	RA/IL/ 1	F\IL\3	[\/ [\]	B∀\IK\3	K∀\IK\ I	RA/II/3	I\U\AA	E/Wall	[II\I	RA/IH/3	RA/IH/1	LA/IH/3	I/HI/∀7	Month
0	0	0	0	0	0	0	0	0	0	0	0	0	0	li1qA
513	541	515	7 4 I	99	6L	0s !	6 † I	75 I	9L I	9\$'9	£9†	60s	\$07	үвМ
Εξ	El	32	77	91	Oz	651	153	99 i	<i>L</i> 61	6 †	22	Oz	33	June
0	0	0	0	0	0	0	Ţ	Ť	0	0	0	0	0	Ylul
)	0	0	0	0	0	0	0	0	0	0	0	0	0	ìsuguÅ
746	8s1	781	593	82	66	60£	303	915	ELE	S69	584	229	438	Totals:

ROCK ISLAND DAM **SMOLT** MONITORING, 1990

FINAL REPORT

by

Charles M. Peven
Paul C. Fielder
NANCYA. Duree

Fish and Wildlife Operations
Power Operations Department
Public Utility District No. 1 of Chelan County

Prepared for

Dale Johnson, Project Manager U.S. Department of Energy Bonneville Power Administration Division of Fish and Wildlife P.O.Box 3621
Portland, OR 97208-3621

Contract Number DE-A179-86BP61748 Project Number 84-54

October, 1990

ABSTRACT

Downstream migrating salmon and steelhead trout (*Oncorhynchus* spp.) smelts were monitored at the Rock Island Dam bypass trap from 1 April - 31 August, 1990. Data collected included: 1) number of fish caught by species, 2) number of branded fish caught by species, 3) daily average riverflow, 4) daily average powerhouse #1 and #2 flows and daily average spill. These data were transmitted to the Fish Passage Center, which manages a smelt monitoring program throughout the Columbia River Basin. The smelt monitoring program is used to manage the "water budget", releasing upstream water storage allocated to augment river flows to improve survival of downstream migrating salmonids.

The Rock Island Dam trapping facility collected 69,475 downstream migrating salmonids in 1990. Collected fish included 2,053 chinook salmon (0. *tshawytscha*) and 514 steelhead which had been freeze branded (to determine migration rates) and 3,250 chinook and 8,804 steelhead with clipped adipose fins. The middle 80% of the 1990 spring migration (excluding sub-yearling chinooks) passed Rock Island Dam during a 38 day period, 21 April-29 May. Passage rates of chinook and steelhead smelts released from hatcheries and the downstream migration timing of all salmonids are presented. The spring migration timing of juvenile salmonids is strongly influenced by hatchery releases above Rock Island Dam.

Table of Contents

i	ABSTRACT'
ii	Table of Contents
111	List of Tables
iv	List of Figures
1	INTRODUCTION
1	METHODS
8	RESULTS & DISCUSSION
8 8 12 15 15 15 17 17 17 19 19 19	MIGRATION TIMING Yearling chinook Sub-yearling chinook Steelhead Sockeye Coho Total salmonid run MARKED FISH RECOVERIES Leavenworth National Fish Hatchery Yearling chinook Accelerated sub-yearling chinook Winthrop National Fish Hatchery Yearling chinook Entiat National Fish Hatchery Yearling chinook Wells Dam Fish Hatchery (WDF & WDW)
19	Sub-vearling chinook
19	Steelhead
20	SUMMARY
20	ACKNOWLEDGEMENTS

Page Page

20

REFERENCES

List of Tables

Page		
9	Table 1.	Summary of brand recovery rates for yearling chinook, sub- yearling chinook, and steelhead trout, 1 April -31 August, 1990, Rock Island Dam bypass trap.
10	Table 2.	Rock Island Dam powerhouse operations expressed in KCFS and percent streamflow, 1 April -31 August, 1990.
11	Table 3.	Comparison of actual. expanded. and the 6 year average of fish counts for passage dates for the Rock Island Dam bypass trap, 1990.

List of Figures

Page 2 Figure 1. Columbia River between Rockisland and Grand Coulee dams showing major tributaries and hatcheries. Figure 2. Location of powerhouse #1 and powerhouse #2 of Rock island 3 hydroelectric project. 5 Figure 3. Section through Rock Island Dam second powerhouse indicating fish movement into gatewell system. Rock Island Dam juvenile salmonid fingerling collection trap. Figure 4. 6 7 Figure 5. Plan view of juvenile salmonid bypass and collection system at Rock Island Dam second powerhouse (taken from Olson 1983). Figure 6. Length frequency histograms of sub-yearling chinook salmon, collected 13 at the Rock Island Dam bypass trap, 1990. Figure 7. 14 Length frequency histograms of hatchery and naturally produced steelhead trout smelts collected at the Rock island Dam bypass trap, 1990. 16 Figure 8. Length frequency histograms of sockeye smelts collected at the Rock Island Darn bypass trap, 1990. 18 Figure 9. Comparison of cumulative total juvenile salmonid (total salmonid)

passage at Rock Island Dam between 1990 and the six year average and a comparison of the cumulative juvenile migration excluding **sub**yearling chinook (total yearlings) for 1990 and the six year average.

INTRODUCTION

In 1982, the Northwest Power Planning Council developed a fish and wildlife program to protect, mitigate and enhance fish and wildlife resources affected by construction and operation of Columbia River hydroelectric facilities. Under this **program**, a "water budget" of allocated upstream water storage was established for **instream** flow augmentation to improve survival of downstream migrating salmon and **steelhead** trout (*Oncorhynchus* spp.). The Council's plan also called for studies to monitor juvenile fish migration timing and survival. The fishery agencies and tribes formed a Water Budget Center (renamed as the Fish Passage Center) to direct the use of the water budget and to conduct and coordinate studies related to water budget management and evaluation. The Fish Passage Center (FPC) developed a Smelt Monitoring Program and selected several sites on the Columbia and Snake rivers as smelt monitoring stations. Rock Island Dam was selected as one of these stations. It is the first dam located downstream from all of the major salmon and steelhead producing tributaries of the mid-Columbia River Basin (Figure 1).

The Smelt Monitoring Program for the mid-Columbia River was designed to index the daily number of **outmigrating salmonids** and to report numbers of marked juveniles collected. Data collected under this program allow comparison and evaluation of year to year migration timing and travel time of different stocks of juvenile**salmonids**, both hatchery and naturally produced.

Funding of the program, as implemented by the Fish Passage Center, was provided by the Bonneville Power Administration. The Public Utility District No. 1 of **Chelan** County (the District) provided the trapping facility, personnel, and equipment to conduct the monitoring.

METHODS

Daily sampling data collected at the Rock Island Dam monitoring station included 1) total number of fish caught by species. 2) total number of branded fish caught by species, 3) daily average riverflow, 4) daily average flow through Rock Island powerhouse #1 (old powerhouse) and Rock Island #2 (new powerhouse) (Figure 2), and daily average spill. The flow data were recorded so that an expanded index of fish passage through powerhouse #2 could be developed based on the bypass collection count in relation to the proportion of total riverflow passing through powerhouse #2.

To provide travel time estimates between hatchery release points and downstream sampling stations, including Rock Island Dam, yearling and sub-yearling chinook and steelhead from state and federal hatcheries were freeze branded (using liquid nitrogen) before release. All hatchery produced **steelhead** released in Washington state waters have been adipose fin clipped since 1985. A comparison between the release date of marked smelts and daily recoveries of these branded **smolts** at the bypass trap provided travel time estimates between




Figure 1. Columbia River between Rock Island and Grand Coulee dams showing major tributaries and hatcheries.




Figure 2. Location of powerhouse #1 and powerhouse #2 of Rock Island hydroelectric project.

the release points and the darn. Unmarked hatchery and naturally produced salmonids were also sampled to determine the timing of their migration past Rock island Dam.

Fish were collected from the Rock Island Dam second powerhouse turbine intakegatewells and fishway attraction water intake. Fish entering the gatewells and attraction water intake passed into a bypass channel through a series of submerged orifices (Figure 3). An inclined screen trap separated the fish from the 100 cfs bypass flow and confined them to a holding flumes where they were retained for up to 24 hours before processing (Figure 4). All fish collected in the bypass charnel were processed.

Fish collected by the trap during the 24 hour sampling period (0900-0900) were crowded into an elevator hopper, raised to the upper deck of the dam, and released into an 8' x 8' x 3' portable fiberglass holding tank (Figure 5). The holding tank was supplied with a continuous water flow from the right bank fishladder with a 5 horsepower submersible pump.

Groups of 30-50 fish were anesthetized with a solution of **Tricaine** methane **sulfonate** (MS 222) before handling. Fish were identified by species and examined for brands and clipped fins in a sampling shed adjacent to the holding tank (Figure 5). Fork length (FL) measurements were taken three times per week from **subsamples** of sockeye (0. *nerka*), and after 1 June, from sub-yearling chinook. Steelhead were categorized as "hatchery" or "naturally-produced" according to clipped adipose **fin**, or if an adipose fin was present, a worn appearance of the dorsal and ventral fins **(Peven** and Hays 1989). The **fish** were then allowed to recover in an isolated section of the release tank.

After the examined fish had **fully** recovered from the effects of the **anesthesia**, they were released through a 4" PVC **pipe** from the **recovery** section of the tank (elevation 620 **m.s.l.**) to the **tailrace** (elevation 574' **m.s.l.**) (Figure 5). The release area of the **tailrace** was protected from gull predation with parallel lengths of 80 pound test monofilament fish **line tied** at approximately 6 foot intervals overhead of the **pipe** outlet. **In addition**, an employee of the U. S. Department of Agriculture's Animal Damage Control Division suppressed gull foraging in the **tailrace** during the middle **80%** of the **spring** migration by various behavior modifying techniques.

Data pertinent to the smelt monitoring program were transferred to the FPC (Portland, OR) daily via a computer that was located at the dam.

In addition to the smelt monitoring program, subsamples of chinook yearlings and steelhead were injected with Passive Integrated Transponder (PIT) tags each day between 24 April and 23 May. Equipment and procedures used in the PIT tagging operation were similar to the methods described by Prentice et al. (1987). A random subsample of chinook and steelhead were processed until 100 of each species were tagged. Data were entered into a portable computer and sent to the FPC daily. The fish that were PIT tagged at Rock Island Dam were "recaptured" at the McNary Dam bypass trap, where travel time estimates were recorded. Results of the PIT tagging program are reported by the FPC.




Figure 3. Section through Rock Island Dam second powerhouse indicating fish movement into gatewell system.




Figure 4. Rock Island Dam juvenile salmonid fingerling collection trap.




Figure 5. Plan view of juvenile salmonid bypass and collection system at Rock Island Dam second powerhouse (taken from Olson 1983).

7

RESULTS AND DISCUSSION

The Rock Island Dam trapping facility collected 69,475 juvenile salmon. and steelhead during the 1990 smelt monitoring program (Appendix A). A total of 2,053 freeze branded chinook salmon and 514 freeze branded steelhead trout, representing 22 distinct marks and releases, were collected and recorded during 1990 (Table 1, Apps. D and E). In addition, we collected 3,250 chinook and 8,804 steelhead with clipped adipose fins (Appendix D-1 - D-6).

The bypass trapping facility operated without mechanical failure during the smelt monitoring program. An examination of daily powerhouse #2 turbine flows in proportion to total river flow showed a variance in powerhouse operations during the period of peak salmonid outmigration. Monthly average percent of total flow through powerhouse #2 for the period of 1 April through 30 June ranged from 48.3 to 65.4 % and daily averages ranged from 27.2 to 88.0% (Table 2).

Average daily hydraulic data for Rock Island Dam were supplied to the FPC, which used it to develop an expansion of Rock Island trap data (Appendix B). The expansion was derived by multiplying the actual trap collection count by the inverse proportion of water passing through powerhouse #2 during the sampling period (i.e., (collection count x 100) / (powerhouse #2 flow / powerhouse #1 flow + powerhouse #2 flow + spill)). A comparison of actual trap collection counts, the expanded index, and the six year average (Table 3) indicated some differences in the smelt run timing.

The largest difference in the run timing was a 15 day difference in the 90% passage date for total **salmonids** between the actual counts for 1990, and the 6 year average (Table 3, App. C-2). Other run timing differences were generally within 3 to 4 days (Table 3). We used actual count data in our analysis and discussion.

I. MIGRATION TIMING

Yearling chinook

A total of 12,905 chinook yearlings were captured at the bypass trap in 1990 (App. A). Yearling chinook were present the first day of the smelt monitoring program, 1 April, and continued to be present every day until 12 June (App. A). The last yearling chinook was collected on 15 August (App. A). The 10 and 90% passage dates for yearling chinook were 20 April and 15 May, respectively. Peak passage of 1,643 yearling chinook occurred on 20 April, 1 and 2 days after major hatchery releases from the Entiat and Leavenworth national fish hatcheries, respectively (Table 1). The 90% passage date of chinook yearlings in 1990 was 8 days earlier than the 6 year average, while the 10% passage date matched the 6 year average and the 50% passage date was 7 days earlier than the 6 year average. (Table 3, App. C-1).

Table 1. Summary of brand recovery rates for yearling chinook, sub-yearling chinook, and steelhead trout from the Rock Island Dam bypass trap, 1 April -31 August, 1990.

Species	Brand	Release date	Release site	Branded fish released	First recov.	Last recov.	10% recov.	50% recov.	90% recov.	Number recov.	Percent recov.
Chinook yearling	RA/7N/1 RA/7N/3 LA/7T/1 LA/7T/3 RD/7T/1 RA/Y/1 RA/Y/2 RA/Y/3 RA/Y/4 LD/7C/1 RA/7C/1	Apr 19 Apr 18 Apr 18 Apr 18 Apr 18 May 04 May 04 May 04 Apr 17 Apr 17 Apr 17	Entiat R. Entiat R. Wenat. R. Wenat. R. Wenat. R. Wenat. R. Wenat. R. Wenat R. Methow R. Methow R.	17,723 17,623 16,846 16,928 17,212 12,400 12,100 13,100 14,200 16,900 17,395 17,320	Apr 2 1 Apr 21 Apr 19 Apr 20 Apr 20 May 05 May 05 May 05 Jun 06 M8y 03 Apr 26	May 15 May 08 Jun 06 Jun 04 May 15 Jun 04 Jun 04 Jun 06 Jun 06 May 31 May 22	Apr 21 Apr 20 Apr 20 Apr 20 Apr 20 May 05 May 06 May 05 Jun 06 May 03 Apr 26	Apr 24 Apr 24 May 02 May 01 Apr 27 May 14 May 15 May 14 Mny 07 Jan 06 May 14 May 16	Apr 30 May 07 May 12 May 16 May 1 1 May 3 1 Jun 03 May 30 May 30 Jun 06 May 16 May 21	27 35 97 67 47 32 29 33 29	0.15 0.20 0.58 0.40 0.27 0.26 0.24 0.25 0.20 0.01
	KN 1013	7.рг 17	Total:	189! 747	71pi 20	111uy 22	11p1 20	May 10	111ay 21	412	0.00
Accelerated chinook subyearling	LA/Y/I LA/Y/2 LA/Y/3 LA/Y/4	May 04 May 04 May 04 May 04	Wenat. R. Wenat. R, Wenat. R. Wenat. R,	31,200 31,700 31,000 31,200	Mny 05 May 05 May 05 May 05	Jul 15 Jun 20 Jun 28 Jun 19	May 05 May 05 Mny 05 Mny 05	May 06 May 06 May 06 May 06	Jun 14 Jun 11 Jun 10 Jun 08	387 339 399 346	1.24 1.07 1.29 1.11
Chinook			Total:	125,100						I ,471	1.18
subyearling	LA/H/1 LA/H/3	May 25 May 25	Wells Dam Wells Dnm	50,000 50,000	Jun 01 Jun 03	Jul 26 Jul 08	Jun 07 Jun 09	Jun 26 Jun 24	Jul 04 Jul 01	100 70 <i>170</i>	0.14
Steelhead	LD/7H/1 LD/7H/3 RA/7H/1 RA/7H/3	Apr 24 Apr 24 Apr 24 Apr 24	Smklmn R. Smklmn R. Methow R. Methow R.	20,000 20,000 15,000 15,000 70,000	Apr 28 May 03 Apr 29 Apr 29	Jun 02 May 28 May 31 May 31	May 06 May 06 May 03 May 03	May 11 May 11 May 10 May 10	May 14 May 15 May 19 May 22	188 171 72 83	0.94 0.86 0.48 0.55
Grand totals:	22		10(8):	484,847						2,567	0.73

5

Table 2, Rock Island Dam powerhouse operations expressed in KCFS and percent **streamflow**, 1 April -31 August, 1990 (monthly ranges appear in parenthesis).

			Average KCFS						
	April	May	June	July	August				
Total river flow	136.7	142.5	209.3	146.9	109.4				
	(66.1-172.6)	(103.9-182,7)	(146.8-250.3)	(95.4-198.9)	(78.5-136.7)				
Powerhouse #1	38.7	25.3	60.6	41.5	25.8				
	(8.0-68.6)	(2.3-60.0)	(38.7-69.8)	(14. O-69.0)	(8.0-49.7)				
Powerhouse #2	88.3 (57,1 -1 OI.2)	90.9 (60.9- 116.4)	99.3 (58.5-123.2)	91.4 (61.6-117.9)	82.8 (63.1-102.6)				
Spill	8.7	25,1	47.8	12.9	0				
	(0.0-34.5)	(0.0-40.6)	(0.0-1 11.6)	(0.0-61.5)	(0.0-0.4)				
		Av	erage percent of tota	l flow	ow				
Powerhouse #1	27.4	16.9	29.3	26.4	23.0				
	(10.2-39.7)	(2.2-34.3)	(23.7-38.4)	(14.4-40.6)	(9.3-39.4)				
Powerhouse #2	65.4	64,3	48.3	65.7	76.2				
	(56.7-86.4)	(54.9-88.0)	(27.2-72.9)	(34.1-84.9)	(59.6-89.0)				
Spill	6.4	17.9	21.6	7.1	0				
	(0.0-30,4)	(0.0-31.8)	(0.0-46.9)	(0.0-33.4)	(0.0-0.3)				

Table 3. Comparison of actual, expanded, and the 6 year average (actual counts) of fish counts for passage dates for the Rock Island Dam bypass trap, 1990.

latoT sbinomlas	Actual Expanded 6 year avg.	881,711 862,611 764,66	61L'11 £\$£'11 0 S 6'9	£65'85 £9L'95 6†L'†£	L9t'S01 081'701 Lts'79	Apr 25 Apr 25 Apr 23	May 26 May 29 May 21	101 26 101 23 11 101
Total sgniltasy	Actual Expanded 6 yearavg.	566,78 628,82 190,85	\$88'S 699'E	899'EÞ 477†'67 899'EÞ	709'8 <i>L</i> 896'75 770'88	12 19A 12 19A 12 19A	e yeM e yeM Ti yeM	May 29 May 29 May 29
госкеуе	Actual Expanded 6 year avg.	767,4 767,4 7673	\$96' 0£¢ L9Z	678'6 678'6	798,5 798,5 7408	81 1qA 91 1qA 81 1qA	2 yrM 8 yrM 96 JqA	2 nut 6 nut 06 yaM
оџо	Actual Expanded 6 year avg.	\$6\$'EZ L19'\$1 666'6	6 5£' 7 79 5' 1 000' I	<i>L6L</i> '11 608' <i>L</i> 000'S	8'999 14'022 8'99	8 yald 8 yald 41 yald	81 yaM 81 yaM 52 yaM	92 YBM May 30 May 30
Steelhead	Actual Expanded 6 year avg.	L70°77 980'81 S60'11	608'I 601'I	848,8 840,9 410,51	886'6 886'6	25 1qA 72 1qA Շ չեM	II yaM II yaM 81 yaM	l nul E nul IE yaM
Chinook sub-yrIng	Actual Expanded 6 year avg.	35,803 54,680 29,849	3,280 5,468 2,985	704,71 046,72 429,41	79,523 78,212 78,523	E nul 4 nul E nul	ll lut OE nut E lut	SguA I€ lut SguA
Chinook yearling	Actual Expanded 6 year avg.	20,117 20,853 20,117	710'7 S80'7 167'1	650'01 650'01	901,81 837,81 818,11	02 1qA 02 1qA 02 1qA	06 19A 06 19A 7 yaM	SI YAM SI YAM ES YAM
Species		Totals	<u>%</u> 01	Numbers % ge	% 06	%01	?40s	%06

Sub-yearling chinook

A total of 32,803 chinook sub-yearlings were captured at the bypass trap in 1990 (App. A-6). Sub-yearling chinook were collected each day from 1 April to 31 August. Peak passage of 1,022 sub-yearling chinook occurred on 16 July. The 10 and 90% passage dates were 3 June and 2 August, respectively, while the 50% passage date for sub-yearling chinook was 11 July (Table 3, App. C-2). Fork length measurements were taken from sub-yearling chinook between 1 June and 15 August (Figure 6).


For the third year in row, an experiment was conducted by **Parametrix** of **Bellevue**, Washington to determine the effect of accelerated **growth** on **smoltification** of sub-yearling **chinook**. These fish were included in the daily number of sub-yearling chinook that were sampled, and account for most of the sub-yearlings caught in May (**App**. A)


Steelhead


A total of 11,095 **steelhead** smelts were collected at the bypass trap in 1990 **(App.** A-6). Daily collection of **steelhead** smelts began on 3 April and continued until 22 July, after **which**, steelhead were intermittently collected in low numbers (< 10) until 31 August. Peak passage of 659 steelhead occurred on 14 May, 3 days later than the 50% passage date. The 10 and 90% passage dates were 26 April and 1 June, respectively (Table 3, App. C-3), which were 9 days earlier and 1 day later than the 6 year average.

As in 1989, rainbow trout that were released into Lake Roosevelt (above Grand Coulee Dam) were collected at the Rock Island Dam bypass trap. Positive identification of these fish was possible because some of the fish were tagged (Al Scholz, pers. comm.). These fish were of obvious hatchery origin, because of the condition of their dorsal fins, and were included in the number of hatchery fish sampled per day, even though they all had adipose fins present. For a period between 5 and 29 June, the number of Lake Roosevelt rainbow trout (distinguished from steelhead by morphologic-al characteristics) were enumerated on a daily basis and included in the number of hatchery fish sampled per day. We found that these fish made up approximately 73% of the hatchery fish for that time period. These fish were not part of the hatchery release steelhead program, and should not be included in estimates of anadromous steelhead smelt run timing. It is not clear whether or not they influenced the run timing estimates, although they did influence the hatchery-naturally produced proportions of the run (Peven 1990).

Fork length measurements were obtained while PIT tagging and are presented in Figure 7. Steelhead fork length measurements have been recorded since 1986 to index the size difference between hatchery and naturally produced components of the run. **Hatchery** fish made up approximately 79% of the steelhead juveniles recorded at the bypass trap in 1990 (Peven 1990), however the proportion of hatchery fish is biased upward because Lake Roosevelt rainbow trout were included in the samples.







Length frequency histograms of sub-yearling chinook salmon, collected at the Rock Island Dam bypass trap, 1990. Figure ≤

Frequency




Figure 7. Length frequency histograms of hatchery and naturally produced steelhead trout smelts collected at the Rock Island Dam bypass trap, 1990.

Sockeye

A total of 2,673 sockeye smolts were collected at the bypass trap in 1990 (App. A-6). Sockeye smelts were present at Rock Island Dam on the fifth day of the monitoring program, 5 April. The last sockeye smelt was trapped on 28 August. Peak passage occurred on 27 April when 174 sockeye smelts were collected. The 10 and 90% passage dates were 18 April and 2 June, respectively, while 50% of the outmigrating sockeye smelts had passed Rock Island Dam by 2 May (Appendix C-4).

In 1990, the downstream migration of sockeye was not as strongly bimodal as in the previous years (App. C-5). The usual bimodal run timing occurs because two stocks of sockeye pass Rock Island Dam on their seaward migration (Okanogan and Wenatchee rivers). Wenatchee River outmigrants pass Rock Island Dam primarily in April and Okanogan River smelts are more prevalent at Rock Island Dam in May (Peven 1987). It appears that in 1988, 1989, and 1990, the Okanogan stock of sockeye did not migrate in large numbers (Peven 1988, 1989). Length frequencies were taken from sockeye smelts between 16 April and 8 June (Figure 8). Length frequency data has been collected from sockeye smelts since 1986 to distinguish between the two stocks that migrate past the dam, with the Okanogan stock generally being larger than the Wenatchee stock (Peven 1987).

This year we saw 128 sockeye that were extremely large (> 275 mm FL), that were not included in the daily catch. Between 23 May and 1 July, these fish made up 6.3% of the sockeye sampled. Because of the large size of these individuals, we were uncertain if these fish were downstream migrants, or perhaps kokanee that escaped from Lake Roosevelt or other lakes upstream. In 1989, otoliths were taken from approximately 15 fish that were already dead when found in the bypass trap. The age readings that we obtained from the otoliths showed that these fish were at least 3 years old, with some of the fish aged as 5 years old, which suggests they were probably kokanee, not sockeye smelts.

Coho Coho

A total of 9,999 coho (*O. kisutch*) were captured at the bypass trap in 1990 (App. A-6) Daily presence of coho smelts began on 3 May and continued until 16 June (App. A). The last coho was collected on 19 June. Peak passage of 1,074 coho smelts occurred on 21 May (Appendix A-2, C-5). The 10,50, and 90% passage dates for coho were 8,18, and 29 May, respectively. The 10, 50, and 90% passage dates for coho in 1990 were 6, 4, and 1 day(s), respectively, earlier than the 6 year average (Table 3, App. C-4).

Total salmonid run

A total of 69,475 juvenile salmonids were collected at the bypass trap in 1990. The total salmonid run timing is represented in Appendix C-6. The early peak passage count of 1,831 on 20 April was largely influenced by the large collection of yearling chinook (n = 1,643). The 8 May peak count of 1,903 consisted of coho (n = 624) and steelhead (n = 581) and yearling chinook (n = 536)(App. A-1, A-2, C-6).




Figure 8. Length frequency histograms of sockeye smelts collected at the R Dam bypass trap,1990.

The effect of sub-yearling chinook was assessed on the 10,50, and 90% dates for the total cumulative juvenile salmonid migration. A comparison was made between 1990 and the six year average (1985 - 1990) between the total juvenile **outmigration** past Rock Island Dam and the **outmigration** excluding sub-yearling chinook (Figures 9). The duration of the middle 80% of the total juvenile **salmonid** passage (10% date to 90% date) 'was 92 days, 25 April to 26 July with a 50% passage date on 26 May, compared to a 79 day duration for the 6 year average, with 10, 50, and 90% passage dates: 23 April, 21 May, and 11 July, respectively (Table 3, Figure 9). Excluding sub-yearling chinook from this analysis results in a spring migrant run duration of 38 days, 21 April to 29 May, with a 50% passage date on 9 May, compared to a 38 day duration for the six year average, with 10, 50, and 90% passage dates: 21 April, 17 May, and 29 May, respectively (Table 3, Figure 9, App. C-7).

In summary, in 1990, sub-yearling chinook extended the juvenile migration 90% passage date 58 days; from 29 May (spring migration) to 26 July (total migration). Run timing in 1990 was 13 days longer than the six year average. The middle 80% of the total juvenile salmonid migration past Rock Island Dam in 1990 was 92 days compared to 79 days for the six year average. Excluding sub-yearlings from this comparison, the spring migration past the dam in 1990 was 38 days, exactly the same as the six year average.

II. MARKED FISH RECOVERIES

Twenty-two groups of freeze branded hatchery fish totaling 484,847 fish (Table 1) were released into the Columbia River system upstream from Rock Island Dam to evaluate the relationships between Columbia River flow rates and travel time. These releases consisted of 137,947 chinook yearlings (51,800 were controls released from Leavenworth as part of the Parametric study), 176,900 accelerated growth chinook sub-yearlings released from the Leavenworth hatchery, 100,000 sub-yearling chinook released at Wells **Dam**, 40,000 **steelhead** released into the **Similkameen** River, and 30,000 steelhead released **into** the Methow River. Table 1 presents information concerning these releases as well as recovery **data**, including: first, last, 10,50, and 90% recovery dates and number and percent recapture of each release group.

Leavenworth National Fish Hatchery

Yearling chinook

The first brands were recovered at Rock island Damon 19 April, from of yearling chinook released 18 April from Leavenworth National Fish Hatchery. The 50% recovery date at Rock Island Dam for the 3 groups of Leavenworth branded yearling spring chinook were 27 April and 1 and 2 May, resulting in a median travel time of 9, 13, and 14 days (Table 1). The last branded chinook from Leavenworth was recovered on 6 June. The Rock Island Dam bypass trap sampled 0.27- 0.58% of the fish from these brand groups (Table 1). Other releases of yearling chinook from the Leavenworth hatchery were part of the Parametric experiment and had median passage dates ranging from 3 to 11 days (Table 1).




Figure 9. Comparison of cumulative total juvenile salmonid (total salmonid) passage at Rock Island Dam between 1990 and the six year average and a comparison of the cumulative juvenile migration excluding sub-yearling chinook (total yearlings) for 1990 and the six year average.

These fish enter the Columbia River 15 miles above Rock Island Dam and, as a result, Columbia River flows had less influence on travel time to Rock Island Dam for these groups compared to fish released above Rocky Reach Dam.

Accelerated growth sub-yearling hinook

Four groups of accelerated growth chinook sub-yearlings were released from the Leavenworth hatchery on 4 May. Median travel times for all 4 groups was 2 days, and the bypass trap collected between 1.07 to 1.29% of these fish (Table 1).

Winthrop National Fish Hatchery

Yearling *chinook*

Three groups of yearling chinook were released into the Methow River on 17 April (Table 1). The median passage times for two of the groups (1 group only had 1 fish recovered) of fish were 27 and 29 days. The fish released into the Methow River traveled a longer distance before reaching Rock Island Dam than did the fish released into the Wenatchee River. The Rock Island Dam bypass trap sampled 0.03- 0.05% of these released fish (Table 1).

Entiat National Fish Hatchery

Yearling chinook

Two groups of yearling chinook were released into the $Entiat\ River$ on 19 April. The median passage date for these groups were 5 days (Table 1). We sampled 0.15 and 0.20% of these two groups (Table 1.)

Wells Dam Fish Hatchery (WDF and WDW)

Sub-yearling chinook

Two groups of branded sub-yearling chinook were released from Wells Dam on 25 May. The median travel time to Rock Island Dam for these groups were 30 and 32 days and the bypass trap collected 0.14 and 0.20% of the marked fish from this release (Table 1). These fish had a shorter travel distance than the yearling chinook released in the Methow River.

Steelhead

Marked steelhead were released on 24 April into the Methow and Similkameen rivers (Table 1). Median travel times of the two groups of fish released in the Similkameen River were 17 days. The median travel times for the two groups of steelhead released into the Methow River were 16 days (Table 1). Steelhead migrated downstream faster than did chinook yearlings traveling approximately the same distance. Of the branded steelhead released, recoveries ranged from 0.48 to 0.94% at the Rock Island Dam bypass trap (Table 1).

suMMARY

Between 1 April and 31 **August,** 1990, 69,475 downstream migrating **salmonids** were collected at the Rock Island Dam bypass trap. Freeze branded fish collected consisted of 2,053 chinook salmon and 514 **steelhead** trout. In **addition,** 3,250 chinook and 8,804 steelhead were collected that had clipped adipose fins.

The middle 80% of the **salmonid outmigration** passed Rock Island Dam between 25 April and 26 July, 1990, a 92 day period. The dates and duration of the **outmigration** were extended by sub-yearling chinook. **If** sub-yearling chinook are excluded from analysis, the middle **80%** of the **outmigration** was 21 **April** to 29 May, a 38 day period. Sub-yearling chinook comprised 47% of the **fish** collected at Rock Island Dam.

ACKNOWLEDGMENTS

This monitoring effort was funded by the Bonneville Power Administration U.S. Department of Energy, as a part of the Northwest Power Planning Council's program to protect, mitigate, and enhance fish and wildlife affected by hydroelectric facilities in the Columbia River Basin. The study was coordinated through the Fish Passage Center. Dave Marvin and Larry Basham of the FPC were very helpful throughout the study. Dave Marvin of FPC assisted in the PIT tagging program. The Public Utility District No. 1 of Chelan County conducted the smelt monitoring at Rock Island Dam and a number of District employees assisted with the study. Dick Nason, Steve Hays, and Paul Fielder provided administrative and logistical help as well as information and advise. The following individuals assisted with the trap monitoring and data input into the computer: B. Keesee, E. Gocke, R. McDonald, and K. Truscott.

REFERENCES

- **Peven,** C. M. and S. G. Hays. 1989. Proportions of hatchery and naturally produced **steelhead** trout smelts migrating past Rock Island **Dam,** Columbia River, Washington. North American Journal of Fisheries Management 9:53-59.
- **Peven,** C. M. 1987. Downstream migration timing of sockeye salmon on the mid-Columbia River. Northwest Science 61:186-190.
- Peven, C. M. 1988. The relative downstream migration timing of two stocks of sockeye salmon, 1988. P. U. D. No. 1 of Chelan County, Wenatchee, WA.
- Peven, C. M. 1989. The relative downstream migration timing of two stocks of sockeye salmon, 1989. P. U. D. No. 1 of Chelan County, Wenatchee, WA.
- **Peven,** C. M. 1990. The downstream migration of sockeye salmon and steelhead trout past Rock Island Dam, 1990. P. U. D. No. 1 of **Chelan** County, **Wenatchee**, WA.

Prentice, E. F., T. A. **Flagg**, and S. **McCutcheon.1987**. A study to determine the biological feasibility of a new fish tagging system, 1986-1987. NMFS, Seattle, WA.

Appen	dix	A
1 PPC11	W121	

Daily salmonid catch, Rock Island Dam bypass trap, 1 April -31 August

Appendix A-1. Daily salmonid catch, Rock Island bypass trap, April, 1990.

	CHINOOK	CHINOOK	STEE	ELHEAD	TOTAL			TOTAL	TOTAL
DATS	YEARLING	SUBYEAR	w ILD	HATCHERY	STLHD.	соно	SOCKSYE	SALMON ID	YEARLING
O 1-Apr-90	I	4	4	0	4	1	0	10	6
02-Apr-90	1	44	0	0	0	0	0	45	I
03-Apr-90	2	48	6	0	6	0	0	56	8
04-Apr-90	6	62	6	0	6	0	0	74	12
05-Apr-90	18	45	4	0	4	0	i	68	23
06- Apr-90	13	10	7	3	10	0	1	43	24
07-Apr-90	19	44	4	0	4	0	1	68	24
08-Apr-90	20	77	5	0	5	0	0	102	25
09-Apr-90	7	66	14	1	15	0	2	90	24
10-Apr-90	33	36	15	2	17	0	17	103	67
11-Apr-90	14	29	7	0	7	0	Ii	61	32
12-Apr-90	17	59	6	4	10	0	7	93	34
13-Apr-90	12	45	6	24	30	0	2	89	44
14-Apr-90	16	24	12	23	35	0	35	110	86
15-Apr-90	30	26	21	30	51	0	70	177	151
16-Apr-90	29	21	9	49	58	0	50	158	137
17-Apr-90	30	37	15	24	39	0	65	171	134
18-Apr-90	31	58	28	50	78	0	27	194	136
19-Apr-90	439	39	13	57	70	0	58	606	567
20-Apr-90	1,643	13	37	66	103	0	72	1,831	1,818
2 l- Apr-90	978	149	29	52	81	0	75	1,283	1,134
22-Apr-90	317	115	18	32	50	0	66	548	433
23-Apr-90	215	18	33	37	70	0	129	432	414
24-Apr-90	346	ĴĴ	33	48	81	0	65	5i4	492
25-Apr-90	316	12	29	104	133	0	78	539	527
26- Apr-9 0	386	17	31	132	i 63	0	i 15	681	664
27-Apr-90	545	12	43	i 57	200	0	174	931	919
28- Apr-90	746	11	50	161	211	0	61	i ,029	1,018
29-Apr-90	190	i	13	67	80	0	57	328	327
30-Apr-90	236	14	12	86	98	0	38	386	372
TOTALS :	6.656	1,167	5io	i ,209	1,719	1	1,277	10,820	9,653

Appendix A-2. Daily salmonid catch, Rock Island bypass trap, May, 1990.

	CHINOOK	CHINOOK	sTEI	ELHEAD	TOTAL			TOTAL	TOTAL
DATE	YEARLING	SUBYEAR	WILD	HATCHERY	STLHD.	соно	SOCKEYE	SALMONID	YEARLING
01-May-90	281	6	19	105	124	0	53	464	458
02-May-90	329	5	26	85	111	0	30	475	470
03-May-90	503	13	36	195	231	279	58	1,084	1,071
04-May-90	475	6	32	187	219	214	69	983	977
05-May-90	498	684	40	202	242	80	55	1,559	875
06-May-90	394	254	35	225	260	104	15	1,027	773
07-May-90	471	74	44	339	383	200	61	1,189	1,115
08-May-90	536	46	48	533	581	624	116	1,903	1,857
09-May-90	323	13	50	513	563	254	55	1,208	1,195
10-May-90	162	2	81	542	623	215	19	1,021	1,019
1 l-May-90	162	13	78	483	561	242	16	994	981
12-May-90	182	13	53	384	437	263	23	918	905
13-May-90	218	13	46	548	594	402	50	1,277	1,264
14-May-90	249	22	51	608	659	490	21	1,441	1,419
15-May-90	264	13	56	418	474	402	24	1,177	1,164
16-May-90	250	6	45	341	386	546	8	1,196	1,190
17-May-90	152	10	45	269	314	389	10	875	865
18-May-90	95	13	46	176	222	421	13	764	751
19-May-90	49	5	28	102	130	459	53	696	691
20-May-90	43	7	26	57	83	481	36	650	643
2 l-May-90	49	23	38	63	101	1,074	31	1,278	1,255
22-May-90	42	4	35	52	87	309	12	454	450
23-May-90	22	13	39	55	94	281	37	447	434
24-May-90	16	14	35	53	88	283	40	441	427
25-May-90	13	26	33	31	64	290	13	406	380
26-May-90	4	16	18	16	34	177	9	240	224
27-May-90	6	19	28	24	52	190	2	269	250
28-May-90	16	31	24	30	54	120	15	236	205
29-May-90	13	30	46	39	85	225	20	373	343
30-May-90	39	84	65	48	113	305	58	599	515
3 1-May-90	68	143	107	118	225	181	70	687	544
TOTALS :	5,924	1,621	1,353	6,841	8,194	9,500	1,092	26,331	24,710

Appendix A-3. Daily salmonid catch, Rock Island bypass trap, June, 1990.

DATE	CHINOOK YEARLING	CHINOOK SUBYEAR		ELHEAD HATCHERY	TOTAL STLHD.	c O Ho	SOCKEYE	TOTAL	TOTAL YEARLING
01 -Jun-90	62	216	72	83	155	124	32	589	373
02-Jun-90	63	272	67	53	120	37	18	510	238
03-Jun-90	34	211	33	26	59	49	23	376	165
04-Jun-90	40	239	29	31	60	47	18	404	165
05-Jun-90	20	438	31	31	62	52	15	587	149
06-Jun-90	24	257	26	21	47	38	16	382	125
07-Jun-90	8	212	10	16	26	19	12	277	65
08-Jun-90	16	406	10	20	30	54	25	531	125
09-Jun-90	9	237	8	8	16	18	1	281	44
10-Jun-90	14	157	9	13	22	14	4	211	54
11-Jun-90	6	196	11	39	50	7	2	261	65
12-Jun-90	0	224	11	20	31	15	5	275	51
13-Jun-90	2	287	10	10	20	10	4	323	36
14-Jun-90	4	192	4	21	2s	6	5	232	40
15-Jun-90	4	213	7	23	30	7	6	260	47
16-Jun-90	1	306	5	14	19	0	3	329	23
17-Jun-90	6	735	2	9	11	0	8	760	25
18-Jun-90	4	611	10	13	23	0	3	641	30
19-Jun-90	1	243	8	17	25	1	4	274	31
20-Jun-90	1	233	5	17	22	0	2	258	25
21 -Jun-90	i	280	5	32	37	0	3	321	41
22-Jun-90	0	351	1	28	29	0	5	385	34
23-Jun-90	0	283	3	16	19	0	3	305	22
24-Jun-90	0	479	1	14	15	0	1	495	16
25-Jun-90	1	906	0	27	27	0	3	937	31
26-Jun-90	0	605	1	19	20	0	1	686	21
27-Jun-90	0	652	5	5	10	0	5	667	15
28-Jun-90	0	708	0	16	16	0	4	728	20
29-Jun-90	0	393	I	7	8	0	2	403	10
30-Jun-90	0	218	2	5	7	0	0	225	7
TOTALS:	321	10,820	387	654	1,041	498	233	12,913	2,093

Appendix A-4. Daily **salmonid** catch, Rock Island bypass trap, July, 1990.

	CHINOOK	CHINOOK	STEELH	<u>EAD</u>	TOTAL			TOTAL	TOTAL
DATE	YEARLING	SUBYEAS	WILD HA	TCHERY	STLHD.	соно	SOCKEYE S	SALMONID	YEARLING
01 7 3 00		207	1	-		0	2	405	8
01-Jul-90	0	397	1	5 4	6	0	5	673	
02-Jul-90	0	662	2 2	10	6 12	0	3 1	288	11 13
03-Jul-90	0	275 71		0		0	0	288 72	
04-Jul-90 05-Jul-90	0	/1 84	I 1	7	i 8	0	0	92	1 8
05-Jul-90 06-Jul-90	0	261	2	4	6	0	i	268	8 7
00-Jul-90 07-Jul-90	0	285	0	1	1	0	0	286	1
07-Jul-90 08-Jul-90	0	354	0	6	6	0	1	361	7
08-Jul- 9 0	0	180	1	2	3	0	1	184	4
10-JUI-90	0	216	0	1	1	0	0	217	1
1 1-Jul-90	0	157	0	2	2	0	2	161	4
12-Jul-90	0	129	1	0	1	0	0	130	I
12-Jul-90 13-Jul-90	0	148	3	0	3	0	1	150	4
14-Jul-90	0	478	0	2	2	0	2	482	4
15-Jul-90	0	813	1	2	3	0	1	817	4
16-JUWXI	0	1,022	2	0	2	0	2	1,026	4
17-Jul-90	0	917	1	1	2	0	0	919	2
18-Jul-90	0	909	3	1	4	0	0	913	4
19-Jul-90	0	802	1	0	1	0	1	804	2
20-Jul-90	1	906	4	1	5	0	0	912	6
21-Jul-90	0	602	1	0	1	0	1	604	2
22-Jul-90	1	519	0	0	0	0	0	520	1
23-Jul-90	0	664	2	2	4	0	2	670	6
24 -Jul-9 0	0	751	3	0	3	0	1	755	4
25-Jul- 9 0	0	661	1	1	2	0	1	664	3
26-Jul-90	0	486	0	0	0	0	0	486	0
27-Jul-90	0	328	3	3	6	0	1	335	7
28-Jul-90	0	308	1	2	3	0	0	311	3
29-Jul-90	0	502	0	3	3	0	1	506	4
30-Jul-90	0	400	0	1	1	0	2	403	3
31-JuI-90	0	870	3	4	7	0	3	880	10
TOTALS:	2	15,157	40	65	105	0	32	15,296	139

Appendix A-5. Daily salmonid catch, Rock Island bypass trap, August, 1990.

	CHINOOK	CHINOOK	STE	<u>ELHEAD</u>	TOTAL			TOTAL	TOTAL
DATS	YEARLING	SUBYEAR	WILD	HATCHERY	STLHD.	соно	SOCKEYE	SALMONID	YEARLING
01-Aug-90	0	691	1	3	4	0	2	697	6
02-Aug-90	0	492	1	2	3	0	3	498	6
03-Aug-90	0	380	2	1	3	0	0	383	3
04-Aug-90	0	414	2	1	3	0	1	418	4
05-Aug-90	0	321	i	0	1	0	1	323	2
06-Aug-90	1	286	0	0	0	0	2	289	3
07-Aug-90	0	199	0	0	0	0	2	201	2
08-Aug-90	0	196	2	า	4	0	1	201	5
09-Aug-90	0	95	0	0	0	0	0	95	0
10-Aug-90	0	55	1	1	2	0	0	57	2
11-Aug-90	0	85	0	1	1	0	0	86	1
12-Aug - 90	0	65	0	0	0	0	0	65	0
13-Aug-90	0	68	0	0	0	0	1	69	1
14-Aug-90	0	51	0	0	0	0	0	51	0
15-Aug-90	I	96	0	0	0	0	0	97	1
16-Aug-90	0	28	1	0	1	0	0	29	1
17-Aug-90	0	49	0	0	0	0	2	51	2
18-Aug-90	0	39	0	0	0	0	4	43	4
19-Aug-90	0	26	0	0	0	0	0	26	0
20- Aug-90	0	25	0	0	0	0	6	31	6
21 -Aug-90	0	16	0	0	0	0	3	19	3
22-Aug-90	0	116	0	0	0	0	3	119	3
23- Aug-90	0	105	6	0	6	0	2	113	8
24-Aug-90	0	63	2	0	?	0	0	65	2
25-Aug-90	0	32	0	0	0	0	2	34	2
26-Aug-90	0	15	2	0	2	0	Ī	18	3
27-Aug-90	0	17	0	0	0	0	2	19	2
28-Aug-90	0	4	0	0	0	0	1	5	1
29-Aug-90	0	5	2	0	2	0	0	7	2
30-Aug-90	0	1	0	2	2	0	0	3	2
3 I-Aug-90	0	3	0	0	0	0	0	3	0
TOTALS:	2	4,038	23	13	36	0	39	4,115	77

Appendix A-6. Monthly summary of the Rock Island bypass catch, 1 April -31 August, 1990.

MONTH	CHINOOK YEARLING	cHINOOK SUBYEAS	<u>STEEL</u> WILD I	HEAD LATCHERY	TOTAL STLHD.	соно	SOCKEYE	TOTAL	T OTAL
April	6,656	1,167	510	1,209	1,719	1	1,277	10,820	9.653
May	5,924	1,621	1,353	6,841	8,194	9,500	1,092	26,331	24,710
June	321	10,820	387	654	1,041	498	233	12,9[3	2,093
July	2	15,157	40	65	105	0	32	15,296	139
August	2	4,038	23	13	36	0	39	4,115	77
Totals:	12.905	32,803	2,313	8,782	11,095	9,999	2,673	69,475	36,672

Appendix B

Expanded Rock Island Dam bypass trap counts, 1 April -31 August

Appendix B-1. Expanded Rock Island bypass trap counts, April, 1990.

	CHINOOK	CHINOOK	STE	ELHEAD	TOTAL			TOTAL	TOTN
DATE	YEARLING	SUBYEAR	WILD	HATCHERY	STLHD.	соно	SOCKEYE	SALMON ID	YEARLING
				0			0	1.4	0
01-Apr-90	1	6	6	0	6 0	1 0	0	14 70	8
02-Apr-90	2	68	0			0	0	70 94	2
03-Apr-90	3	81	10	0 0	10	0	0		13
04-Apr-90	9	95	9		9	0		113	18
05-Apr-90	26	65	6	0	6		1	98	33
06-Apr-90	18	26	10	4	14	0	1	59	33
07-Apr-90	29	66	6	0	6	0	2	103	37
08-Apr-90	33	128	8	0	8	0	0	169	41
09-Apr-90	10	97	21	1	22	0	3	132	35
10-Apr-90	50	54	23	3	26	0	26	156	102
1 1-Apr-90	21	43	10	0	10	0	16	90	47
12-Apr-90	25	87	9	6	15	0	10	137	50
13-Apr-90	18	68	9	36	45	0	3	134	66
14-Apr-90	23	34	17	33	50	0	49	156	122
15-Apr-90	37	32	26	37	63	0	85	217	185
16- Apr-9 0	33	24	10	56	66	0	57	180	156
17-Apr-90	45	55	22	36	58	0	97	2s5	200
18-Apr-90	45	85	41	73	114	0	39	283	198
19-Apr-90	663	59	20	86	106	0	88	916	857
20-Apr-90	2,683	21	60	108	168	0	118	2,990	2,969
21-Apr-90	1,438	219	43	76	119	0	110	1.886	1,667
22-Apr-90	545	198	31	55	86	0	113	942	744
23-Apr-90	299	25	46	51	97	0	179	600	575
24-Apr-90	555	35	53	77	130	0	104	824	789
25-Apr-90	544	21	50	179	229	0	134	928	907
26-Apr-90	656	29	53	224	277	0	195	1,157	1,128
27-Apr-90	953	21	75	274	349	0	304	1,627	1,606
28-Apr-90	1,270	19	85	274	359	0	104	1,752	1,733
29-Apr-90	328	?	22	116	138	0	99	567	565
30-Apr-90	372	22	19	136	155	0	60	609	S87
ToTALS:	10,734	1.785	800	1,941	2,741	1	1.997	17,258	15,473

Appendix B-2. Expanded Rock Island bypass trap counts, May, 1990.

	CHINOOK	CHINOOK	STEEL	HEAD	ToTAL			ToTAL	TOTAL
DATE	YEARLING	s U B -	WILD	HATCHERY	STLHD.	соно	SOCKEYE	SALMON ID	YEARLING
01-May-90	506	11	34	189	223	0	95	835	824
02-May-90	564	9	45	146	191	0	51	815	806
03-May-90	844	22	60	327	387	468	97	1,818	1,796
04-May-90	739	9	50	291	341	333	107	1,529	1,520
05-May-90	751	1,032	60	305	365	121	83	2,352	1,320
06-May-90	635	409	56	363	419	168	24	1,655	1.246
07-May-90	719	113	67	518	585	305	93	1,815	1,702
08-May-90	952	82	85	947	1,032	1,109	206	3,381	3,299
09-May-90	583	23	90	926	1,016	459	99	2,180	2,157
10-May-90	279	3	140	935	1,075	371	33	1,761	1,758
I-May-90	289	23	139	861	1,000	431	29	1,772	1.749
12-May-90	296	21	86	625	711	428	37	1,493	1,472
13-May-90	306	18	65	769	834	564	70	1,792	1,774
14-May-90	333	29	68	814	882	656	28	1,928	1,899
15-May-90	4C9	20	87	648	735	623	37	1.824	1.804
16-May-90	375	9	68	512	580	819	12	1,795	1.796
17-May-90	240	16	71	424	495	613	16	1,380	1,364
18-May-90	154	21	74	284	358	680	21	1,234	1,213
19-May-90	81	8	46	169	215	761	88	1,153	1,145
20-May-90	69	11	42	91	133	768	58	1,039	1.028
2 l-May-90	70	33	54	89	143	1,525	44	1,815	1.782
22-May-90	64	6	53	79	132	469	18	689	683
23-May-90	36	21	63	90	153	458	60	728	707
24-May-90	27	24	59	90	149	480	68	748	72.\$
25-May-90	20	40	51	48	99	450	20	629	589
26-May-90	6	24	27	24	51	265	13	359	335
27-May-90	7	21	32	27	59	214	2	303	282
28-May-90	20	38	29	37	66	147	18	289	251
29-May-90	16	38	58	49	107	285	25	471	433
30-May-90	60	129	99	73	172	467	89	917	788
31 -May-90	107	225	169	186	355	285	110	1,082	857
TOTALS :	9.557	2.488	2,127	10.936	13,063	14.722	1,751	41,581	39.093

Appendix B-3. Expanded Rock Island bypass trap counts, June, 1990.

	CHINOOK	CHINOOK	STEELI	HEAD	ToTAL			TOTAL	TOTAL
DATE	YEARLING	SUBYEAR	M ILD H	ATCHERY	STLHD.	соно	SOCKEYE	SALMONID	YEARLING
o4 I 00	102	257	110	127	256	205	52	072	(1)
01 -Jun-90	102 107	357 461	119 114	137 90	2S6 204	205 63	53 31	973 866	616 405
02-Jun-90									
03-Jun-90 04-Jun-90	52 54	325 325	51 39	40 42	91 81	75 64	35 25	578 549	253 224
04-Jun-90 05-Jun-90	33	323 727	59 51	51	102	86	25	973	246
05 -Jun-9 0	46	496	50	40	90	73	31	736	
00-Jun-90 07-Jun-90	16	432	20	33	53	39	24	564	240 132
07-J un−90 08-J un −90	33	843	20	33 42	63	112	52	1,103	260
09-Jun-90		643 474	16		32		2	562	88
10-Jun-90	18 27	308	18	16 25	43	36 27	8	413	105
10-Jun-90 11 -Jun-90	9	310	17	62	43 79	11	3	413	103
12-Jun-90	0	463	23	41	64	31	10	568	102
12-Jun-90 13-Jun-90	5	736	26	26	52	26	10	829	93
13-Jun-90	15	701	15	20 77	92	22	18	848	93 147
15-Jun-90	12	641	21	69	92	21	18	782	
15-Jun-90 16-Jun-90	3	876	14	40	54	0	9	942	141
17-Jun-90	10	1,284	3	40 16	19	0	14	1,327	66 43
18-Jun-90	7	1,048	3 17	22	39		5	1,099	51
19-Jun-90	3	707	23	49	39 72	0	12	797	90
20-Jun-90	2	548	12	40	52	0	5	607	59
20-Jun-90 21-Jun-90	2	643	11	73	84	0	7	736	93
22-Jun-90	0	665	2	53	55	0	9	730	64
23-J un~90	0	815	9	46	55	0	9	879	64
24-J un-90	0	752	2	22	24	0	2	778	26
25-Jun-90	2	1.479	0	44	44	0	5	1,530	51
26-Jun-90	0	2,167	3	62	65	0	3	2.235	68
27-Jun-90	0	1,571	12	12	24	0	12	1,607	36
28-J un~90	0	1.498	0	34	34	0	8	1.540	42
29-Jun-90	0	1.115	3	20	23	0	6	1.144	29
30-Jun-90	0	508	5 5	12	23 17	0	0	525	17
50-Jun-90	U	300	J	12	1 /	U	0	343	1/
TOTALS:	558	23,275	717	1,336	2,053	894	451	27.231	3.956

Appendix B-4. Expanded Rock Island bypass trap counts, July, 1990.

	CHINOOK	CHINOOK	STE	ELHEAD	TOTAL			TOTAL	TOTAL
DATE	YEARLING	SUBYEAR	WILD	HATCHERY	sTLHD.	соно	SOCKEYE	SALMONID	YEARLING
01 -Jul-90	0	665	2	8	10	0	3	678	13
02-Jul-90	0	1,128	3	7	10	0	9	1,147	19
03-Jul-90	0	681	5	25	30	0	2	713	32
04-Jul-90	0	152	2	0	2	0	0	154	2
05-Jul-90	0	245	3	20	23	0	0	268	23
06-Jul-90	0	460	4	7	11	0	2	473	13
07-Jul-90	0	615	0	•	2	0	0	617	2
08-Jul-90	0	565	0	10	10	0	2	577	12
09-Jul-90	0	307	2	3	5	0	2	314	7
10 -Jul-9 0	0	468	0	?	2	0	0	470	2
11 -Jul-90	0	339	0	4	4	0	4	347	8
12-Jul-90	0	374	3	0	3	0	0	377	3
13-J ul -90	0	361	7	0	7	0	2	370	9
14-Jul-90	0	748	0	3	3	0	3	754	6
15-Jul-90	0	1,049	1	3	4	0	1	1,054	5
16-Jul-90	0	1,300	3	0	3	0	3	1,306	6
17-Jul-90	0	1, 299	1	1	2	0	0	1,301	2
18-Jul-90	0	1,134	4	1	5	0	0	1,139	5
19-Jul-90	0	1.023	1	0	1	0	1	1,025	2
20-Jul-90	1	1.212	5	1	6	0	0	1,219	7
21-Ju1-90	0	768	l	0	1	0	1	770	2
22-J ul -9 0	1	611	0	0	0	0	0	612	1
23-Jul-90	0	797	?	2	4	0	2	803	6
24-J ul-90	0	1,013	-1	0	4	0	1	1,018	5
25-Jul-90	0	818	1	1	2	0	1	821	3
26-Jul-90	0	606	0	0	0	0	0	606	0
27-Jul-90	0	384	4	4	8	0	1	393	9
28-Jul-90	0	363	1	2	3	0	0	366	3
29-Jul-90	0	59 l	0	4	4	0	1	596	5
30-Jul-90	0	468	0	I	1	0	2	471	3
31 -Jul-90	0	1,153	4	5	9	0	4	1,166	13
TOTALS:	2		63	116	179	0	47	21.925	228

Appendix B-5. Expanded Rock Island bypass trap counts, August, 1990.


	CHINOOK	cHINOOK	STEELHE	<u>AD</u>	TOTAL			TOTAL	TOTAL
DATE	YEARLING	SUBYEAR	WILD HAT	CHERY	STLHD.	соно	SOCKEYE S	ALMONID	YEARLING
01-Aug-90	0	906	1	4	5	0	3	914	8
02-Aug-90	0	766	2	3	5	0	5	776	10
03-Aug-90	0	571	3	2	5	0	0	576	5
04-Aug-90	0	561	3	1	4	0	1	566	5
05-Aug-90	0	403	I	0	1	0	1	405	2
06-Aug-90	1	343	0	0	0	0	2	346	3
07-Aug-90	0	255	0	0	0	0	3	258	3
08-Aug-90	0	258	3	3	6	0	1	265	7
09-Aug-90	0	123	0	0	0	0	0	123	0
10-Aug-90	0	67	1	1	2	0	0	69	2
1 I- Aug-90	0	l <i>05</i>	0	1	l	0	0	106	i
12-Aug-90	0	75	0	0	0	0	0	75	0
13-Aug-90	0	76	0	0	0	0	1	77	1
14-Aug-90	0	63	0	0	0	0	0	63	0
15-Aug-90	1	127	0	0	0	0	0	128	1
16-Aug-90	0	36	I	0	1	0	0	37	1
17-Aug-90	0	58	0	0	0	0	2	60	2
18-Aug-90	0	49	0	0	0	0	5	54	5
19-Aug-90	0	31	0	0	0	0	0	31	0
20- Aug-90	0	28	0	0	0	0	7	35	7
21-Aug-90	0	20	0	0	0	0	4	24	4
22-Aug-90	0	168	0	0	0	0	4	172	4
23-Aug-90	0	156	9	0	9	0	3	168	12
24-Aug-90	0	85	3	0	3	0	0	88	3
25-Aug-90	0	43	0	0	0	0	3	46	3
26-Aug-90	0	20	3	0	3	0	1	24	4
27-Aug-90	0	22	0	0	0	0	3	25	3
28-Aug-90	0	7	0	0	0	0	2	9	2
29-Aug-90	0	8	3	0	3	0	0	11	3
30-Aug-90	0	1	0	2	2	0	0	3	2
31-Aug-90	0	4	0	0	0	0	0	4	0
TOTALS:	2	5.435	33	17	50	0	51	5,538	103

Appendix B-6. Monthly summary of the expanded Rock Island bypass catch, 1 April - 31 August, 1990.


	CHINOOK	CHINOOK	STE	ELHEAD	TOTAL			TOTN	TOTAL
MONTH	YEARLING	sUBYEAS	wILD	HATCHERY	STLHD.	соно	SOCKEYE	SALMONID	YEARLING
April	10.734	1,785	800	1,941	2,741	1	1,997	17,258	15,473
Мау	9,557	2,488	2,127	10,936	13,063	14,722	1,751	41,581	39,093
June	558	23,275	717	1,336	2,053	894	451	27,231	3,956
July	2	21,697	63	116	179	0	47	21,925	228
August	2	5,435	33	17	50	0	51	5,538	103
TOTALS:	20.853	54,680	3.740	14,346	18,086	15,617	4,297	113,533	58,853

Appendix C


Daily juvenile salmonid run timing for 1990 and the 6 year average





Appendix C-1. Chinook yearling juvenile run timing, Rock Island Dam, 1990 and the 6 year average.




Appendix C-2. Chinook sub-yearling juvenile run **timing**, Rock Island Dam, 1990 and the 6 year average.












pendix C-3. Steelhead juvenile run timing, Rock Island Dam, hatchery, naturally duced, total for 1990 and the 6 year average.




Appendix C-4. Coho juvenile run timing, Rock Island Dam, 1990 and the 6 year average.



Appendix C-5. Sockeye juvenile run timing, Rock Island Dam, 1990 and the 6 year average.



Appendix C-6. Total salmonid juvenile run timing, Rock Island Dam, 1990 and the 6 year average.



Appendix C-7. Total yearling juvenile run timing, Rock Island Dam, 1990 and the 6 year average.

Appendix D

Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, 1 April -31 August

Appendix D-1. Daily summary of branded chinook and steel head sampled from the Rock Island Dam bypass, April, 1990.

					CHINO	OK BR	ANDS						STE	ELHEA	D BRAN	NDS	
				Yea	rlings				Subye	arlings	Ad C	lips					Ad Clips
DATE	RA/7C/1	RA/7C/3	LD/7C/I	RA/7N/1	RA/7N/3	LA/7T/1	LA/7T/3	RD/7T/1	LA/II/I	LA/H/3	Subyr	Yrlng	LD/7H/1	LD/7H3	RA/7H/ 1	RA/7H/3	
04/01/90																	0
04102/90																	0
04/03/90																	0
04/04/90																	0
04/05/90																	0
04/06/90																	3
04/07/90																	0
04/08/90																	0
04/09/90																	I
04/10/90																	0
04/11/90																	4
04/12/90 04/13/90																	24
04/1 3/90																	23
04/15/90																	30
04/16/90																	49
04/17/90																	24
04/18/90												2					50
04/19/90						1						6					57
04/20/90						1.5	ý	9	ı			132					66
0.1/21190				7	1	5	2	4				1 02					52
04/22/90				2	1	- 1	2	2				24					32
04{23 /90				1	4	- 1		1				13					37
04/24/90				7	6	3	- 1	3				42					4s
04/25/90					1	1		I				22					104
04/26/90		I			3		4	3				35					132
04/21/90				4	2	9		-				68					157
04/25/90				I		5						47	I		_		161
04(29/90				I	2	3						25			I		67
04/30/90				1			I	2				20				3	86
TOTALS:	0	1	0	24	21	46	32	31) 0	0	538	I	0	1	4	209

Appendix D-2. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, May, 1990.

					CHINO	OK BRA	ANDS						STE	ELHEAI) BRAN	NDS	
				Yea	rlings				Subye	arlings	Ad C	lips			<u>.</u>		Ad Clips
DATE	RA/7C/I	RA/7C/3	LD/7C/1	RA/7N/1	RA/7N/3	LA/71/1	LA/71/3	RD/TT/1	LA/H/I	LA/H/3	Subyr	Yring	LD/7H/1	LD/7H3	RA/7H/1	RA/7H/3	
05/01/90						2	3	2				29	3		ı	2	105
0S/02/90	1	1			1	1	ı					21	2		2		85
05/03/90	1				1	1	5	3				50	S	6	4	5	195
05104190)					'3	I					28	3	5	5	2	187
03/0s/90						10	4	ı			611	34				6	202
05106/90					1	S		'2			240	47	6	11	3	3	225
05107/90					2		2	2			36	79	13	8	2	5	339
05/0s/90				1			6				19	40	9	16	to	4	533
05/09/90				-		1					3	10	23	19		7	513
05/ 1 0/90						2		1			i	11	20	20	6	5	542
05/11/90	•					4		2			d	10	22				4s3
05/1 2/90						1		1			2	6	23		5		3s4
0\$/13/90						•		1			6	8	25				548
05/ I 4/90				1		2		i			13	10	15				608
05/15/90	-			1		Ī	ı	1			10	8	4	8		5	448
05/16/90	2	2		·		3	3	i			5	15	3	3	5	3	34
05/ I 7/90		-				Ü	2				2	7	3				269
05/18/90		1				1	2				2	5	3			1	176
05 / 19/90		i									4	2	1	ı	2		02
0S/20/90		-									5	ī		1	1		57
03/21/90		t									13	2		i	i		63
05/22/90											3	1				2	52
05/23/90											_			1	1		55
05/24/90											3		1	1		2	53
03/25/90											_		i	-	2		31
05/ 26/90											6		_				16
05/27/90											2						24
05/28/90											7			1			30
05/29/90											, II			•		1	39
05/30/90											37	1					48
05/31/90	1										31	4			2	2	118
03/31/90	,											•			-	-	,10
TOTALS :	6	8	0	3	8	49	33	16		0	[076	430	185	171	71	79	6871

Appendix D-3 Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, June, 1990

					CHINO	OK BR	ANDS						STE	ELHEA) BRA	NDS	_
•				Yea	rlings	OR DI	111100		Subye	arlings	Ad C	lips					Ad Clips
DATE	_RA/7C/1R	A/7C/3_	LD/7C/1	-		LA/7T/1	LA/71/3	RD/7T/1	LA/H/1	LA/H/3	Subyr	Yrlng	LD/7H/1	LD/7113	RA/7H/	I RA/7H/	3
									_		12						83
06/01/90									1		32		1	1			53
06/0290							ì		I		32 14		4	•			26
06/03/90								I		1	43	2					31
06/04/90								1	4			0					31
06/0s/90									I		44 56						21
06/06/90							1		2								16
06/07/90									2		49 128	0 I					20
06/08/90									3								8
06/09/90									2		50						13
06/10/90										4	27						39
06/11/90											18						20
06/12/90											19						10
06/13/90									I	1	22						21
06/14/90									I		17						23
06/15/90										2	40						14
06/16/90										1	31						
06/17/90										-	59						13
06/ I s/90									:	•	30						17
06/19/90										2 3	16						13
06/20/90										B.	17						32
06/21/90											20						
06/22/90										2 1	27						20
06/23/90										1 5	11						10
06/23/90										9 2	40						14
06/25/90										6 3	39)					2
										8 1	37	,					t
06/26/90										6 10	2	l					
06/27/90									1	<i>I</i> 4	27	7					10
06/28/90										9 6	24	1					
06/29/90										1 3	II						:
06/30/90)													1	0	0	0 65
TOTALS:	0		0	1	0	0	1	2	n 8	2 61	101	4 13		2	U	U	U 03

Appendix D-4. Daily summary of branded chinook and steelhead sampled from the Rock Island Dam bypass, July, 1990.

					CH	HINOOK	(BRA	ANDS							STE	ELHEA	D BRAN	DS	
					Yearling	<u>ş</u> s		. —		Sub	yea	rlings	Ad C	lips					Ad C
DATE	RA/7C/	RA/7C/	3 LD/7C/	RA/7N/	I RA/7N/3	LA17	111	L. A/71/3	RD/7171	LA/n/	I	LA/H/3	Subyr	Yrlng	LD/7H/1	LD/7113	RA/7H/1	RA/7H/3	
07/01/90 07/02/90											2	2 3	6 20						
07/02/90											2		11						
07/03/90											1		4						
07/04/90													1						
07/05/90											,	1							
07/00/90											5		3						
07/08/90											ı	2	.,						
07/09/90											·	-							
07/10/90																			
07/11/90																			
07/12/90																			
07/ 1 3/90													3						
07/14/90																			
07/ I s/90											-1		1						
07/ 16/90													1						
07/17/90													1						
07/18/90													0						
07/19/90													2						
07/20/90																			
07/21/90																			
07/22/90													- 1						
07123(90											- 1		25						
07/24/90													41						
07/25/90													15						
07/26/90											I		5						
07127190													1						
07/2s190													0						
07(29/90													3						
07/30/90													8						
07/3 1 /90													Я						
ALS:	(0	0	0	0	0	0	0		18	8	157	()	O		0	0	

Appendix D-5. Daily summary of branded chinook and steel head sampled from the Rock Island Dam bypass, August, 1990.

					CHINO	OOK BR	ANDS							STE	ELHEAL	D BRAN	NDS	
				Year	rlings				Sub	yearling:	5 A	d Clip	s					Ad Clips
DATE	RA/7C/1	RA/7C/3	LD/7C/	1 RA/7N/1	RA/7N/3	LA/7T/1	LA/7T/3	RD/717	/1 LA/H/	LA/H	/3 Suby	Y	/ring	LD/7H/1	LD/7113	RA/7H/1	RA/7H/3	
08/01/90												s						3
08/02/90												5						2
0s/03 /90												3						1
08/04/90												3 0						1
08/05/90 08/06/90												ı						0
08/07/90												i						0
06/0s/90												0						0
08/09/90												0						0
08/10/90												0						1
08/11/90												2						I
0s/ I 2/90																		
08113190												0						
0s/14/90 08/1 5 /90												0 I	I					
0S/ 16/90												•						
08/17/90																		
08/18/90																		
08/1 9/90																		
08/20/90																		
08/21/90																		
08/22/90																		
0 8/23/90 (%3/24/90																		
08/25/90																		
08/26/90																		
0\$/27/90																		
08/28/90																		
08/29/90																		
08/30/90																		
08/3 1 /90																		
TOTALS:	0	()	0 0	(0	0)	0	0	0	21	I	0	0	0	0	9

Appendix D-6. Monthly summary of branded chinook and steelhead sampled from the Rock Island Dambypass, I April -31 August, 1990.

					CHIN	оок	BRANI	DS						STE	ELHEA	D BRAN	IDS	
				Ye	earlings					Subyea	rlings	Ad Cl	ips					Ad Clips
MONTH	RA/7C/1	RA/7C/3	LD/7C/1	RA/7N/1	RA/7N/3	1. A/	7[/] LA	1/71/3	RD/71/1	L.A/11/1	LA/1113	Subyr	Yrlng	LD/7H/1	LD/7113	RA/7H/1	RA/7H/3	
April	0	1	ı	0	24	27	41.	32	31	0	O	0	538	1	0	1	4	1209
May	6			o	1	¥	49	11	16	0	0	1076	430	185	171	71	79	6871
June	0	. ()	1	Δ				α	82	62	1014	13	2	0	0	0	654
July	0	()	n						18	8	157	0	0	0	o	0	61
August	0	C)	0	0	0	a		0	0	0	21	ı	0	0	o	0	9
TOTALS:	6	g	1	1	27	15	97	h7	41	100	70	2268	982	188	171	72	83	SS04

Appendix E

Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island Dam bypass trap, 1 April -31 August

Appendix E-1. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock **Island** bypass trap, April , 1990.

DATE	LA/Y/I	LA/Y/2	LA/Y/3	LA/Y/4	RA/Y/1	RA/Y/2	RA/Y/3 .	RA/Y/4
04/01/90								
04102190								
04/03190								
04/04/90								
04/05/90								
04/06/90								
04/07/90								
04/08/90								
04/09/90								
04/10/90								
04/ 11 /90								
04/12/90								
04/ 13J90								
04/14/90								
04/15/90								
04/ 16/90								
04/ 17t90								
04/18/90								
04/19/90								
04/20/90								
04/21/90								
04122190								
04/23190								
04124190								
04/2s190								
04126190								
04/27/90								
04/28/90								
04/29190								
04130190								
TALS:	o	0	0	0	0	0	0	(

Appendix E-2. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island bypass trap, May, 1990.

DATE	LA/Y/i	LA/Y/2	LA/Y/3	LA/Y/4	RA/Y/ 1	RA/Y/2	RA/Y/3	RA/Y/4
05/01/90								
05/01/90								
05/03/90								
05104190								
05/05/90	149	147	163	152	5	1	9	
05106190	50	55	68	67	I	2	4	
05/07190	10	11	11	4	1		3	
05108190	6	2	-1	4	4	1		
05/09/90	2		1		1	2		
05/ 10190				1		1		
05/11/90		3		I		2		1
05/12/90	1			1	2	2		
05/13/90								
05/14/90	6	3	2	2	2	1	2	
05/15/90	2	5	2	1	3	3	1	1
05/16/90	1	1	3		1	3	2	2
05/17/90			1	1	1	I	2	1
05/18/90	1			1	1	4		
05/19/90	2	1	1			1	2	
05/20/90		2	2	1	2		1	
05/21/90	2	1	3	7			1	
05/22/90	2	1			1			:
05123190								
05/24/90				3			1	
05125190								
05/26/90	1	1	4					
05127190		1		1				
05/28/90		3	2				1	1
05129190	4	3	2	2				
05130190	7	10	10	6	2		1	
05131190	8	2	11	4	3			
TOTALS;	254	252	293	259	30	24	30	27

Appendix E-3. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island bypass trap, June, 1990.

DATE	LA/Y/I	LA/Y/2	LA/Y/3	LA/Y/4	RA/Y/I	RA/Y/2	RA/Y/3 .	RA/Y/4
		-		2				
06/01/90	6	5	9	3			1	
06/02/90	5	1	3	5		1		
06103/90	3	1	3	ì		2	1	
06/04/90	11		6	5	2	1	1	
06/05/90	b	4	5	4				
06/06/90	7	9	4	9				
06/07/90	9	6	7	7				
06/08190	29	17	20	22				
06/09/90	7	2	6	5				
06110/90		3	5	3				
06/1 1/90	2	5	1	2				
06/12/90	ı	2	3	5				
06113190	6	5	4	1				
06/ 14190	4	6		2				
06115/90	12	4	8	4				
06116190	7	4	2	4				
06/ 17/90	11	8	11	4				
06118190	3	3						
06/19/90	2		1	1				
06/20/90		2	ı					
06/2 1/90			1					
06122190			2					
06123/90			_					
06124190								
06125190								
06/26/90	1							
06/27/90	•		1					
06/28/90			·					
06/28/90			1					
06130190								
TOTALS:	132	87	106	87	2	5	3	2

Appendix E-4. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island bypass trap, July, 1990.

DATE:	LA/Y/1	LA/Y/2	LA/Y/3	LA/Y/4	RA/Y/1	RA/Y/2	RA/Y/3	RA/Y/4
05/04/00								
07/01/90								
07102190								
07/03/90								
07/04/90								
07/05/90								
07/06/90								
07/07/90								
07108190								
07/09/90								
07/ 10/90								
07/1 1/90								
07/12/90								
07/13/90								
07/14/90								
07/ 1 5/90	1							
07/ 16/90								
07/ I 7/90								
07/18/90								
07/19/90								
07/20/90								
0712 1/90								
07122190								
07123190								
07/24190								
07/2s/90								
07/26/90								
07/27190								
07128190								
07/29/90								
07/30/90								
07/31/90								
TOTALS:	1	O	0	0	0	0	0	0

Appendix E-5. Daily summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island bypass trap, August, 1990.

DATE	LA/Y/1	LA/Y/2	Ĺa/Y/3	LA/Y/4	RA/Y/ i	RA/Y/2	RA/Y/3	RA/Y/4
08101/90								
08101/90								
08102190								
08/04/90								
08/04/90								
08/06/90								
08/07/90								
08/07190								
08109/90								
08110190								
08/11/90								
08/ 12/90								
08/ 13190								
08114190								
08/ 15/90								
08116190								
08/17/90								
08/ 18/90								
08119190								
08 /20/90								
08/21/90								
08/22/90								
08/23/90								
08124190								
08125190								
08126190								
08127190								
08128190								
08129190								
08130190								
08131190								
TOTALS:	0	0	0	0	0	0	0	0

Appendix E-6. Monthly summary of branded accelerated growth chinook sub-yearlings captured at the Rock Island bypass trap, 1 April -31 August, 1990.

MONTH	LA/Y/I	LA/Y/2	LA/Y/3	LA/Y/4	RA/Y /1	RA/Y/2	RA/Y/3	RA/Y/4
April	0	0	0	0	0	0	0	0
May	2s4	252	293	259	30	24	30	27
June	132	87	106	87	2	5	3	2
July	1	0	0	0	0	0	0	0
August	0	0	0	0	0	0	0	0
TOTALS:	387	339	399	346	32	29	33	29